Product data sheet

Specifications

NetShelter 4 Post Open Frame Rack 44U Square Holes

AR203A

Overview

Lead time	Usually in Stock

Main

Number of rack unit	44U
Provided equipment	Installation guide

Physical

Color	Black
Height	83.9 in (213 cm)
Width	23.6 in (60 cm)
Depth	29.4 in (74.7 cm)
Net Weight	89.09 lb(US) (40.41 kg)
Mounting Location	Front Rear
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	29.13 in (73.99 cm)
minimum mounting depth	29.13 in (73.99 cm)
rack width	19"
Permanent permissible load	2000 lb(US) (907.2 kg) static

Conformance

Standards	EIA-310E

Ordering and shipping details

GTIN	731304260233

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	82.008 in (208.3 cm)
Package 1 Width	4.4 in (11.3 cm)
Package 1 Length	10.0000000000 in (25.4 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Weight	89.99 lb(US) (40.82 kg)

Contractual warranty

Warranty	5 year repair or replace

Sustainability ![Green Premium™]

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Take-back   Transparency   RoHS/REACh

Resource performance

✓ Take-Back Program Available

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

EU RoHS Declaration

Environmental Disclosure   Product Environmental Profile

Circularity Profile   End of Life Information