



APC Essential SurgeArrest, 7 outlet, phone line protection, 10 ft power cord

P7T10

! To be discontinued on: Aug 30, 2024

! To be discontinued

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	10 ft (3.05 m)
Number of cables	1
Provided equipment	2 x 1.8 m telephone cables User manual

Physical

•	
Colour	Beige
Height	14.02 in (35.6 cm)
Width	3.0 in (7.6 cm)
Depth	2.008 in (5.1 cm)
net weight	1.23 lb(US) (0.56 kg)
Mounting preference	No preference
mounting mode	Not rack-mountable

Input

Maximum line current	15 A
Network frequency	50/60 Hz +/- 5 Hz manual switch

Output

Number of power socket outlets	7
Outlet standard	NEMA 5-15R

Conformance

UL 1449 TVSS rating	330
Product certifications	CSA
Standards	UL 1449
Equipment protection policy	Lifetime : \$25000

Environmental

Ambient air temperature for operation	32.0000000000104.00000000000 °F (040 °C)
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)
Storage Relative Humidity	095 %
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

Surge Protection and Filtering

Response time	0 ns common mode
Common mode rejection	55 dB
Peak current	30 kAcommon mode 10 kAnormal mode
Surge energy rate	840 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.02 in (35.6 cm)
Package 1 Width	1.9 in (4.8 cm)
Package 1 Length	5.2 in (13.3 cm)
Package 1 Weight	1.81 lb(US) (0.82 kg)
Number of Units in Package 2	12
Package 2 Height	8.13 in (206.50 mm)
Package 2 Width	15.5 in (393.7 mm)
Package 2 Length	16.37 in (415.80 mm)
Package 2 Weight	20 lb(US) (9.07 kg)
Number of Units in Package 3	360
SCC14	10731304016585

Contractual warranty

Warranty Limited Lifetime



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Mercury Free	
Ø	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Circularity Profile	End of Life Information