Product data sheet

Specifications



APC Rack PDU, 9000 switched, 0U, 8.6kW, 208V, 21 C13 and C15, 3 C19 and C21 sockets

APDU9965

Overview

Lead time

Usually in Stock

Main

mann		
Color	Black	
Product or Component Type	PDU	
PDU Type	Switched	
Cord length	6 ft (1.8 m)	
Number of cables	1	
Provided Equipment	Installation guide Rack Mounting brackets Safety guide	

Complementary

208 V 3 phase 72.008 in (182.9 cm) 2.2 in (5.6 cm)	
2.2 in (5.6 cm)	
2.2 III (0.0 011)	
208 V	
2.008 in (5.1 cm)	
18.03 lb(US) (8.18 kg)	
Side	
No preference	
NEMA L21-30P	
Not rack-mountable	
0U	
No	
Vertical	
SNMP Redfish	
24 A	
30 A	
30 A	
8600 VA	
50/60 Hz	

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Outlet type and quantity	21C13/C15 3C19/C21
Communication Network Type	10/100/1000BASE-T

Environment

Product Certifications	cULus FCC part 15 class A
Standards	ICES-003
Ambient Air Temperature for Operation	23140 °F (-560 °C)
Relative Humidity	595 %
Operating altitude	010000 ft
Ambient Air Temperature for Storage	-13149 °F (-2565 °C)
Storage Relative Humidity	595 %
Storage altitude	050000 ft (0.00000000015240.000000000 m)

Ordering and shipping details

GTIN	731304356325	
Country of origin	IN	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	80.3 in (204 cm)
Package 1 Width	4.9 in (12.4 cm)
Package 1 Length	6.5 in (16.5 cm)
Package 1 Weight	22.75 lb(US) (10.32 kg)

Contractual warranty

Warranty

3 years repair or replace

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	End of Life Information