Technical Specifications

HP Engage 16t FHD Monitor HP Engage 16t MSR FHD Monitor



- **1.** Power Button
- 2. OSD Buttons

3. MSR LED (HP Engage 16t FHD MSR Monitor Only)

Technical Specifications

HP Engage 16t FHD Monitor HP Engage 16t MSR FHD Monitor



Technical Specifications

Models: 2D9X0AA; 2D9Z4AA

Panel Specifications Display Size (Diagonal) 15.6"

Panel TechnologyAHVAMax Refresh Rate60 Hz

Native Resolution 1920 x 1080

Panel Bit Depth 8 bit
Aspect Ratio 16:9
Brightness (Typical) 400 nits
Contrast Ratio (Static) 800:1
Pixel Pitch 0.17925mm

Pixels Per Inch (PPI)

Backlight Lamp Life Minimum
(To Half Brightness - In Hours)

Backlight Type

Screen Treatment

Hardness

141 PPI

50,000

Edge-lit
Anti-glare
7H

Response Time (Typical) 25ms on/off

Horizontal Viewing Angle

(Typical CR>10)

Vertical Viewing Angle

(Typical CR>10)

Panel Active Area Metric (W X H) 34.42 x 19.36 Panel Active Area Imperial (W X H) 13.55 x 7.62

NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers;

actual performance may vary either higher or lower.

Color Gamut Coverage NTSC 45%

Color Management Color Space/ Subsampling Support RGB 4:4:4

Rgb Channel Adjust Yes, Gain **Default Color Temperature** Neutral (6500K)

Monitor Specifications Bezel Type 3-sided Micro Edge

Color Of StandBlackColor Of HeadBlackTilt15° to 40°

VESA Mounting 100 mm x 100 mm (bracket included)

Detachable Stand Yes

Low Blue Light Yes (TÜV certified)

Touch Technology Projected Capacitive technology

Multimedia Webcam 5M resolution (2592 x1944)

MicrophoneYesSpeaker Output Power2 x 1.5W

Display Software HP Display Center

Technical Specifications

On Screen	Display
(OSD)	

Native Resolution Full HD (1920 x 1080)*

*Apply to high resolution and/or high frame rate displays

only. CONFIRM WITH EPM whether disclaimer applies.

Maximum Resolution

Preset Graphic Modes/Supported

Resolutions

1920x1080@60Hz 640 x 480 @ 60Hz 720 x 400 @ 70Hz

800 x 600 @ 60 Hz 1024 x 768 @ 60 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1366 x 768 @ 60 Hz 1440 x 900 @ 60 Hz 1600 x 900 @ 60 Hz 1600 x 1200 @ 60 Hz

1600 x 1200 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 60 Hz

Minimum Vertical Scan Rate50 HzMaximum Vertical Scan Rate76 HzMinimum Horizontal Scan Rate30.0 kHzMaximum Horizontal Scan Rate80.0 kHzMaximum Pixel Clock170.0 MHzAudioBuilt-in speakers

Audio Built-in speakers

10 (English, Spanish, German, French, Italian, Netherlands,

Portuguese, Japanese, T-Chinese and S-Chinese)

Connector Types

DisplayPort™

USB-C® Video Input

Languages

HDCP

Yes, USB-C® Alt mode DP

1 DisplayPort™ 1.2

1 USB-C® (DisplayPort™ 1.2, power delivery up to 65W)

AUDIO PORT 1 Headphone Out Combo Jack

Special Features

SWITCH

Menu, Minus, ("-"), Plus ('+'), Exit, Power

User Presets 10 **User Updateable Firmware** Yes

Power & Operating

Specs

Power Supply External

Power Source 100 – 240 VAC 50/60 Hz

Power Consumption- Max65WEnergy Saving/Stand By Mode0.5WPower Consumption- Typical20W

ENERGY STAR DATA

Operational Mode at 100 VAC8.6WOperational Mode at 115 VAC8.6WOperational Mode at 230 VAC8.8W



Technical Specifications

EU ENERGY EFFICIENCY CLASS (EC1062)	On-mode Power Consumption (EC 1062/2010) - (EC 2019/2013)	10W		
	Annual Power Consumption (EC 1062/2010) - (EC 2019/2013)	10KWh		
	Energy Efficiency Class (EC 1062/2010) - (EC 2019/2013)	E		
Operating Conditions	Operating Temperature - Celsius	5° – 35°		
	Operating Temperature - Fahrenheit	41° – 95°		
	Non-operating Temperature - Celsius Non-operating Temperature -	–20° – 60° –4° – 140°		
	Fahrenheit Operating Humiditu	20 00%		
	Operating Humidity Non-operating Humidity	20 – 80% 5 – 95%		
	Operating Altitude	0 – 5,000 m (16,400 ft.)		
	Non-operating Altitude	0 – 12,192 m (40,000 ft.)		
	Non-operating Attitude	0 - 12,192 111 (40,000 11.)		
Environmental	Mercury-free LED display backlighting	Yes		
Features and	Arsenic-Free Display Glass	Yes		
Certifications	Low Halogen	Yes		
		CE, CB, KC/KCC/NOM/ICE/TU	IV-S/ISO 9241-307/	
	Agency Approvals and Certifications	EAC/UL/CSA/CCC/CEL/CECP/	_,	
	Agency Approvats and certifications	Star/VCCI/FCC/BSMI/Vietnai Zealand MEPS/WEEE	m MEPS/Australian-New	
	Microsoft WHQL Certification	Win10		
	ENERGY STAR® Certified	Yes		
	EPEAT® Registered	Yes*		
	-	*Based on US EPEAT® regist	tration according to IEEE	
		1680.1-2018 EPEAT®. Statu		
		http://www.epeat.net for m	nore information	
	China Energy Label	CEL Grade 2		
Recycled Plastics	Contains Recycled Plastics	ABS 85%		
	Recyclable Packaging (Box, packing materials)	EPE Cushion 90%		
		<u>Metric</u>	<u>Imperial</u>	
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	39.14 x 26.93 x 22 cm	15.4 x 10.6 x 8.66 in	
	Product Dimensions (Packed) (W x D x H)	47.6 x 32.6 x 39.6 cm	18.74 x 12.83 x 15.59 in	
	Display Head Dimensions (Unpacked without stand) (W x D x H)	39.14 x 24.08 x 2.72 cm	15.4 x 9.48 x 1.07 in	
	Base Area Footprint (w x d mm)	305 x 220 mm	12 x 8.66 in	
	Bezel Measurements	Top: 22 mm	Top: 0.86 in	
		Side: 22 mm	Side: 0.86 in	
		Bottom: 22 mm	Bottom: 0.86 in	
	Product Weight (Unpacked with stand)	4.28 kg	9.43 lb	



Technical Specifications

Product Weight 6.78 kg 14.95 lb (Packed)

Product Weight 5.4 lb

2.45 kg (Head Only)

Pallet Information Pallet Dimensions 1200 x 1000 x 118 mm 47.2 x 39.4 x 4.6 in

(L x W x H) **Pallet Total Weight** 573.2 lbs 260 kg

Pallet Layers 5 Pallet Product per Layer 7

Total Products per Pallet 35 Container Load. 20-Foot 350 units Container Load, 40-Foot 735 units Container Load, 40-Foot HighQ 882 units

What's in the box? **HP Engage 16t FHD Monitor** HP Engage 16t FHD Monitor

(2D9X0AA) DisplayPort

USB-C® **Power Adapter**

Documentation

HP Engage 16t MSR FHD Monitor HP Engage 16t MSR FHD Monitor (2D9Z4AA)

DisplayPort USB-C®

Power Adapter

Documentation

Compatible 4A2F9AA - HP Engage 16t Column Stand **Accessories** 4A2G0AA - HP Engage 16t VESA Plate



Technical Specifications

Environmetal Data

HP Engage 16t		This product has received	or is in the process of being o	ertified to the following	
FHD Monitor	& declarations	approvals and may be labeled with one or more of these marks:			
		IT ECO declaration			
		 US ENERGY STAR 	®		
		 TCO EDGE 			
		_	gistered in the United States*		
			EAT® registration according to		
			aries by country. Visit http://	www.epeat.net for more	
		information			
		US Federal Energ	y Management Program (FEN	1P)	
	Sustainable Impact	• 85 % post-consumer rec	ycled plastic ¹		
	Specifications	• Low halogen ²			
		Outside Box and corruga	ited cushions are 100% susta	inably sourced and	
		recyclable ³			
	Energy Consumption (in accordance with US ENERGY STAR® test method) Normal Operation Sleep Off	1. Recycled plastic content percentage is based on the definition set in the 1680.1-2018 standard. 2. External power supplies, WWAN modules, power cords, cables and peripare not low halogen. 3.100% outer box packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and o material. Any plastic cushions are made from >90% recycled plastic.			
	Off	0.13 W	0.17 W	0.13 W	
		4.500.5		1001116 =	
	Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz	
	Normal Operation	29 BUT/hr	30 BUT/hr	29 BUT/hr	
	Sleep	1 BUT/hr	1 BUT/hr	1 BUT/hr	
	Off	0.5 BUT/hr	0.6 BUT/hr	0.5 BUT/hr	
		*NOTE: Heat dissipation is service level is attained fo	calculated based on the mean or one hour.	sured watts, assuming the	



Additional Information Packaging Materials	Sub This Elec This Cali This Gold Plas	sproduct is in compliance with the Restrictions of Hazal stances (RoHS) directive - 2002/95/EC. HP product is designed to comply with the Waste Electronic Equipment (WEEE) Directive - 2002/96/EC. product is in compliance with California Proposition 65 fornia; Safe Drinking Water and Toxic Enforcement Act product is in compliance with the IEEE 1680 (EPEAT) states and the second states are states as product is product is graph over 25 grams used in the product ISO 11469 and ISO1043. product is 96.4% recycle-able when properly disposed PAPER/Paper	trical and 5 (State of of 1986). tandard at the are marked
r uckuging mutemuts	Externat.	PAPER/Corrugated	396 g
		PLASTIC/Polyethylene Expanded - EPE	74 g
RoHS Compliance	HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam. We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products. We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.		striction of through the on in Europe, le in have FRs, and trical and ith the new EU and we will restricted
Material Usage	statement. This product regulatory linhttp://www.cifications.ht	does not contain any of the following substances in exmits (refer to the HP General Specification for the Environment/supplyotent): estos tain Azo Colorants tain Brominated Flame Retardants – may not be used a product in plastics mium orinated Hydrocarbons orinated Paraffins 2-Ethylhexyl) phthalate (DEHP) zyl butyl phthalate (BBP) utyl phthalate (DBP)	cess of onment at chain/gen_spe



recinical specifica	เมษาร		
Pac	ckaging	 Diisobutyl phthalate (DIBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyls (PBBs) Polybrominated Biphenyl Ethers (PBBEs) Polybrominated Biphenyl (PCB) Polychlorinated Biphenyl (PCB) Polychlorinated Terphenyls (PCT) Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO) HP follows these guidelines to decrease the environmental impact of product packaging: Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials. Reduce size and weight of packages to improve transportation fuel efficiency. Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards. 	
	d-of-life Management d Recycling	HP Inc. offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. Thi information (product disassembly instructions) is posted on the HP web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.	



HP, Inc. Corporate Environmental	For more information about HP's commitment to the environment:
Information	Global Citizenship Report
	http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html
	Eco-label certifications
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdesign/ecolabels.html
	ISO 14001 certificates:
	http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755
	842
	and
	http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf



MSR FHD Monitor S S S	Eco-Label Certifications & declarations Sustainable Impact Specifications	approvals and may be labe IT ECO declaration US ENERGY STAR® TCO EDGE EPEAT® Gold regis *Based on US EPE EPEAT®. Status vainformation US Federal Energy *85 % post-consumer recy Low halogen² Outside Box and corrugate recyclable³	stered in the United States* AT® registration according taries by country. Visit http:// y Management Program (FE y Cled plastic ¹ ted cushions are 100% sust	to IEEE 1680.1-2018 /www.epeat.net for more MP) ainably sourced and	
	Energy Consumption	 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. External power supplies, WWAN modules, power cords, cables and peripherals are not low halogen. 100% outer box packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. 			
	(in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz	
	Normal Operation	8.60 W	8.80 W	8.60 W	
	Sleep	0.22 W	0.26 W	0.22 W	
	Off	0.13 W	0.17 W	0.13 W	
	-				
	Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz	
	Normal Operation	29 BUT/hr	30 BUT/hr	29 BUT/hr	
	Sleep	1 BUT/hr	1 BUT/hr	1 BUT/hr	
	Off	0.5 BUT/hr	0.6 BUT/hr	0.5 BUT/hr	
			calculated based on the me	asured watts, assuming the	
	Additional Information	Substances (RoHS This HP product is Electronic Equipm This product is in California; Safe Dr This product is in Gold level, see htt Plastics parts weight	tp://www.epeat.net ghing over 25 grams used ir	ne Waste Electrical and 2/96/EC. Proposition 65 (State of orcement Act of 1986). 580 (EPEAT) standard at the	



Packag	ing Materials Ext	ernal:	PAPER/Paper	944 g
			PAPER/Corrugated	774 g
			PLASTIC/Polyethylene Expanded - EPE	220 g
RoHS C	com Haz HP (HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.		
	proi sup cert	We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.		
	RoH con	We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.		
		To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.		
Materia	regu http	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_spe cifications.html): Asbestos Certain Azo Colorants Certain Brominated Flame Retardants – may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Bis(2-Ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Dibutyl phthalate (DBP) Diisobutyl phthalate (DIBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyls (PBBs)		



	Polychlorinated Biphenyl (PCB)
	Polychlorinated Terphenyls (PCT)
	Polyvinyl Chloride (PVC) — except for wires and cables, and certain retail
	packaging has been voluntarily removed from most applications.
	Radioactive Substances
	Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging	HP follows these guidelines to decrease the environmental impact of product
	packaging:
	Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.
	Eliminate the use of ozone-depleting substances (ODS) in packaging
	materials.
	Design packaging materials for ease of disassembly.
	 Maximize the use of post-consumer recycled content materials in packaging materials.
	Use readily recyclable packaging materials such as paper and corrugated materials.
	Reduce size and weight of packages to improve transportation fuel efficiency.
	1
	 Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
	0120 Standards.
End-of-life Management	HP Inc. offers end-of-life HP product return and recycling programs in many
and Recycling	geographic areas. To recycle your product, please go to:
	http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office.
	Products returned to HP will be recycled, recovered or disposed of in a
	responsible manner.
	responsible manner.
	The EU WEEE directive (2002/95/EC) requires manufacturers to provide
	treatment information for each product type for use by treatment facilities. This
	information (product disassembly instructions) is posted on the HP web site at:
	http://www.hp.com/go/recyclers. These instructions may be used by recyclers
	and other WEEE treatment facilities as well as HP OEM customers who integrate
	and re-sell HP equipment.
	and to seatth equipment.
HP, Inc. Corporate	For more information about HP's commitment to the environment:
Environmental	
Information	Global Citizenship Report
	http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html
	Eco-label certifications
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdesi
	gn/ecolabels.html
	ISO 14001 certificates:
	http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755
	842
	and
i .	
	http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf



Technical Specifications

Copyright © 2021 HP Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



Summary

Change Log		
	V1 to V2	

