Specifications



APC Smart-UPS SRT 19 inch Rail Kit for Smart-UPS SRT 1/1.5/2.2/3kVA

SRTRK4

Overview

Presentation	Accessory solutions to tailor the Smart-UPS to meet your specific needs.
Lead time	Usually in Stock
Main	
product or component type	Rail
provided equipment	Installation guide Mounting hardware Rack mounting brackets
Range of product	Smart-UPS Accessories
Physical	
Height	1.7 in (4.4 cm)
Width	20.7 in (52.7 cm)
Depth	3.5 in (8.9 cm)
net weight	6.00 lb(US) (2.72 kg)
mounting mode	Rack-mounted
Environmental	
Ambient air temperature for operation	-104.8284.0000000000 °F (-76140 °C)
Operating altitude	010000 ft
Relative humidity	0 95 % non-condensing

	010000 It
Relative humidity	095 % non-condensing
Ambient air temperature for storage	-104.8284.0000000000 °F (-76140 °C)
Storage altitude	010000 ft (0.0000000003048.000000000 m)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.8 in (7 cm)
Package 1 Width	7.3 in (18.5 cm)
Package 1 Length	27.4 in (69.5 cm)
Package 1 Weight	7.39 lb(US) (3.35 kg)

Contractual warranty

Warranty

2 years repair or replace

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Well-being performance

Reach Free Of Svhc

Lead Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information