


MPN: UTP550

# CAT5e U/UTP Network Cable 50m, Grey

CAT5e cables enables a convenient and reliable connection from one network device, such as switch, modem or router, to another or to the infrastructure at large through a patch panel, keystone jack or wall outlet. This cable are also used a lot in small office and home network and entertainment applications. These cables are tested up to 100MHz (CAT5e standard) and are backwards compatible with CAT5 cables. They are produced with latch protection, which prevents the connector do be damaged when you install the cable through an installation with very less space.

- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT5e tested up to 100MHz
- with Latch Protection
- with slimline relief
- with gold plated PINs



## Spezifikationen

<b>Battery</b>	<b>Battery Type</b>	NONE - Only use for non-battery items
<b>Features</b>	<b>AWG-Drahtgröße</b>	26
	<b>Datenübertragungsrate</b>	1000 Mbit/s
	<b>Frequenz</b>	100 MHz
	<b>Jackenmaterial</b>	Polyvinyl chloride (PVC)
	<b>Kabelabschirmung</b>	U/UTP (UTP)
	<b>Kabelart</b>	Cat5
	<b>Kabellänge</b>	50 m
	<b>Kabelstandard</b>	Cat5e
	<b>Leitermaterial</b>	Copper
	<b>Leitertyp</b>	Stranded
	<b>Produktfarbe</b>	Grey
	<b>RoHS-Konformität</b>	Yes
	<b>Stecker 1</b>	RJ45
	<b>Stecker 1 Geschlecht</b>	Male
<b>Stecker 2</b>	RJ45	
<b>Stecker 2 Geschlecht</b>	Male	
<b>Other features</b>	<b>Produktreihe</b>	Round Cable
	<b>Technische Eigenschaften</b>	Kink Protection, strain relief and Latch Protection
<b>Package dimensions (verified)</b>	<b>Depth Verified</b>	27,1 cm
	<b>Gross Weight Verified</b>	1,49 kg
	<b>Height Verified</b>	7,8 cm
	<b>Width Verified</b>	35 cm
<b>Packaging data</b>	<b>Menge pro Packung</b>	1 Stück(e)

<b>Product dimensions</b>	<b>Net Weight</b>	1,39 kg
<b>Vendor information</b>	<b>Brand Name</b>	MicroConnect
	<b>Warranty</b>	25 Jahre)
<b>Weight &amp; dimensions</b>	<b>Außendurchmesser</b>	5 mm

## Weitere Produkte dieser Serie

Kabellänge	Black	Blue	Green	Grey
0,3	UTP5003S	UTP5003B	UTP5003G	UTP5003
0,5	UTP5005S	UTP5005B	UTP5005G	UTP5005
1,0	UTP501S	UTP501B	UTP501G	UTP501
1,5	UTP5015S	UTP5015B	UTP5015G	UTP5015
2,0	UTP502S	UTP502B	UTP502G	UTP502
3,0	UTP503S	UTP503B	UTP503G	UTP503
5,0	UTP505S	UTP505B	UTP505G	UTP505
7,0	UTP507S	UTP507B	UTP507G	UTP507
10,0	UTP510S	UTP510B	UTP510G	UTP510
15,0	UTP515S	UTP515B	UTP515G	UTP515
20,0	UTP520S	UTP520B	UTP520G	UTP520
25,0				UTP525
30,0				UTP530
35,0				UTP535
40,0				UTP540
50,0				UTP550

Kabellänge	Red	White	Yellow
0,3	UTP5003R	UTP5003W	UTP5003Y
0,5	UTP5005R	UTP5005W	UTP5005Y
1,0	UTP501R	UTP501W	UTP501Y
1,5	UTP5015R	UTP5015W	UTP5015Y
2,0	UTP502R	UTP502W	UTP502Y
3,0	UTP503R	UTP503W	UTP503Y
5,0	UTP505R	UTP505W	UTP505Y
7,0	UTP507R	UTP507W	UTP507Y
10,0	UTP510R	UTP510W	UTP510Y
15,0	UTP515R	UTP515W	UTP515Y
20,0	UTP520R	UTP520W	UTP520Y
25,0		UTP525W	
30,0		UTP530W	
35,0		UTP535W	
40,0		UTP540W	
50,0		UTP550W	

## Weitere Bilder

