

HP 110W USB-C Laptop Charger

One Charger, Two Devices

Meet the high wattage power demands of your laptop with an advanced charging solution that features 100 W of USB-C® power and an additional 10 W USB-A port for simultaneously charging a phone, tablet, or whatever else you need to power¹. Replace your original or have a spare for the home or office.



*L'image du produit peut différer du produit réel



Fast, Dynamic Charging

Power through your day with a fast, universal¹ laptop charger that delivers a huge 110 W of juice. Light and compact, it's an ideal travel companion that also offers dynamic charging (5V, 9V, 15V or 20V) based on device needs.



Simultaneous Multi-Device Charging

Tap into 100W of USB-C® power and an additional 10W USB-A port for simultaneously charging a phone or tablet. Works across Windows®, Mac® and Chrome platforms for maximum flexibility.



High Power. Lower Impact.

Compliant with the latest IEC 62368-1 safety standard, and tested with strict industry standards, this laptop charger incorporates multiple safeguards to protect you and your devices against surge, overcharging, overcurrent, and overheating. Plus, it contains 30% post-consumer recycled materials² and comes in recyclable packaging³.

HP 110W USB-C Laptop Charger

Fonctions

Charges Almost Anything

Bring your power-hungry devices and charge quickly via a USB-C® cord and/or USB-A port. Supports almost any device and brand across Windows®, Mac®, and Chrome.¹

Multi-Device Charging

Say goodbye to tangled cords and carrying multiple chargers. Now you can simultaneously charge multiple devices (laptop, phone, tablet) with just one advanced charging solution.¹

Dynamic Charging

Dynamic power management (5V, 9V, 15V or 20V) matches device needs, minimizes charging times and reduces energy consumption.

36-Month Warranty

Experience HP quality and reliability and for added peace of mind, this laptop charger comes with a 36-month warranty.



HP 110W USB-C Laptop Charger

Spécifications



Référence du produit	8B3Y2AA
Plates-formes prises en charge	Supports up to 100 W power delivery
Numéro UPC	197029878496
Type de connexion	USB Type-C®; USB Type-A
Fréquence d'entrée	47-63 Hz
Courant opérationnel d'entrée	1.6 A at 90 VAC max
Efficacité d'entrée	89% min at 115 VAC/230 VAC at 20V/3.25A
Puissance de sortie	Up to 110 W
Tensions de sortie	5V/9V/12V/15V/20V
Temps de maintien	5 ms at 115 VAC input
Limite de courant de sortie	6.25 A max
Longueur du câble	1 m (power cable); 1.8 m (non-detachable USB-C® cable)
Couleur produit	Black
Configuration système requise, minimum	USB Type-C® port
Certifications et conformités	CE Mark; IEC 60950-1; EN 60950-1; UL 60950-1; C-UL-US; DENAN; FCC Class B; CISPR 32 Class B; CCC; NOM-1 NYCE; NORDICS; MTBF; EN55032 Class B; EN62368-1; UL62368-1; IEN60950
Contenu de l'emballage	AC power adapter USB Type-C® cable 1 Power Cord Warranty Card ¹
Pays d'origine	Made in China
Dimensions (L x P x H)	136 x 60 x 22 mm
Poids	400 g
Dimensions de l'emballage (L x P x H)	233 x 92 x 77 mm
Poids du carton/paquet	130 g
Quantité dans un carton	14
Dimensions du carton principal (L x P x H)	596 x 197 x 250 mm
Poids du carton	0.38 kg
Carton par couche	20
Palette (couches)	4
Carton par palette	80
Produits par couche	280
Produits par palette	1120
Poids de la palette	10 kg
Spécifications relatives à l'impact sur le développement durable	30% post-consumer recycled plastic; Packaging is recyclable
Plage de températures en fonctionnement	0 to 35°C; 32 to 95°F
Plage de températures en stockage (Celsius)	-20 to 85°C
Plage de températures en stockage (Fahrenheit)	-4 to 185°F
Plage d'humidité de fonctionnement	5 to 95%



HP 110W USB-C Laptop Charger

Notes de bas de page

Notes sur la description marketing

¹ Compatible with most devices that charge using USB-C®.

² Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard.

³ Recycling facilities not available in all locations.

Notes sur les spécifications techniques

¹ The USB Type-C® cable is attached to the AC power adapter itself and cannot be removed.

