

MPN: DP-MMG-180M

Mini DisplayPort 1.2 to DisplayPort Cable 2m

DisplayPort (DP) is a digital display interface developed by a consortium of PC and chip manufactures and standardized by the Video Electronics Standards Association (VESA). This high performance HD digital video and audio cable is made for connecting MacBook, MacBook Air and other computers with Mini DisplayPort interface to a beamer, monitor with DisplayPort interface.

- 4K Ultra HD 2160p (60 Hz)
- Plug with lock for secure connections
- Gold-plated connectors for improved signal transmission
- Supporting : 1080P@144Hz, 2K@144Hz



Specifications

Battery	Battery Type	NONE - Only use for non-battery items
Features	3D	Yes
	AWG wire size	28
	Cable length	2 m
	Cable material	Copper
	Connector 1	DisplayPort
	Connector 1 gender	Male
	Connector 2	Mini DisplayPort
	Connector 2 gender	Male
	Connector contacts plating	Gold
	Data transfer rate	21,6 Gbit/s
	DisplayPort Content Protection (DPCP)	Yes
	DisplayPort version	1.2
	HDCP	Yes
	Jacket material	Polyvinyl chloride (PVC)
	Latching connectors	Yes
	Maximum resolution	4096 x 2160 pixels
	Product colour	White
	RoHS compliance	Yes
Package dimensions (verified)	Depth Verified	17,7 cm
	Gross Weight Verified	0,074 kg
	Height Verified	2,2 cm
	Width Verified	19,8 cm
Packaging data	Cable diameter	6 mm
	Quantity per pack	1 pc(s)

Product dimensions

Net Weight (Product, kg)	0,07 kg
---------------------------------	---------

Vendor information

Brand Name	MicroConnect
Warranty	25 Year(s)

Other products in this series

Cable length	
0,5	DP-MMG-050MB
1,0	DP-MMG-100M
2,0	DP-MMG-180M
3,0	DP-MMG-300MB