

# Product data sheet

Specifications



## APC Smart-UPS SRT 48V 1kVA 1.5kVA RM Battery Pack



SRT48RMBP

**Product availability: Stock - Normally stocked in distribution facility**

### Overview

**Lead time** Usually in Stock

### Main

<b>Product or Component Type</b>	Battery
<b>Number of rack unit</b>	2U
<b>Battery Type</b>	Lead-Acid battery
<b>Provided Equipment</b>	Documentation CD Installation guide Rack Mounting brackets Warranty card

### Batteries & Runtime

<b>Battery Slots Empty</b>	0
<b>Included Battery Modules</b>	0
<b>Device mounting</b>	Stand alone battery stack
<b>Battery Voltage</b>	48V
<b>RBC Quantity</b>	2
<b>Replacement battery</b>	<a href="#">APCRBC155</a>

### Physical

<b>Color</b>	Black
<b>Height</b>	3.3 in (8.5 cm)
<b>Width</b>	17.008 in (43.2 cm)
<b>Depth</b>	21.1 in (53.6 cm)
<b>Net Weight</b>	65.9 lb(US) (29.9 kg)
<b>Mounting Mode</b>	Rack-mounted

### Environmental

<b>Ambient Air Temperature for Operation</b>	32.0000000000...104.0000000000 °F (0...40 °C)
<b>Operating altitude</b>	0...10000 ft
<b>Relative Humidity</b>	0...95 % non-condensing
<b>Ambient Air Temperature for Storage</b>	5.0000000000...113.0000000000 °F (-15...45 °C)
<b>Storage altitude</b>	0...50000 ft (0.0000000000...15240.0000000000 m)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Storage Relative Humidity	0...95 % non-condensing
---------------------------	-------------------------

## Ordering and shipping details

---

Category	80230-IG SEBA TO SEUSA
----------	------------------------

---

Discount Schedule	BMS1
-------------------	------

---

GTIN	731304330103
------	--------------

---

Returnability	No
---------------	----

---

Country of origin	PH
-------------------	----

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	9.6 in (24.5 cm)
------------------	------------------

---

Package 1 Width	27.2 in (69.0 cm)
-----------------	-------------------

---

Package 1 Length	23.4 in (59.5 cm)
------------------	-------------------

---

Package 1 Weight	71.83 lb(US) (32.58 kg)
------------------	-------------------------

## Contractual warranty

---

Warranty	2 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

Energy Efficient Product

Take-Back Program Available

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)

**California Proposition 65** WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)