

# Product datasheet

Specifications



## UPS Network Management Card 2 w/ Environmental Monitoring, Out of Band Access and Modbus

AP9635

⚠ To be discontinued

⚠ To be discontinued on: 31 Aug 2024

⚠ To be end-of-service on: 31 Dec 2024

### Overview

|           |                  |
|-----------|------------------|
| Lead time | Usually in Stock |
|-----------|------------------|

### Main

|                    |                                                       |
|--------------------|-------------------------------------------------------|
| Provided equipment | CD with software<br>Temperature sensor<br>User manual |
|--------------------|-------------------------------------------------------|

### Physical

|                     |                    |
|---------------------|--------------------|
| Height              | 3.81 cm            |
| Width               | 12.1 cm            |
| Depth               | 10.8 cm            |
| Net weight          | 0.14 kg            |
| Mounting preference | No preference      |
| Mounting mode       | Not rack-mountable |

### Conformance

|                        |                                                      |
|------------------------|------------------------------------------------------|
| Standards              | EN 55022 class A<br>FCC part 15 class A<br>ICES-003  |
| Product certifications | AS/NZS 3548 (C-Tick) class A<br>GOST<br>VCCI class A |

### Environmental

|                                       |                                  |
|---------------------------------------|----------------------------------|
| Ambient air temperature for operation | -5...45 °C                       |
| Operating altitude                    | 0...10000 ft                     |
| Relative humidity                     | 0...95 % non-condensing          |
| Ambient air temperature for storage   | -15...65 °C                      |
| Storage altitude                      | 0.000000000...15240.0000000000 m |
| Storage Relative Humidity             | 0...95 %                         |

### Communications & Management

|                |        |
|----------------|--------|
| Authentication | Radius |
|----------------|--------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 5.000 cm  |
| Package 1 Width              | 23.500 cm |
| Package 1 Length             | 16.200 cm |
| Package 1 Weight             | 586.000 g |
| Unit Type of Package 2       | S03       |
| Number of Units in Package 2 | 3         |
| Package 2 Height             | 30.000 cm |
| Package 2 Width              | 30.000 cm |
| Package 2 Length             | 40.000 cm |
| Package 2 Weight             | 2.000 kg  |

## Contractual warranty

|          |                           |
|----------|---------------------------|
| Warranty | 2 years repair or replace |
|----------|---------------------------|

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Energy Efficient   Take-back   Transparency   RoHS/REACH

Resource performance

 Energy Efficient Product

 Take-Back Program Available

Well-being performance

 Lead Free

 Mercury Free

 Rohs Exemption Information   [Yes](#)

Certifications & Standards

Reach Regulation   [REACH Declaration](#)

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

Environmental Disclosure   [Product Environmental Profile](#)

Circularity Profile   [End of Life Information](#)