

Product data sheet

Specifications



NetShelter VX/SX Door Sensor Switch Kit

AP9513

Product availability: Stock - Normally stocked in distribution facility

Overview

Presentation	Designed to monitor the NetShelter enclosure door access and notify users when either the front or rear door has been breached. The kit must be used in conjunction with the Environmental Monitoring devices. Attaches to integrated mounting posts on the enclosures.
Lead time	Usually in Stock

Main

Cable length	50 ft (15.2 m)
Number of cables	1
Provided Equipment	User Manual

Physical

Color	Black Gray
Height	1.9 in (4.8 cm)
Width	9.02 in (22.9 cm)
Depth	6.0 in (15.2 cm)
Net Weight	0.99 lb(US) (0.45 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Ordering and shipping details

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1
GTIN	731304002741
Returnability	No
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.008 in (5.1 cm)
Package 1 Width	6.5 in (16.5 cm)
Package 1 Length	9.5 in (24.1 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Weight 1.21 lb(US) (0.55 kg)

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
