

# Product data sheet

Specifications



## Power Cord Kit (6 EA), Locking, C19 TO C20, 0.6M (2FT), Red

AP8712SX340

### Overview

Lead time Usually in Stock

### Main

Product or Component Type	Power cord
Input Connection Type	IEC 60320 C20
Cable length	2 ft (0.6 m)
Number of cables	6

### Physical

Color	Red
Height	11.8 in (30 cm)
Width	2.4 in (6 cm)
Depth	2.6 in (6.5 cm)
Net Weight	2.47 lb(US) (1.12 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

### Input

Max line current	16 A
Input current limits	16 A

### Output

Maximum Total Current Draw per Phase	16 A
Number of power socket outlets	1 IEC 60320 C19
Cord Length	2 ft (0.6 m)

### Conformance

Product Certifications	CCC CSA PSE UL Listed VDE
------------------------	---------------------------------------

### Environmental

Ambient Air Temperature for Operation	32...167 °F (0...75 °C)
---------------------------------------	-------------------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Relative Humidity	20...80 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	-13...167 °F (-25...75 °C)
Storage Relative Humidity	20...80 %
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

## Ordering and shipping details

GTIN	731304329411
Country of origin	CN

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.8 in (30 cm)
Package 1 Width	2.6 in (6.5 cm)
Package 1 Length	2.4 in (6 cm)
Package 1 Weight	2.47 lb(US) (1.12 kg)

## Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

 Energy Efficient Product

---

 Take-Back Program Available

---

## Well-being performance

 Lead Free

---

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

---

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

---

Environmental Disclosure

[Product Environmental Profile](#)

---

Circularity Profile

[End of Life Information](#)

---