

Product data sheet

Specifications



APC Essential SurgeArrest PE66W, 6 Outlets, 6 Foot Cord, 120V, White

PE66W

⚠ Discontinued on: Feb 14, 2024

⚠ To be discontinued

Overview

Lead time Usually in Stock

Main

Main Input Voltage 120 V
Input Connection Type NEMA 5-15P
Cable length 6 ft (1.8 m)
Number of cables 1
Provided equipment User manual

Physical

Colour Green
White
Height 1.2 in (3 cm)
Width 2.05 in (5.2 cm)
Depth 11.02 in (28 cm)
net weight 1.1 lb(US) (0.5 kg)
Mounting preference No preference
mounting mode Rack-mounted

Input

Maximum line current 15 A
Network frequency 50/60 Hz
Maximum input current 15 A
Switching current capacity 15 A

Output

Number of power socket outlets 6
Outlet standard NEMA L5-15R

Conformance

UL 1449 TVSS rating 500

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product certifications	MET Canada MET USA
Standards	UL 1363 UL 1449
Equipment protection policy	Lifetime : \$50000

Environmental

Ambient air temperature for operation	32.0000000000...104.0000000000 °F (0...40 °C)
Relative humidity	0...95 % non-condensing
Operating altitude	0...10000 ft
Ambient air temperature for storage	5.0000000000...113.0000000000 °F (-15...45 °C)
Storage Relative Humidity	0...95 % non-condensing
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

Surge Protection and Filtering

Response time	1 ns common mode
Common mode rejection	40 dB
Peak current	48 kA common mode 24 kA normal mode
Surge energy rate	1080 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.6 in (4 cm)
Package 1 Width	12.2 in (31 cm)
Package 1 Length	4.5 in (11.5 cm)
Package 1 Weight	1.28 lb(US) (0.58 kg)
SCC14	10731304328886

Contractual warranty

Warranty	Limited Lifetime
-----------------	------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Lead Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive [Compliant with Exemptions](#)

Circularity Profile [End of Life Information](#)
