



APC Replacement Battery Cartridge #57 with 2 Year Warranty

RBC57

Overview

Lead time Usually in Stock

Main

product or component type	Replacement battery cartridge
Number of cables	1
Battery type	Lead-acid battery
provided equipment	All required connectors Battery recycling guide Reusable packaging Installation quide

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Additional information	Comes as a complete battery assembly,
Number of battery replacement quantity	1

Physical

Height	2.8 in (7 cm)
Width	6.5 in (16.5 cm)
Depth	16.5 in (41.9 cm)
net weight	24.76 lb(US) (11.23 kg)
mounting mode	Not rack-mountable

Environmental

Ambient air temperature for operation	32.0000000000104.0000000000 °F (040 °C)
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)
Storage altitude	050000 ft (0.000000000015240.0000000000 m)
Storage Relative Humidity	095 %

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1	1	
Package 1 Height	7.5 in (19.1 cm)	
Package 1 Width	11.5 in (29.2 cm)	
Package 1 Length	21.5 in (54.6 cm)	
Package 1 Weight	28.06 lb(US) (12.73 kg)	

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information