

US670H Series

| Commercial Lite | Pro:Centric Value | Pro:Centric Direct | Pro:Centric Smart |
|-----------------|-------------------|--------------------|-------------------|

The US670H Series is a premium 4K Ultra HD Smart TV that supports Pro:Centric Direct, LG's HTML application that offers customizable tools for LG's system Integrator partners to create unique, interactive application experiences. The US670H Series also supports Smart Share, Screen Share, Pro:Idiom® and embedded b-LANTM.




US670H SERIES

FEATURE HIGHLIGHTS

Pro:Centric Direct

LG's Pro:Centric Direct application enhances the in-room television experience for hotel guests. Guests can locate and enjoy available TV channels or access a wide range of over-the-top Smart apps, check on the daily weather and review available hotel amenities—all from the comfort of their room. In addition, the application provides the capability for IoT (Internet of Things)-based control of devices* equipped in next-generation hotel rooms.



* Some devices may have limited compatibility with IoT functions.

More Innovative LG webOS 5.0

Explore the latest LG Smart TV features that help extend the usability of your TV. Our.newly added Mood Display enables the TV to apear as a customized clock, and Gallery mode creates the appearance of framed artwork that you can customize to reflect your space and rhythm of life.



Pro:Idiom

Digital Rights Management (DRM) technology provides access to premium content to help assure rapid and broad deployment of HDTV and other high-value digital content.



US670H SERIES

FEATURE HIGHLIGHTS

Gallery Mode

LG's Gallery Mode can turn the TV into a beautiful artwork display or choice photograph in a guest room or enhance the most elegant hospitality public spaces.



SoftAP

Software-enabled Access Point (SoftAP) is a "virtual" Wi-Fi feature that uses the TV as a wireless hotspot, enabling guests to connect their own devices to the SoftAP. It supports Bridge Mode, allowing administrators to manage in-room SoftAP information such as signal level, SoftAP passwords, and more.



* SoftAP should be setup in the installation menu after the TV is turned on Smart Mirroring may not be operated at the same time.

USB Data Cloning

For fast and easy configuration of multiple TVs, create a Master TV Setup on one TV and then export the setup "clone" file to a USB memory device. Use the USB device to easily import the setup to other TVs of the same model.



Ultra HD (4K) Resolution

UHD delivers a resolution four times higher than that of Full HD, creating a more realistic and immersive television viewing experience. The stunning 8.3 million pixels create flawless images with incredibly vivid detail.



US670H SERIES

FEATURE HIGHLIGHTS

Screen Share

Connect a smart phone or a laptop PC to the TV via a wireless connection. The TV will display the device's screen so guests can view and share their content and memories together.



Bluetooth Sound Sync


Bluetooth Sound Sync enables users to listen to music playing on a mobile device* through the TV's speakers via Bluetooth connection.



* Bluetooth Sound Sync supports Android (above v 4.4 KitKat) / iOS-based mobile devices

Multi-code IR

Multi-code IR* function eliminates any remote control signal interference between TVs in rooms with multiple TVs installed.



^{*} Requires optional Multi-code IR remote.


External Speaker Out

Enhance the entertainment experience with an additional speaker (sold separately). Guests can listen to the TV audio from other rooms within their suite, not only the room where the TV is located.





US670H SERIES

DIMENSIONS























 $[\]star$ Dimensions and jack panels may differ from the above image. Please contact your LG sales team to verify before ordering.

US670H SERIES

SPECIFICATIONS

| | | 55US670H9UA | 50US670H9UA | 43US670H9UA |
|-------------------|--|----------------------------|----------------------------|----------------------------|
| | Diagonal Size | 55" | 50" | 43" |
| | Resolution | 3,840 x 2,160 (UHD) | 3,840 x 2,160 (UHD) | 3,840 x 2,160 (UHD) |
| | Backlight Unit Type | Direct | Direct | Edge |
| | Display Type | IPS | LCD | Nano IPS |
| DISPLAY | Brightness | 400 nits | 400 nits | 400 nits |
| | Dynamic Contrast Ratio | 1,000,000:1 | 1,000,000:1 | 1,000,000:1 |
| | Refresh Rate | 60 Hz | 60 Hz | 60 Hz |
| | Response Time (G to G) | 8 ms | 8 ms | 8 ms |
| | Life Span | 30,000 hours | 30,000 hours | 30,000 hours |
| VIDEO | HDR_HDR 10 Pro | Yes | Yes | Yes |
| | HDR_HLG | Yes | Yes | Yes |
| | UHD Contents Streaming Support | USB / IP / HDMI / RF | USB / IP / HDMI / RF | USB / IP / HDMI / RF |
| | Tru 4K Upscaler | Yes | Yes | Yes |
| BROADCASTING | Digital (Terrestrial, Cable, Satellite) | ATSC (Clear QAM) | ATSC (Clear QAM) | ATSC (Clear QAM) |
| | Analog (NTSC / SECAM / PAL) | NTSC | NTSC | NTSC |
| | MPEG-2 / MPEG-4 H.264 Decoding | Yes | Yes | Yes |
| | Closed Caption | Yes | Yes | Yes |
| AUDIO | Speaker (Sound Output) | 10 W + 10 W | 10 W + 10 W | 10 W + 10 W |
| | Speaker System | 2.0 ch | 2.0 ch | 2.0 ch |
| | Al Sound | Yes | Yes | Yes |
| | One Touch Sound Tuning | Yes | Yes | Yes |
| | LG Sound Sync | Optical/Bluetooth Wireless | Optical/Bluetooth Wireless | Optical/Bluetooth Wireless |
| | Pro:Centric Data Streaming (IP & RF) | Yes | Yes | Yes |
| | HCAP (GEM / FLASH / HTML) | GEM / HTML5 | GEM / HTML5 | GEM / HTML5 |
| | Pro:Centric IP Return Path | Yes | Yes | Yes |
| | Multicast / Unicast Ready | Yes / Yes | Yes / Yes | Yes / Yes |
| HOSPITALITY | Pro:Centric webRTC (Real Time Communication) | Yes with Javascript | Yes with Javascript | Yes with Javascript |
| | Pro:Centric Direct (HTML) | Yes | Yes | Yes |
| | Pro:Centric Application (Java) | Yes | Yes | Yes |
| | Quick Menu Version | 4.0 | 4.0 | 4.0 |
| | Pro:Idiom DRM (S/W, Mobile, Lite) | Yes | Yes | Yes |
| SMART FEATURES | Gallery Mode | Yes | Yes | Yes |
| | Web Browser | Yes | Yes | Yes |
| | CP App | Yes | Yes | Yes |
| | Magic Motion Remote (MMR) Compatibility | Yes | Yes | Yes |
| | SW Clock (World Clock / Alarm) | Yes | Yes | Yes |
| | SoftAP | Yes | Yes | Yes |
| | Wi-Fi | Yes | Yes | Yes |
| | Screen Share (Miracast / WiDi) | Yes | Yes | Yes |
| | Smart Share (DLNA) | Yes | Yes | Yes |
| | LG Connect (LG TV Plus App) | Yes | Yes | Yes |
| | Dial | Yes | Yes | Yes |
| | Beacon | Yes | Yes | Yes |
| | Bluetooth Sound Sync | Yes | Yes | Yes |
| | Mobile Connection Overlay | Yes | Yes | Yes |


US670H SERIES

SPECIFICATIONS

| | | 55US670H9UA | 50US670H9UA | 43US670H9UA |
|---------------------|---|--|---|---|
| OTHER FEATURES | First Use Wizard | Yes | Yes | Yes |
| | USB Data Cloning | Yes | Yes | Yes |
| | Wake On RF | Yes | Yes | Yes |
| | WOL | Yes | Yes | Yes |
| | SNMP | Yes | Yes | Yes |
| | Diagnostics (IP Remote) | Yes | Yes | Yes |
| | SI Compatible | Yes (MPI, RS-232C) | Yes (MPI, RS-232C) | Yes (MPI, RS-232C) |
| | Simplink (HDMI-CEC) plus CEC-HTNG | Yes (1.4) | Yes (1.4) | Yes (1.4) |
| | IR Out | Yes (MPI, RS-232C) | Yes (MPI, RS-232C) | Yes (MPI, RS-232C) |
| | Multi-code IR | Yes | Yes | Yes |
| | Installer Menu | Yes | Yes | Yes |
| | Welcome Screen (Boot Logo) | Yes | Yes | Yes |
| | Insert Image | Yes | Yes | Yes |
| | One Channel Map (LCM) | Yes | Yes | Yes |
| | Instant On | Yes | Yes | Yes |
| | V-Lan Tag | Yes | Yes | Yes |
| | | HDMI (CEC) | HDMI (CEC) | HDMI (CEC) |
| | RJP (Remote Jack Pack) Compatibility Auto Off / Sleep Timer | Yes / Yes | Yes / Yes | Yes / Yes |
| | Embedded b-LAN | Yes | | Yes |
| | HDMI In | | Yes 3 (2.0) | |
| | USB In | 3 (2.0) | , , | 3 (2.0) |
| | Antenna / Cable In (RF) | 2 (2.0) | 2 (2.0) | 2 (2.0) |
| | | 1 (Dual b-LAN) | 1 (Dual b-LAN) | 1 (Dual b-LAN) |
| | Optical Digital Audio Out | 1 | 1 | 1 |
| INTERFACES | RS-232C (Control & Service) | 3.5mm Stereo Jack | D-Sub 9 pin | D-Sub 9 pin |
| | RJ45 | 2 Ethernet, Aux | 2 Ethernet, Aux | 2 Ethernet, Aux |
| | Line Out | 3.5mm Stereo Jack | 3.5mm Stereo Jack | 3.5mm Stereo Jack |
| | TV Link Configuration (for b-LAN) | 3.5mm Stereo Jack | 3.5mm Stereo Jack | 3.5mm Stereo Jack |
| | MPI Port (RJ12) | 1 | 1 | 1 |
| | Service Only | 3.5mm Stereo Jack | 3.5mm Stereo Jack | 3.5mm Stereo Jack |
| | Stand Type | 1 Pole Fixed Stand | 1 Pole Fixed Stand | 1 Pole Swivel Stand |
| | Front Color | Ceramic Black | Ceramic Black | Ceramic Black |
| | VESA Compatable | 300 x 300 | 200 x 200 | 200 x 200 |
| | Lock Down Plate | Yes | Yes | Yes |
| | Chromecast Anti-theft Cover | Yes (Optional) | Yes (Optional) | Yes (Optional) |
| MECHANICALS | Weight without Stand | 31.5 lbs / 14.3 kg | 25.3 lbs / 11.5 kg | 17.6 lbs / 8 kg |
| | Weight with Stand | 38.5 lbs / 17.5 kg | 32 lbs / 14.5 kg | 24.7 lbs / 11.2 kg |
| | Shipping Weight | 51.1 lbs / 23.2 kg | 40.3 lbs / 18.3 kg | 30.9 lbs / 14 kg |
| | Dimensions without Stand (W x H x D) | 49" x 28.6" x 3.4" 1,244 x 726 x 87.1 mm | 44.5" x 26.1" x 3.4" 1,130 x 663 x 86.3 mm | 38.3" x 22.5" x 3.3" 973 x 572 x 85 mm |
| | Dimensions with Stand (W x H x D) | 49" x 30.7" x 11.9" 1,244 x 780 x 303 mm | 44.5" x 28.4" x 11.9" 1,130 x 722 x 303 mm | 38.3" x 24.6" x 11.9" 973 x 626 x 303 mm |
| | Shipping Dimensions (W x H x D) | 55.5" x 33.9" x 8.1" 1,410 x 860 x 207 mm | 52.2" x 31.9" x 7.9" 1,325 x 810 x 200 mm | 45.2" x 26" x 7.5" 1,147 x 660 x 190 mm |
| | Bezel Width (L / R / T / B): On Bezel | 17 / 17 / 17 / 23.8 mm | 17 / 17 / 17/23.8 mm | 15.5/15.5/15.5/21.7 mm |
| | Bezel Width (L / R / T / B): Off Bezel | 15.5/15.5 / 15.5 / 22.3 mm | 15.5/15.5/15.5/22.3 mm | 14/14/14/20.2 mm |
| POWER | Power Supply (Voltage, Hz) | 120 Vac ~ 50/60 Hz | 120 Vac ~ 50/60 Hz | 120 Vac ~ 50/60 Hz |
| | Max Power Consumption | 160 W | 140 W | 120 W |
| | Typical Power Consumption | 72.1 W | 66 W | 51 W |
| | Standby Power Consumption | Less than 0.5 W | Less than 0.5 W | Less than 0.5 W |
| | Standards & Certification | UL & FCC | UL & FCC | UL & FCC |
| | UPC Code | 195174023228 | 195174023266 | 195174023211 |
| WARRANTY & | | Two-Year Limited Warranty | Two-Year Limited Warranty | Two-Year Limited Warranty |
| | vvarrantv | | | |
| WARRANTY & OTHER | Warranty Remote Type | S-Con / MMR (Optional) | S-Con / MMR (Optional) | S-Con / MMR (Optional) |

CONNECTIVITY

Rear



Side



HDMI"

Design and specifications are subject to change without notice. Please contact your LG sales team to verify before ordering.



- twww.lg.com/us/business/commercial-display
- www.twitter.com/LGCommDisplays
- www.facebook.com/LGcommercialdisplays
- m www.linkedin.com/company/lg-commercial-displays-usa
- www.youtube.com/lgcommercialdisplayusa
- **8**00-228-1236 | Hospitality Sales

LG may make changes to specifications and product descriptions without notice.

© Copyright 2020 LG Electronics USA, Inc., 2000 Millbrook Dr., Lincolnshire, IL 60069, USA. All rights reserved. LG and the LG logo are registered trademarks of LG Corp. All other trademarks are the property of their respective owners. Prices and products may vary by dealer. Prices, designs, features and specifications are subject to change without notice. All screen images are simulated. Pro:Centric and the "Pro:Centric" logo are registered trademarks of LG Electronics Inc. Pro:Idiom is a registered trademark of Zenith Electronics LLC. LG_SPEC_SHEET_US670H_1020SD_LR

