





APC NetShelter SX Server Rack Gen 2, 45U, 2124H x 600W x 1070D mm, with Sides, Black

AR3105B2

Overview

Lead time Usually in Stock

Main

product or component type	Rack enclosure
Number of rack unit	45U
Provided equipment	Baying hardware
	Key(s)
	Keyed-alike doors and side panels
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels

Physical

Height	83.6 in (212.4 cm)
Width	23.6 in (60 cm)
Depth	42.1 in (107 cm)
net weight	295.07 lb(US) (133.84 kg)
Colour	Black
Mounting preference	No preference
mounting mode	Not rack-mountable
Maximum mounting depth	36.02 in (91.49 cm)
minimum mounting depth	7.50 in (19.05 cm)
rack width	19"
Marking	14 gauge EIA mounting rail
Permanent permissible load	2250 lb(US) (1020.6 kg) dynamic 4000 lb(US) (1814.4 kg) static

Conformance

Standards UL 2416 EIA-310E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	89.06 in (226.2 cm)

Package 1 Width	29.4 in (74.8 cm)
Package 1 Length	45.6 in (115.8 cm)
Package 1 Weight	338.9 lb(US) (153.7 kg)

Contractual warranty

Warranty 5 year repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations