


MPN: V-UTP6005-SLIM

# CAT6 U/UTP SLIM Network Cable 0.5m, Grey

CAT6 slim cables is perfect for installations where you need to save space in IT Racks and Cabinets. They cables are thinner and very flexible which provides the installer a better accessibility and quick and easy switching. Furthermore it improves the Air-Flow, and thereby reducing the risk of down-time. These cables are tested up to 250Mhz (CAT6 standard) and are backwards compatible with CAT5e and CAT5 cables. Each cable are manufactured with a snagless with prevents the connector do be damaged when you install the cable through an installation with very less space.

- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT6 tested up to 250 MHZ
- with snagless
- with gold-plated pins
- low cable diameter: 3,6mm
- very flexible, very easy to move to save space behind baseboards
- support PoE++



## Specifications

<b>Battery</b>	<b>Battery Type</b>	NONE - Only use for non-battery items
<b>Features</b>	<b>AWG wire size</b>	30/7
	<b>Cable length</b>	0,5 m
	<b>Cable shielding</b>	U/UTP (UTP)
	<b>Cable standard</b>	Cat6
	<b>Conductor material</b>	Copper
	<b>Conductor type</b>	Stranded
	<b>Connector 1</b>	RJ45
	<b>Connector 1 gender</b>	Male
	<b>Connector 2</b>	RJ45
	<b>Connector 2 gender</b>	Male
	<b>Connector shielding</b>	No
	<b>Data transfer rate</b>	10000 Mbit/s
	<b>Frequency</b>	250 MHz
	<b>Jacket material</b>	Polyvinyl chloride (PVC)
	<b>Product colour</b>	Grey
	<b>RoHS compliance</b>	Yes
	<b>Snagless cable boot</b>	Yes
<b>Other features</b>	<b>Product series</b>	Slim Cable
	<b>Technical features</b>	Short connector type with Latch Protection
<b>Package dimensions (verified)</b>	<b>Depth Verified</b>	12 cm
	<b>Gross Weight Verified</b>	0,018 kg
	<b>Height Verified</b>	1,3 cm

Package dimensions	Width Verified	15,9 cm
Packaging data	Quantity per pack	1 pc(s)
Product dimensions	Net Weight (Product, kg)	0,008 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Outer diameter	3,6 mm

## Other products in this series

Cable length	Black	Green	Grey	Red
0,15	V-UTP60015S-SLIM-B ULK	V-UTP60015G-SLIM	V-UTP60015-SLIM	
0,25	V-UTP60025S-SLIM		V-UTP60025-SLIM	
0,5	V-UTP6005S-SLIM		V-UTP6005-SLIM	
1,0	V-UTP601S-SLIM		V-UTP601-SLIM	V-UTP601R-SLIM
1,5	V-UTP6015S-SLIM		V-UTP6015-SLIM	
2,0	V-UTP602S-SLIM		V-UTP602-SLIM	V-UTP602R-SLIM
3,0	V-UTP603S-SLIM		V-UTP603-SLIM	
5,0	V-UTP605S-SLIM		V-UTP605-SLIM	V-UTP605R-SLIM
7,5	V-UTP6075S-SLIM		V-UTP6075-SLIM	
10,0	V-UTP610S-SLIM		V-UTP610-SLIM	
15,0	V-UTP615S-SLIM		V-UTP615-SLIM	
20,0	V-UTP620S-SLIM		V-UTP620-SLIM	

Cable length	White	Yellow
0,15	V-UTP60015W-SLIM	V-UTP60015Y-SLIM
0,25	V-UTP60025W-SLIM	
0,5	V-UTP6005W-SLIM	
1,0	V-UTP601W-SLIM	
1,5	V-UTP6015W-SLIM	
2,0	V-UTP602W-SLIM	
3,0	V-UTP603W-SLIM	
5,0	V-UTP605W-SLIM	
7,5	V-UTP6075W-SLIM	
10,0	V-UTP610W-SLIM	
15,0	V-UTP615W-SLIM	
20,0	V-UTP620W-SLIM	

## Other images

