

4XEM's 45W GAN Charger USB-C + USB-A

Part- 4XGAN00645WB



Introducing the Black 45W GAN Charger with 1 USB-C Port and 1 USB-A Port - the ultimate power solution for all your devices. This sleek and compact charger is designed to deliver fast and efficient charging for your USB-C and USB-A devices, with Power Delivery technology that guarantees optimal charging speed and efficiency.

The charger features one USB-C port and one USB-A port, allowing you to charge multiple devices simultaneously. The USB-C port is equipped with Power Delivery technology, which means you can charge your USB-C devices with up to 45W of power, providing optimal charging speed and efficiency. The USB-A port is also capable of fast charging your USB-A devices.

The black color design and compact size make it easy to take with you on the go, and it's perfect for traveling, working remotely, or just keeping in your bag for everyday use.




Features

- 45W total power output for fast and efficient charging of multiple devices
- 1 USB-C port and 1 USB-A port, providing flexibility to charge a variety of devices.
- USB-C port feature Power Delivery technology for lightning-fast charging of devices that support it.
- Sleek black design with an integrated LED indicator for easy monitoring of charging status
- Compact and portable design makes it easy to take with you on-the-go.
- Overcurrent, overvoltage, and short circuit protection for added safety and peace of mind.

Application

- Charging
- At Home
- At the Office
- Travel



**DATA SHEET**

Warranty Information	Warranty	1 Year
Connector(s)	Charging Port(s)	1x USB Type-C Female 1x USB Type-A Female
	Power Source	Non-Polarized NEMA 1-15P (Standard NA Wall Outlet) Fixed with Non-Retractable Prongs
Performance	Industry Standards Certifications	USB-PD 3.0 CE
Physical Characteristics	Colour	Black
	Display	No
	LED Indicator(s)	Power: Aqua
	Power Cable Length	N/A
	Product Height	2.05 in [52.0 mm]
	Product Width	1.17 in [29.9 mm]
	Product Length	2.05 in [52.0 mm] (Body Only) 2.67 in [67.9 mm] (Incl. power prongs)
	Weight of Product	3.53 oz [100 g]
Power	Total Power Budget	45W
	Power Delivery	45W Max
	Input Voltage	100-240VAC, 50Hz-60Hz @ 1A
	Output Voltage (C1)	45W: 5/9/12/15V 3A, 20V 2.25A
	Output Voltage (A1)	18W: 5V 3A, 9V 2A, 12V 1.5A
	Output Voltage (C1) + (A1)	45W MAX - 27W: 5V 2.4A, 9V 3A, 12V 2.25A, 15V 1.8A, 20V 1.35A + 18W: 5V 2.4A, 9V 2A, 12V 1.5A
Environmental	Operating Temperature	32°F to 104°F [0°C to 40°C]
	Storage Temperature	-4°F to 176°F [-20°C to 80°C]
	Humidity	5% to 90% (non-condensing)
Packaging Information	Package Type	Poly-Bag
	Package Height	6.00 in [152.4 mm]
	Package Width	4.00 in [101.6 mm]
	Package Length	1.18 in [30.1 mm]
	Shipping (Package) Weight	3.60 oz [102 g]
What's in the Box	Included in Package	1x 45W USB-C + USB-A GaN Charger

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

