

# **OVERVIEW**



1. Ethernet (RJ-45)	6. Power Connector				
2. USB-C 3.2 Gen 2	7. USB 3.2 Gen 1				
3. HDMI 2.1	8. Thunderbolt 4				
4. USB 3.2 Gen 1	9. Headphone / microphone combo jack (3.5mm)				
5. USB 3.2 Gen 1 (Always On)	10. USB 3.2 Gen 1				



# **PERFORMANCE**

### **Processor**

### **Processor Family**

13th Generation Intel® Core™ i7 / i9 Processor

#### **Processor**

Processor Name	Cores		ds Max Frequency		Memory Support	Processor Graphics
Core i9- 13900HX	24 (8 P-core + 16 E-core)	32	P-core 5.4GHz / E-core 3.9GHz	36MB	DDR5-5600	Intel UHD Graphics

# **Operating System**

# Operating System[1]

- Windows® 11 Pro
- Windows 11 Home
- Windows 11 Home Single Language
- No operating system

#### Notes:

# **Graphics**

### **Graphics**

Graphics	Туре	Memory	Boost Clock	TGP	Key Features
NVIDIA® GeForce RTX™ 4090 Laptop GPU	U Discrete GDDR6 MHz		2040 MHz	175W	Advanced Optimus, Resizable BAR, Dynamic Boost 2.0, VR ready, DirectX® 12 Ultimate
NVIDIA GeForce RTX 4080 Laptop GPU			2200		Advanced Optimus, Resizable BAR, Dynamic Boost 2.0, VR ready, DirectX 12 Ultimate

# **Monitor Support**

### **Monitor Support**

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C®)

- HDMI supports up to 8K@60Hz
- USB-C supports up to 5K@60Hz
- Thunderbolt™ supports up to 5K@60Hz

# **Chipset**

### Chipset

Intel HM770 chipset

# **Memory**

# Max Memory[1]

- Up to 32GB DDR5-4800 offering
- Up to 32GB DDR5-5600 offering
- Up to 32GB DDR5-6000 (overclock) offering

# **Memory Slots**

Two DDR5 SO-DIMM slots, dual-channel capable

# **Memory Type**

- DDR5-4800
- DDR5-5600
- DDR5-6000 (overclock)

### Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the

<sup>1.</sup> Some features may not be supported on the system with Linux preload, including but not limited to Intel RST RAID, MIPI computer vision camera, WWAN, Human Presence Detection, etc.



technology develops.

# **Storage**

#### Storage Support[1]

Up to two drives, 2x M.2 SSD

M.2 2280 SSD up to 1TB

### **Storage Slot**

Two M.2 2280 PCIe® 4.0 x4 slots

#### Storage Type

Disk Type	Interface	Offering		
M.2 2280 SSD	PCIe NVMe®, PCIe 4.0 x4	512GB / 1TB		

#### Notes:

1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

# **Removable Storage**

#### **Optical**

None

#### **Card Reader**

No card reader

#### Multi-Media

#### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3306 codec

#### **Speakers**

Stereo speakers (super linear speaker), 2W x2, audio by HARMAN certification, optimized with Nahimic Audio, Smart Amplifier (AMP)

### Microphone

Dual-microphone array

#### Camera

- HD 720p, with E-shutter, fixed focus
- FHD 1080p, with E-shutter, fixed focus

### **Battery**

# **Battery**

- Integrated Li-Polymer 80Wh battery, supports Super Rapid Charge Pro (charge up to 40% in 10min, 80% in 30min)
- Integrated Li-Polymer 99.9Wh battery, supports Super Rapid Charge (charge up to 30% in 10min, 70% in 30min)

# Max Battery Life[1]

• Models with 80Wh battery:

 $Mobile Mark ^{\tiny{\$}}\ 2018;\ 3.56\ hr\ (discrete\ mode)\ or\ 6.33\ hr\ (hybrid\ mode)$ 

Local video (1080p) playback@150nits: 2.6 hr (discrete mode) or 7.08 hr (hybrid mode)

Models with 99.99Wh battery:

MobileMark 2018: 4.41 hr (discrete mode) or 7.85 hr (hybrid mode)

Local video (1080p) playback@150nits: 3.21 hr (discrete mode) or 8.78 hr (hybrid mode)

# Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

# **Power Adapter**

# Power Adapter[1]

330W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz



Notes:

1. AC adapter offerings depend on the country.

# **Special Features**

### **Special Features**

Al Chip: LA2-Q[1]

Notes:

1. This chip powers Lenovo Al Engine+, which uses software-based machine learning via its Lenovo Vantage software to monitor ingame frame rates and adjust the internal components to target the highest performance.

### DESIGN

# **Display**

# Display[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
16"	WQXGA (2560x1600)	None	IPS	500 nits	Anti- glare	16:10	1200:1	100% sRGB		Refresh rate 240Hz, DisplayHDR™ 400, Dolby® Vision™, AMD FreeSync™ Premium, NVIDIA G-SYNC®, Advanced Optimus support, TÜV Low Blue Light, TÜV High Gaming Performance

### **Color Calibration**

X-Rite® Pantone® factory color calibration

### Touchscreen

Non-touch

Notes:

1. California Electronic Waste Recycling Fee
In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product.
For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

# **Input Device**

### Keyboard

6-row, multimedia Fn keys, numeric keypad

# **Keyboard Backlight**

- White backlight
- · Per-key RGB backlight

#### **Touchpad**

Buttonless Mylar® surface multi-touch touchpad, 75 x 120 mm (2.95 x 4.72 inches)

# Mechanical

# Dimensions (WxDxH)[1]

363.4 x 262.15 x 21.95-25.9 mm (14.3 x 10.32 x 0.86-1.01 inches)

# Weight<sup>[2]</sup>

Less than 2.8 kg (6.17 lbs)

# Case Color

Onyx grey

### **Surface Treatment**

Anodizing

### **Case Material**

Aluminium (top), aluminium (bottom)



### **System Lighting**

No system lighting

#### Notes:

- 1. The system dimensions vary depending on configurations.
- 2. The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

# **Network**

#### **Ethernet**

Gigabit Ethernet, 1x RJ-45

#### WLAN + Bluetooth®[1]

- Wi-Fi® 6E, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card
- Intel Killer Wi-Fi 6E AX1675i, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card

#### Notes:

1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation

### Ports<sup>[1]</sup>

#### **Standard Ports**

- 3x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C 3.2 Gen 2 (support data transfer, Power Delivery 140W and DisplayPort™ 1.4)
- 1x Thunderbolt 4 (support data transfer, Power Delivery and DisplayPort 1.4)
- 1x HDMI, up to 8K/60Hz
- 1x Ethernet (RJ-45)
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector

#### Notes

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt 3/4: 40 Gbit/s

# **SECURITY & PRIVACY**

# Security

# **Security Chip**

Firmware TPM 2.0 integrated in SoC

# **Fingerprint Reader**

No fingerprint reader

### **BIOS Security**

- Administrator password
- Power-on password
- Hard disk password
- Self-healing BIOS

### **Other Security**

E-Camera shutter

# **SERVICE**



# Warranty

### **Base Warranty**

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service

# **ENVIRONMENTAL**

# **Operating Environment**

### Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### A Itituda

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes:

1. When you charge the battery, its temperature must be no lower than 10°C (50°F).

# **ACCESSORIES**

### **Bundled Accessories**

### **Bundled Accessories**

- 4 switchable keycaps and easy tool
- None

# **CERTIFICATIONS**

# **Green Certifications**

### **Green Certifications**

- ErP Lot 3
- RoHS compliant

### Other Certifications

### **Other Certifications**

- TÜV Rheinland® High Gaming Performance
- TÜV Rheinland Low Blue Light (Hardware Solution)
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without



notice.













