Product data sheet

Specifications





APC Smart-UPS RT 192V RM Battery Pack

SURT192RMXLBP3U

Overview

Lead time Usually in Stock

Main

Mairi		
Main Input Voltage	208 V	
Product or Component Type	Battery	
Main Output Voltage	208 V	
number of rack unit	3U	
Number of cables	1.0	
Battery Type	Lead-Acid battery	
Provided Equipment	Installation guide Rack Mounting brackets User Manual	

Batteries & Runtime

Battery blocks per string	16
Battery Slots Empty	0
Included Battery Modules	4
Battery manufacturer	Panasonic
Device mounting	Stand alone battery stack
Battery Voltage	192V
Additional information	Replace all batteries in operation together (UPS internal and external batteries) all-at- once
RBC Quantity	2
Replacement battery	APCPRC140 [7]

Physical

Color	Black
Height	5.1 in (13 cm)
Width	17.008 in (43.2 cm)
Depth	26.0 in (66 cm)
Net Weight	200.42 lb(US) (90.91 kg)
Mounting Mode	Rack-mounted
USB compatible	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Conformance

Environmental

Ambient Air Temperature for Operation	32104 °F (040 °C)
Operating altitude	010000 ft
Relative Humidity	095 % non-condensing
Ambient Air Temperature for Storage	5113 °F (-1545 °C)
Storage altitude	050000 ft (0.000000000015240.0000000000 m)
Storage Relative Humidity	095 % non-condensing

Ordering and shipping details

GTIN	731304259336
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.3 in (41.3 cm)
Package 1 Width	39.4 in (100 cm)
Package 1 Length	23.6 in (60 cm)
Package 1 Weight	223.46 lb(US) (101.36 kg)

Contractual warranty

Warranty	2 years repair or replace, optional on-site warranties available, optional extended

warranties available



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov