

Phaser®
6360
Letter-size
Color
Laser Printer



Xerox® Phaser® 6360

Color Laser Printer

Office color performance
redefined



Phaser® 6360 Color Laser Printer

Setting the standard for high-performance color laser printers, the Xerox Phaser 6360 leads the industry with best-in-class print speed and exceptional color performance. Easy to operate and engineered to meet the exacting demands of high-volume office environments, the Phaser 6360 laser printer isn't just an obvious choice — it's the only choice.

Unrivaled performance

In the race for print speed supremacy, the Phaser 6360 printer sets the pace.

- **Get unparalleled, professional-quality color** at a blazing print speed of up to 42 ppm — so fast, jobs you used to outsource can be printed in-house.
- **Stay efficient in a busy environment** with a first-page-out time as fast as 9 seconds.
- **Print resolution of 2400 dpi and Adobe® PostScript® 3™** page description language combine to give your work vibrant, true-to-life colors and crisp text and image definition.
- **As the industry's only letter-size color printer with a built-in 1 GHz processor**, the Phaser 6360 has the muscle to handle even the most complex print jobs.
- **The Phaser 6360DN, DT and DX configurations feature standard onboard duplexing** for fast, automatic, two-sided printing.

Printing simplified

With ultra-fast setup and seamless operation, the Phaser 6360 printer delivers unbeatable ease-of-use.

- **User-friendly installation software** gets the Phaser 6360 out of the box and running smoothly on your network in minutes.
- **PhaserSMART® online troubleshooting** saves you time by providing 24/7 access to the Xerox Knowledge Base system.
- **Check print job status from the comfort of your chair** with Xerox CentreWare® IS Embedded Web Server which works seamlessly with your browser.
- **The built-in PrintingScout®** function tracks print jobs and provides immediate print-issue alerts and timely correction suggestions.
- **Smart Trays** alleviate guesswork by showing all available media types and sizes at print time.
- **Convenient email alerts** notify network administrators of common hang-ups, such as low toner levels, to help maintain an uninterrupted workflow.

Built for sharing

High-capacity paper volumes, powerful performance features and seamless network integration make the Phaser 6360 the ultimate multiuser printing solution.

- **A maximum paper input of 2,350 pages** and high-capacity toner cartridges keep the Phaser 6360 poised to handle a steady stream of print jobs.
- **Up to 5 paper trays** allow the Phaser 6360 to easily adapt to the size of your office.
- **100,000-page-per-month duty cycle** provides reliable operation for high-demand office environments.
- **A variety of printing possibilities** — from booklet to banner to a full range of custom sizes — lets your creativity run wild.
- **Administrators can easily collect, organize and analyze print job accounting data** from multiple printers via the Usage Analysis Tool.




Spectacular results. Bring everyday office print jobs to life with attention-grabbing color quality.

Phaser® 6360 Quick Facts

- Print up to 42 ppm color and black-and-white
- 2400 x 600 dpi
- 1 GHz processor
- 100,000 pages/month duty cycle
- 256 MB memory, expandable to 1 GB



WxDxH:
6360N/DN
17.2 x 22.8 x 20.2 in.
429 x 580 x 513 mm





Real-time paper and supply-level status lets you take action before the printer runs out.

1

Fast, automatic two-sided printing is standard on all configurations except 6360N.

2

150-sheet multipurpose tray (standard) supports a wide range of media, from executive to banner, card stock to envelopes.

3

550-sheet tray (standard) allows you to add a full ream of paper.

4

An optional 550-sheet paper feeder provides added convenience and no-hassle media loading.

5

Add the 1,100-sheet, high-capacity feeder and turn the Phaser 6360 into a convenient floor-standing printer with a total paper capacity of 2,350 sheets.



Phaser® 6360 Printer Configurations

Phaser 6360N

- 2-Tray, 700-sheet capacity
- 10/100Base-TX Ethernet and USB connectivity
- 256 MB memory (expandable to 1 GB)

Phaser 6360DN

- 6360N model plus:**
- Automatic two-sided output

Phaser 6360DT

- 6360DN model plus:**
- Additional 550-sheet feeder for 1,250-sheet capacity
 - 512 MB memory (expandable to 1 GB)

Phaser 6360DX

- 6360DN model plus:**
- Additional 1,100-sheet feeder for 1,800-sheet capacity
 - 512 MB memory (expandable to 1 GB)
 - Productivity Kit (includes 40 GB Hard Drive)

Options

- Productivity Kit (includes 40 GB Hard Drive)
- 550 and 1,100-sheet feeders
- Additional memory

Phaser® 6360

Color Laser Printer



	Phaser 6360N	Phaser 6360DN	Phaser 6360DT	Phaser 6360DX
Speed	Up to 42 ppm color / 42 ppm black-and-white			
Duty Cycle	100,000 pages / month*			
Paper Handling	Paper input	Standard	Tray 1 (MPT): 150 sheets; Selectable sizes: 3.5 x 5.5 in. to 8.5 x 36 in. / 89 x 140 mm to 216 x 914 mm	
		Optional	Tray 2: 550 sheets; Selectable sizes: Up to Legal / A4	
			Additional 550-sheet Feeder	Standard
		Additional 1100-sheet Feeder		Standard
Paper output	Standard	250 sheets		
Automatic two-sided printing	Optional	Standard		
Print	As fast as 9 seconds color			
First-page-out-time				
Resolution (max)	2400 x 600 dpi			
Processor	1 GHz			
Memory (std / max)	256 MB / 1 GB		512 MB / 1 GB	
Connectivity	10/100Base-TX Ethernet, USB 2.0, IPv6**			
Page description languages	Adobe® PostScript® 3™, PCL® 5c emulation			
Print features	Booklet printing, Mirror image, Scaling, Watermarks, Custom-size pages, Run Black, Covers, Separators, RAM collation, Remote Printing, N-up			
Productivity kit	Optional			Hard drive: Secure/Proof/Personal/ Shared Saved/Personal Saved Print, Print With, Hard disk collation, PDF-direct print, Extended font/form storage
Security	802.1x, IPsec, SMNP v3, Secure Print and Hard Drive Overwrite (requires Productivity Kit)			
Warranty	One-year on-site warranty, Xerox Total Satisfaction Guarantee			

Device Management

CentreWare® IS Embedded Web Server, CentreWare Web, Xerox NDPS Gateway, Xerox Usage Analysis Tool, Xerox Support Centre, Configuration card, PrintingScout™, MailInX email alerts, PhaserSMART®

Print Drivers

Windows® XP/2003 Server, Vista™, Mac OS® 9.x/X version 10.2 and higher, Novell NetWare® 5.x/6.5 (NPDS only), Linux Red Hat®, Fedora™ Core 5, Suse™ Linux 10.0, UNIX: Sun Solaris™ 9/10, IBM AIX® 5.1, HP/UX® 11.0/11i, Xerox Walk-Up® Printer Drivers with Windows 2000 or higher

Font Capability

PostScript® Fonts: 139; PCL® Fonts: 81

Media Handling

Tray 1 (MPT): 17–40 lb. bond to 50–80 lb. cover / 65–216 gsm; Trays 2–5: 17–40 lb. bond to 50–60 lb. cover / 65–163 gsm; Two-sided output: 17–60 lb. bond / 65–163 gsm; Media types: Plain paper, glossy, envelopes, labels, transparencies, card stock

Color Standards

PANTONE® Color approved solid-color simulations, Adobe® PostScript® device-independent color, CIE International color standards, Color options, ICC Profile, Apple ColorSync®

Operating Environment

Temperature: Storage: 32° to 95° F / 0° to 35° C, Operating: 50° to 90° F / 10° to 32° C; Humidity: 15% to 85%; Sound pressure levels: Printing: 58.0 dB(A), Standby: 34.4 dB(A); Sound power levels: Printing: 7.26 B, Standby: 5.0 B; Warm-up time (from sleep mode): 49 seconds

Electrical

Power: 110–127 VAC, 50/60 Hz or 220–240 VAC, 50/60 Hz; Power consumption: 110–127 VAC: Standby: less than 105 W, Printing: less than 750 W, Power save: less than 20 W, 220–240 VAC: Standby: less than 95 W, Printing: less than 750 W, Power save: less than 22 W, 6360DN/DT/DX: ENERGY STAR® qualified

Dimensions (WxDxH)

6360N/DN: 17.2 x 22.8 x 20.2 in. / 429 x 580 x 513 mm; 6360DT: 17.2 x 22.8 x 25.4 in. / 429 x 580 x 643 mm; 6360DX: 22.5 x 27.5 x 33.8 in. / 572 x 698 x 854 mm; Weight: 6360N/DN: 77.4 lb. / 35.2 kg, 360DT: 92.4 lb. / 42 kg, 6360DX: 123.6 lb. / 56.2 kg

Certifications

FCC Part 15, Class A, Listed UL 60950-1/CSA 60950-1-03, CE Mark applicable to Directives 73/23/EEC, 89/336/EEC, and 1999/5/EC, Section 508 ADA

Supplies

Standard-capacity toner cartridge:

Black: 9,000 pages¹ 106R01217
Cyan: 5,000 pages¹ 106R01214
Magenta: 5,000 pages¹ 106R01215
Yellow: 5,000 pages¹ 106R01216

High-capacity toner cartridge:

Black: 18,000 pages¹ 106R01221
Cyan: 12,000 pages¹ 106R01218
Magenta: 12,000 pages¹ 106R01219
Yellow: 12,000 pages¹ 106R01220

Routine Maintenance Items

Imaging unit: 35,000 pages² 108R00645
110V Fuser: 100,000 pages³ 115R00055
220V Fuser: 100,000 pages³ 115R00056
Transfer roller: 35,000 pages 108R00646

Options

N to DN Upgrade 097S03791
Productivity kit 097S03747
550-sheet feeder 097S03378
1100-sheet feeder 097S03379
Phaser memory
-256 MB 097S03381
-512 MB 097S03382
Wireless network adapter 097S03740



Call today. For more information, call 1-877-362-6567 or visit us at www.xerox.com/office

¹ Average standard pages. Declared Yield based on 5% area coverage on letter/A4-size page. Yield will vary based on image, area coverage and print mode.

² Approximate pages. Declared yield based on an average job size of 4 A4-/letter-size pages. Yield will vary depending on job run length and media size and orientation.

³ Approximate pages. Declared yield based on A4-/letter-size 20 lb. / 75 gsm pages. Yield will vary depending on media type, size, weight, orientation and usage patterns.

