WorkForce WF-M5399BAM

DATASHEET / BROCHURE



Fast, low energy mono business printer

Take advantage of lower power consumption, low Total Cost of Ownership (TCO), a fast First Page Out Time (FPOT)[1] and features designed for easy business integration with the new WorkForce Pro WF-M5399DW. This business inkjet printer benefits from automatic duplex printing, making any job easy and efficient. Along with PDL compatibility, including PCL and PostScript 3.

Reduce your environmental impact
Through fewer consumables and supplies, it also produces less waste. With low power consumption, the overall environmental impact of printing is cut dramatically[3].

Save money
The low TCO and fewer replacement parts make this a reliable and attractive choice for businesses on a budget. Low power consumption delivers much needed savings[3].

High productivity, low intervention
A fast First Page Out Time (FPOT) of 4.8 seconds from ready mode and single-pass duplex scan increase productivity[1]. Print up to 40,000 pages without changing supplies[2]. A paper capacity of up to 1,830 sheets (3 x optional 500 sheet cassettes) means less time spent refilling paper. In addition, the WF-M5399DW can print on a wide range of media, including recycled paper, glossy media and envelopes.

Built for business
Perfect for small workgroups, a variety of software solutions can be integrated into your existing IT infrastructure to improve efficiency. Epson Print Admin creates a secure printing, scanning and copying environment through user-authentication. Epson Remote Services (ERS), with the device embedded agent, offers cloud-based device monitoring and management system.

Heat-Free printing technology
Epson Heat-Free Precision Core Technology requires no heat to warm up when it is switched on or awoken from sleep, which significantly reduces energy consumption. This allows Epson's Heat-Free inkjets to deliver an exceptional fast FPOT compared to laser technology www.epson.eu/heat-free

KEY FEATURES

- **More sustainable printing**
  Due to fewer supplies, less wastage and lower power consumption[3].
- **Save money**
  Low Total Cost of Ownership (TCO) and energy saving.
- **High productivity, low intervention**
  Fast FPOT, high ink yield supplies and great paper capacity[1].
- **Built for business**
  Smooth system integration and security solutions with 1,830 max paper capacity.

EPSON®

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
Minimum Droplet Size	3,8 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Ultra
PRINT	
First Page Out	Monochrome4,8 Seconds
Printing Speed ISO/IEC 24734	25 pages/min Monochrome
Duplex Printing Speed ISO/IEC 24734	16 A4 Pages/min Monochrome
Maximum Printing Speed	34 pages/min Monochrome (plain paper 75 g/m²)
Printing Resolution	1.200 x 2.400 DPI
Printing Volume	70.000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	500 - 5.000 pages per month
Colours	Black
For detailed information on printing speeds please visit http://www.epson.eu/testing.	
CONNECTIVITY	
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, Wireless LAN a/n (5GHz)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 Enterprise, WPA2 PSK (AES), WPA3-SAE(AES)
PAPER / MEDIA HANDLING	
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, Legal, User defined
Duplex	Yes
Standard Paper input	330 Sheets Standard, 80 Sheets MP tray, 250 Sheets paper tray
Output Tray Capacity	150 Sheets
Paper Tray Capacity	330 Sheets Standard, 1.830 Sheets Maximum
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	3 x 500 sheet paper tray
Maximum paper input	1.830
Number of paper trays	4
GENERAL	
Energy Use	1,1 Watt (sleep mode), 25 Watt (Printing), 9,8 Watt (Ready), 0,2 Watt (Power off), TEC 0,17 kWh/week
Product dimensions	425 x 535 x 357 mm (Width x Depth x Height)
Product weight	15 kg
Noise Level	6,6 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM mode - 53 dB (A) according to ISO 9296
ADDITIONAL FEATURES	
Memory	1.024 MB

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
Minimum Droplet Size	3,8 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Ultra
PRINT	
First Page Out	Monochrome4,8 Seconds
Printing Speed ISO/IEC 24734	25 pages/min Monochrome
Duplex Printing Speed ISO/IEC 24734	16 A4 Pages/min Monochrome
Maximum Printing Speed	34 pages/min Monochrome (plain paper 75 g/m²)
Printing Resolution	1.200 x 2.400 DPI
Printing Volume	70.000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	500 - 5.000 pages per month
Colours	Black
For detailed information on printing speeds please visit http://www.epson.eu/testing.	
CONNECTIVITY	
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, Wireless LAN a/n (5GHz)

WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 Enterprise, WPA2 PSK (AES), WPA3-SAE(AES)

PAPER / MEDIA HANDLING

Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, Legal, User defined
Duplex	Yes
Standard Paper input	330 Sheets Standard, 80 Sheets MP tray, 250 Sheets paper tray
Output Tray Capacity	150 Sheets
Paper Tray Capacity	330 Sheets Standard, 1.830 Sheets Maximum
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	3 x 500 sheet paper tray
Maximum paper input	1.830
Number of paper trays	4

GENERAL

Energy Use	1,1 Watt (sleep mode), 25 Watt (Printing), 9,8 Watt (Ready), 0,2 Watt (Power off), TEC 0,17 kWh/week
Product dimensions	425 x 535 x 357 mm (Width x Depth x Height)
Product weight	15 kg
Noise Level	6,6 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM mode - 53 dB (A) according to ISO 9296

ADDITIONAL FEATURES

Memory	1.024 MB

LOGISTICS INFORMATION

SKU	C11CK77401BM
EAN code	8715946716855
Country of Origin	Indonesia
Layer	2 Units

WorkForce WF-M5399BAM

WHAT'S IN THE BOX

- Initialization Ink Supply Units
- Quick Setup Guide
- Warranty Documents
- Driver and Utilities (CD)
- User manual (CD)

INK YIELD DATA



● 5.000 pages*

*** Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield**

SUPPLIES

- WF-M53xx/58xx Series Ink Pack L Black C13T12D140 (5.000 pages)
- WF-M53xx/58xx Series Ink Pack XL Black C13T12E140 (10.000 pages)
- WF-M53xx/58xx Series Ink Pack XXL Black

C13T12F140 (40.000 pages)

Epson Deutschland GmbH
Schiessstraße 49
D-40549 Düsseldorf
Info-Line: 02159 92 79 500
Telefax: +49 (0) 211 54229-001
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

1. Simplex Plain Paper Ready FPOT A4 SEF Mono Default (sec).
2. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield.
3. Please visit epson.co.uk/heat-free-technology for more information.

EPSON®