

# Xerox® C310 Color Printer and Xerox® C315 Color Multifunction Printer



Work doesn't slow down, and your printer shouldn't either.



C310 Color Printer

C315 Color  
Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOR PRINTER	XEROX C315 COLOR MULTIFUNCTION PRINTER
<b>PRINT SPEED (UP TO:)</b>		
<b>One-sided Speed<sup>1</sup> – Color</b> Letter (8.5 x 11 in) A4 (210 x 297 mm)	35 ppm 33 ppm	
<b>Two-sided Speed<sup>1</sup> – Color</b> Letter (8.5 x 11 in) A4 (210 x 297 mm)	17 ppm 16 ppm	
<b>One-sided Speed<sup>1</sup> – B&amp;W</b> Letter (8.5 x 11 in) A4 (210 x 297 mm)	35 ppm 33 ppm	
<b>Two-sided Speed<sup>1</sup> – B&amp;W</b> Letter (8.5 x 11 in) A4 (210 x 297 mm)	17 ppm 16 ppm	
<b>Monthly Duty Cycle<sup>2</sup> (Up To:)</b> Pages Per Month	80,000	
<b>Recommended Average Monthly Print Volume (Up To:)</b> Pages Per Month	6,000	
<b>Processor/Memory</b> Clock Speed/Cores Memory	1 GHz Dual Core Processor with GPU 1GB RAM	1.2 GHz Quad Core Processor with GPU 2GB RAM
<b>Connectivity</b> Device Connectivity	Hi-Speed USB 2.0 (Type A), Gigabit Ethernet, Hi-Speed USB (Type B), Wireless 802.11 b/g/n	
<b>Imaging Technology</b>	Color Laser	
<b>PRINT AND COPY</b>		
<b>Print Resolution (Up To:)</b>	1200 x 1200 dpi, 4800 Color Quality	
<b>Copy Resolution (Up To:)</b>	N/A	600 x 600 dpi
<b>First-print-out Time (As Fast As:)</b>	7.2 seconds color/6.7 seconds B&W	8.0 seconds color/7.9 seconds B&W
<b>First-copy-out Time (As Fast As:)</b>	N/A	9.1 seconds color/8.2 seconds B&W
<b>Page Description Languages</b>	PostScript® 3 Emulation, PCL® 6 Emulation, PCL 5, XPS, PDF v1.7 emulation, HTML, Direct Image	
<b>Print Features<sup>3</sup></b>	One Touch UI, Print Quality, Normal, Secure, Saved and Sample Set Job Types, Duplex, Orientation, Collation, Print Job ID in Margins, Draft Mode, N-up, Booklet Layout, Watermark, Tray and Toner Status, Rotate Image 180 Degrees, Saved Settings, Earth Smart Settings	

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOR PRINTER	XEROX C315 COLOR MULTIFUNCTION PRINTER
<b>MOBILE AND CLOUD READY</b>		
Mobile Printing	Apple AirPrint, Mopria Print Service, Chromebook, Wi-Fi Direct®	
Mobile Scanning	Apple AirPrint, Mopria Scan Service	
Xerox® Workplace Suite and Xerox® Workplace Cloud	Yes	
Cloud Connectivity	No	
<b>SCAN</b>		
Destinations	N/A	Email, Front-side USB drive, FTP, Network or USB Connected Computer, Windows Network Folder
File Formats	N/A	TIFF, JPEG, PDF (non-searchable), Secure PDF, XPS
<b>FAX</b>		
Standard Features	N/A	MH/MR/MMR/JBIG/JBIG2/JPEG Compression, Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book, Fax Forward includes: Fax, Email, FTP, Network Folder, Called Number
<b>PRINT DETAILS</b>		
First-print-out Time – Color (As Fast As:)	7.2 seconds	8.0 seconds
First-print-out Time – B&W (As Fast As:)	6.7 seconds	7.9 seconds
Resolution (Up To:)	1200 x 1200 dpi, 4800 Color Quality	
Page Description Languages	PostScript® 3 Emulation, PCL® 6 Emulation, PCL 5, XPS, PDF v1.7 emulation, HTML, Direct Image	
Unprintable Page Margin	Print: 4.2 mm from each edge	Print: 4.2 mm from each edge; Copy: 3 mm from each edge
Print from USB	N/A	File Formats: Microsoft Office Formats (Word, Excel, PPT), PDF, HTML, XPS, Image Formats (JPEG, TIFF, GIF, BMP, PNG, PCX) Options available to configure prints from USB; paper source, print blank pages, collate, two-sided printing, paper saver orientation, separator sheets, paper saver, paper saver ordering
Print Driver Types/Operating Systems	Windows® 8, 8.1 Update 1, 10, 11, Windows Server® 2008 SP2 (32- and 64-bit), Windows Server 2008 R2 SP1, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019, macOS 10.14, 10.15, 11, 12. For more information about supported Operating Systems, please visit our Drivers & Downloads page and specify your device at <a href="http://support.xerox.com">support.xerox.com</a>	
Network Protocols	TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print 802.1x, SNMP	
Font Capability	PCL6 89 scalable fonts, 2 bitmapped PS emulation 158 scalable fonts	
<b>COPY DETAILS</b>		
First-copy-out Time – Color (As Fast As:)	N/A	9.1 seconds
First-copy-out Time – B&W (As Fast As:)	N/A	8.2 seconds
Simplex Speed (Up To:)	N/A	35 Letter ppm/33 A4 ppm
Duplex Speed (Up To:)	N/A	17 Letter ppm/16 A4 ppm
Sides (Input:Output)	N/A	1:1, 1:2, 2:1, 2:2
Quantity	N/A	1-9,999
Concurrency	N/A	Yes (copy while printing)
Copy Features	N/A	Copy From Size; Copy To Size; Scale 25% to 400%; Darkness/Lightness; Sides 1:1, 1:2, 2:1, 2:2; Duplex; Collate; Sample Copy; <b>Content Type</b> – Text, Text/Photo, Photo, Graphics; <b>Content Source</b> – B&W Laser, Color Laser, Inkjet, Photo/Film, Magazine, Newspaper, Press, Other; Create Shortcut; Color  <b>Advanced Options</b> Paper Setup; Advanced Imaging, Auto Center, Background Removal, Contrast, Mirror Image, Negative Image, Scan Edge to Edge, Shadow Detail, Sharpness, Color Balance, Color Dropout; Create Booklet; Cover Page Setup; Custom Job Build; Edge Erase; Header/Footer; Margin Shift; Overlay; <b>Pages per Side</b> – 2 pages per side, 4 pages per side; <b>Separator Sheets</b> – Between Pages, Between Copies, Between Jobs

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOR PRINTER	XEROX C315 COLOR MULTIFUNCTION PRINTER
<b>SCAN DETAILS</b>		
Technology	N/A	Color Flatbed Scanner with RADF, Contact Image Sensor (CIS)
Capability	N/A	RADF, up to 50 sheets of 20 lb bond/75 gsm, Color/B&W
Concurrency	N/A	Yes (scan while printing)
Input Speed – Color (Up To:)	N/A	32 ipm simplex/14 ipm duplex letter, 30 ipm simplex/13 ipm duplex A4
Input Speed – B&W (Up To:)	N/A	50 ipm simplex/23 ipm duplex letter, 47 ipm simplex/21 ipm duplex A4
Resolution	N/A	600 x 600 dpi
Resolution (Software Utilities) (dpi)	N/A	150 x 150, 200 x 200, 300 x 300, 400 x 400, 600 x 600
Maximum Scan Area (ADF) (in)	N/A	8.5 x 14 in
Maximum Scan Area (ADF) (mm)	N/A	216 x 355 mm
Maximum Scan Area (Platen) (in)	N/A	8.5 x 11.7 in
Maximum Scan Area (Platen) (mm)	N/A	216 x 297 mm
Media Weight (ADF)	N/A	52 to 120 gsm
Network Filing Protocol	N/A	FTP, SFTP, SMB, USB, Windows Network Folder
File Formats	N/A	TIFF, JPEG, PDF (non-searchable), Secure PDF, XPS
Scan Driver Compatibility	N/A	TWAIN, WIA, ICA
Scan File Compression Options	N/A	PDF – 1 bit – JBIG2, CCIT G4, Flate 8/24 bit – Flate, JPEG TIFF – 1 bit – CCITT G4 8/24 bit – Packbits, LZW JPG – 8/24 bit – JPEG
Supported Scan Destinations	N/A	Email, Front-side USB Drive, FTP, SFTP, Network or USB Connected Computer, Windows Network Folder
<b>FAX DETAILS</b>		
Fax Speed	N/A	33.6K bps
Memory	N/A	18MB
Resolution (dpi)	N/A	B&W standard 200 x 100 send, 200 x 100, 204 x 98 receive B&W fine 200 x 200 send, 200 x 200, 204 x 196 receive B&W superfine 300 x 300 send, 300 x 300, 204 x 391 receive B&W ultrafine 600 x 600 send, 600 x 600, 400 x 400, 408 x 391 receive Color fine 200 x 200 send, 200 x 200 receive Color superfine 300 x 300 send, 300 x 300, 400 x 400 receive
Compression	N/A	T.4 1D Modified Huffman Encoding T.4 2D Modified Read Encoding T.6 Modified Modified Read Encoding T.85 JBIG T.88 JBIG2 T.81 JPEG
Fax Features	N/A	Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book
Fax Forward Destinations	N/A	Fax – using one Fax Shortcut Email – using one Email Shortcut FTP – using one FTP Shortcut
<b>DEVICE MANAGEMENT</b>		
Device Management	Remote Console, Embedded Web Server	
Xerox® CentreWare® Web Software	Yes	
<b>SECURITY</b>		
Security Protocols/Features	Digitally Signed Firmware Updates, Certificate Management, Secure Password Reset, TCP Connection Filtering, Port Filtering, Access Controls, Confidential Print, Non-Volatile Memory Wipe, Fax/Network Separation, Protected USB Ports, Auto-insertion of Sender's Email Address, Login Restrictions	
<b>WI-FI SECURITY</b>		
Authentication and Encryption Methods	802.11 b/g/n, Infrastructure (BSS) Mode, WEP Encryption (64 & 128 bit keys), WPA Personal TKIP PSK (63 char, 64 ASCII), WPA Enterprise, WPA2-Personal, WPA2-Enterprise, 802.1x; EAP-MD5, EAP-MSCHAPv2, EAP-TLS, EAP-TTLS (CHAPS/MSCHAPv2/PAP), LEAP, PEAP	

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOR PRINTER	XEROX C315 COLOR MULTIFUNCTION PRINTER
<b>PAPER HANDLING</b>		
<b>AUTOMATIC DOCUMENT FEEDER</b>		
Type of ADF	N/A	Reversing Automatic Document Feeder (RADF)
Capacity (Up To:)	N/A	50 sheets of 20 lb bond/75 gsm stock; capacities will vary with different weight stocks
Minimum Media Size (in)	N/A	4.1 x 5.8 in
Minimum Media Size (mm)	N/A	A6 SEF (105 x 148 mm)
Maximum Media Size (in)	N/A	Legal (8.5 x 14 in)
Maximum Media Size (mm)	N/A	216 x 355 mm
Minimum Media Weight (gsm)	N/A	14 lb bond
Minimum Media Weight – Duplex (gsm)	N/A	52 gsm
Maximum Media Weight (gsm)	N/A	32 lb bond
Maximum Media Weight – Duplex (gsm)	N/A	120 gsm
<b>PLATEN</b>		
Maximum Media Size (in)	N/A	8.5 x 11.7 in
Maximum Media Size (mm)	N/A	216 x 297 mm
<b>MANUAL FEED SLOT</b>		
Standard/Optional	Standard	
Capacity	1 sheet of 20 lb bond/75 gsm	
Minimum Media Size (in)	3 x 5 in	
Minimum Media Size (mm)	76 x 127 mm	
Maximum Media Size (in)	Legal (8.5 x 14 in)	
Maximum Media Size (mm)	216 x 356 mm	
Minimum Media Weight (gsm)	60 gsm	
Minimum Media Weight – Duplex (gsm)	60 gsm	
Maximum Media Weight (gsm)	216 gsm	
Maximum Media Weight – Duplex (gsm)	105 gsm	
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Cardstock, Envelopes, Labels	
<b>MAIN TRAY</b>		
Standard/Optional	Standard	
Capacity (Up To:)	250 sheets of 20 lb bond/75 gsm	
Minimum Media Size (in)	3.8 x 5.8 in	
Minimum Media Size (mm)	98 x 148 mm	
Maximum Media Size (in)	Legal (8.5 x 14 in)	
Maximum Media Size (mm)	216 x 356 mm	
Minimum Media Weight (gsm)	60 gsm	
Minimum Media Weight – Duplex (gsm)	60 gsm	
Maximum Media Weight (gsm)	216 gsm	
Maximum Media Weight – Duplex (gsm)	105 gsm	
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock, Envelopes	

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOR PRINTER	XEROX C315 COLOR MULTIFUNCTION PRINTER
<b>PAPER HANDLING (CONTINUED)</b>		
<b>550 PLUS 100 SHEET TRAY – 100 SHEET TRAY</b>		
Standard/Optional	Optional – included with the 550 plus 100 Sheet Tray	
Capacity (Up To:)	100 sheets of 20 lb bond/75 gsm	
Minimum Media Size (in)	3 x 5 in	
Minimum Media Size (mm)	76 x 127 mm	
Maximum Media Size (in)	Legal (8.5 x 14 in)	
Maximum Media Size (mm)	216 x 356 mm	
Minimum Media Weight (gsm)	60 gsm	
Minimum Media Weight – Duplex (gsm)	60 gsm	
Maximum Media Weight (gsm)	176 gsm	
Maximum Media Weight – Duplex (gsm)	105 gsm	
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock, Envelopes	
<b>550 PLUS 100 SHEET TRAY – 550 SHEET TRAY</b>		
Standard/Optional	Optional – included with the 550 plus 100 Sheet Tray	
Capacity (Up To:)	550 sheets of 20 lb bond/75 gsm	
Minimum Media Size (in)	5.83 x 8.27 in	
Minimum Media Size (mm)	148 x 210 mm	
Maximum Media Size (in)	Legal (8.5 x 14 in)	
Maximum Media Size (mm)	216 x 356 mm	
Minimum Media Weight (gsm)	60 gsm	
Minimum Media Weight – Duplex (gsm)	60 gsm	
Maximum Media Weight (gsm)	176 gsm	
Maximum Media Weight – Duplex (gsm)	105 gsm	
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock	
<b>STANDARD/MAXIMUM INPUT CAPACITY</b>		
Standard Input Capacity	251	
Maximum Input Capacity	901	
<b>OUTPUT CAPACITY</b>		
Output Capacity	125	150

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

SYSTEM SPECIFICATION		XEROX C310 COLOR PRINTER	XEROX C315 COLOR MULTIFUNCTION PRINTER
<b>DEVICE SPECIFICATIONS</b>			
<b>ELECTRICAL REQUIREMENTS</b>			
North America	100 to 127 volts (V) (100 – 110 Japan) at 47 to 53 hz or 57 to 63 hertz (HZ) nominal 90 to 140 volts (90 – 110 Japan), extreme		
Europe	220 to 240 volts (V) at 47 to 53 hz or 57 to 63 hertz (HZ) nominal (not available in all countries) 198 to 259 volts, extreme		
<b>POWER CONSUMPTION</b>			
Operation/Running – 110V	Simplex 530W; Duplex 360W		
Operation/Running – 220V	Simplex 530W; Duplex 360W		
Standby Mode – 110V	22W	26.2W	
Standby Mode – 220V	22W	26.2W	
Auto Off/Sleep Mode – 110V	1.61W	1.44W	
Auto Off/Sleep Mode – 220V	1.61W	1.44W	
Power Off Mode – 110V	0.2W		
Power Off Mode – 220V	0.2W		
Default Time to Sleep Mode	3 minutes		
Time to First Print from Sleep Mode	15 seconds	16 seconds	
Time to Ready from Off	42 seconds	49 seconds	
<b>OPERATING ENVIRONMENT</b>			
Required Temperature Range – Fahrenheit (storage)	50 to 90° F Shipping: -40 to 110° F		
Required Temperature Range – Fahrenheit (operating)	50 to 90° F		
Required Temperature Range – Celsius (storage)	10 to 32.2° C Shipping: -40 to 43.3° C		
Required Temperature Range – Celsius (operating)	10 to 32.2° C		
Required Relative Humidity	15% to 80% RH		
<b>SOUND POWER LEVELS</b>			
Sound Power Levels (Operating)	Noise Level (Print), Operating: 50 dBA Duplex Print Noise Level, Operating: 52 dBA	Noise Level (Print), Operating: 52 dBA Duplex Print Noise Level, Operating: 53 dBA	
Sound Power Levels (Standby)	Inaudible		
<b>DIMENSIONS AND WEIGHTS</b>			
<b>ENGINES (UNPACKAGED)</b>			
Width (in)	17.4 in		
Depth (in)	16.6 in	23.1 in	
Height (in)	12.1 in	18.2 in	
Weight (lb)	46 lb	60 lb	
Width (mm)	442 mm		
Depth (mm)	421 mm	588 mm	
Height (mm)	308 mm	462 mm	
Weight (kg)	21 kg	27.1 kg	

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOR PRINTER	XEROX C315 COLOR MULTIFUNCTION PRINTER
<b>DIMENSIONS AND WEIGHTS (CONTINUED)</b>		
<b>550 PLUS 100 SHEET TRAY (UNPACKAGED)</b>		
Width (in)	16.7 in	
Depth (in)	16.4 in	
Height (in)	5.2 in	
Weight (lb)	9.3 lb	
Width (mm)	424 mm	
Depth (mm)	416 mm	
Height (mm)	133 mm	
Weight (kg)	4.2 kg	
<b>ENGINES (PACKAGED)</b>		
Width (in)	19.5 in	22.0 in
Depth (in)	23.4 in	
Height (in)	15.8 in	22.4 in
Weight (lb)	52.3 lb	67.8 lb
Width (mm)	495 mm	558 mm
Depth (mm)	595 mm	594 mm
Height (mm)	402 mm	570 mm
Weight (kg)	23.8 kg	30.8 kg
<b>550 PLUS 100 SHEET TRAY (PACKAGED)</b>		
Width (in)	8.6 in	
Depth (in)	20.0 in	
Height (in)	18.8 in	
Weight (lb)	11.45 lb	
Width (mm)	218 mm	
Depth (mm)	508 mm	
Height (mm)	478 mm	
Weight (kg)	5.2 kg	
<b>INSTALLATION CONSIDERATIONS</b>		
Clear area around the device is necessary for access and ventilation. The below table shows the area needed on each side for correct installation.		
Top	10 in/254 mm	12 in/305 mm
Rear	4 in/101.6 mm	
Left	3 in/76.2 mm	
Right	3 in/76.2 mm	
Front	3 in/76.2 mm	
<b>SYSTEM CERTIFICATION/REGULATORY COMPLIANCE</b>		
Certifications	To view the latest list of certifications, go to <a href="http://xerox.com/OfficeCertifications">xerox.com/OfficeCertifications</a>	
<b>WHAT'S IN THE BOX</b>		
All items contained in the box	C310 Color Printer Power Cord Installation Guide Product Safety Sheet Quick Use Guide Software and Documentation CD Pre-installed Starter Capacity CMY Print Cartridges: 1,000 page capacity <sup>4</sup> ; K cartridge: 1,500 page capacity <sup>4</sup>	C315 Color Multifunction Printer Power Cord Installation Guide Product Safety Sheet Quick Use Guide Software and Documentation CD Pre-installed Starter Capacity CMY Print Cartridges: 1,000 page capacity <sup>4</sup> ; K cartridge: 1,500 page capacity <sup>4</sup>

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

SUPPLIES AND ACCESSORIES	XEROX C310	XEROX C315
<b>SUPPLIES – NORTH AMERICA AND EUROPE*</b>		
Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (3,000 Pages) <sup>4</sup>	006R04356	
Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>	006R04357	
Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>	006R04358	
Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>	006R04359	
Genuine Xerox Black High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (8,000 Pages) <sup>4</sup>	006R04364	
Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>	006R04365	
Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>	006R04366	
Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>	006R04367	
Genuine Xerox Waste Toner Bottle, Xerox C310/C315 Color Printer/Multifunction (25,000 Pages)	008R13325	
Genuine Xerox Black Imaging Kit, Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>	013R00689	
Genuine Xerox Color Imaging Kit (CMYK), Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>	013R00692	
<b>SUPPLIES – ALL OTHER REGIONS</b>		
Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (3,000 Pages) <sup>4</sup>	006R04360	
Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>	006R04361	
Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>	006R04362	
Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>	006R04363	
Genuine Xerox Black High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (8,000 Pages) <sup>4</sup>	006R04368	
Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>	006R04369	
Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>	006R04370	
Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>	006R04371	
Genuine Xerox Waste Toner Bottle, Xerox C310/C315 Color Printer/Multifunction (25,000 Pages)	008R13325	
Genuine Xerox Black Imaging Kit, Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>	013R00689	
Genuine Xerox Color Imaging Kit (CMYK), Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>	013R00692	
<b>OPTIONAL ACCESSORIES</b>		
550 plus 100 Sheet Tray	497N07995	

\* North America (NA): U.S., Canada

Europe (XE): U.K., France, Germany, Spain, Italy, Netherlands, Belgium, Norway, Sweden, Finland, Denmark, Iceland, Luxembourg, Austria, Switzerland, Portugal, Ireland Andorra, Azores, Corsica, Greenland, Iceland, Lichtenstein, Luxembourg, Madeira, San Marino

<sup>1</sup> Declared print speed in accordance with ISO/IEC 24734.

<sup>2</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

<sup>3</sup> Some functionality may require software update from xerox.com available Q4 2021 (C310 only).

<sup>4</sup> Average standard pages. Declared yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

<sup>5</sup> Approximate pages. Declared yield will vary depending on job run length and media size/orientation and print mode. For more information, visit [office.xerox.com/latest/SUPGL-01.PDF](https://office.xerox.com/latest/SUPGL-01.PDF) C315 will become available early 2022.

For more information, visit us at [xerox.com/office](https://xerox.com/office).