Specifications



APC Rack Air Removal Unit SX Fan Assembly 100-240V 50/60 Hz

ACF115

- (!) To be discontinued on: Aug 30, 2024
- () To be end-of-service on: Dec 31, 2027

① To be discontinued

Overview

Lead time	Usually in Stock
Main	
Main Input Voltage	100 V 120 V 200 V 208 V 230 V
Input Connection Type	IEC 60320 C14 NEMA 5-15P
Number of cables	2
Provided Equipment	Installation guide
General	
Air flow	1600 ft³/min (755.1 l/s)
Physical	
Color	Black
Height	53.3 in (135.3 cm)
Width	23.0 in (58.4 cm)
Depth	7.5 in (19.1 cm)
Net Weight	104.21 lb(US) (47.27 kg)
Mounting preference	No preference

Mounting Mode

Input

Input power	1200 W
Input Frequency	50/60 Hz

Conformance

Product Certifications

cUL Listed CE UL Listed VDE VCCI

Not rack-mountable

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

EN 55022 Class A EN 55024 FCC Part 15 class A ICES-003 IEC 61000-3-2 IEC 61000-3-3

Environmental

Ambient Air Temperature for Operation	32.000000000122.0000000000 °F (050 °C)	
Ambient Air Temperature for Storage	32.00000000122.000000000 °F (050 °C)	
Relative Humidity	095 %	
Storage Relative Humidity	095 %	
Storage altitude	015000 ft (0.0000000004572.000000000 m)	
Acoustic level	79 dBA	

Communications & Management

Multi-function LCD status and control console

Ordering and shipping details

GTIN	731304240983

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	60.000000000 in (152.4 cm)	
Package 1 Width	12.008 in (30.5 cm)	
Package 1 Length	32.008 in (81.3 cm)	
Package 1 Weight	125.27 lb(US) (56.82 kg)	

Contractual warranty

Warranty

1 year (parts only)

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Well-being performance

Reach Free Of Svhc

Reach Regulation	REACh Declaration
Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information