



# Rack PDU, Basic, Zero U, 15A, 100/120V, (14) 5-15

AP9567

## **Overview**

Presentation	APC Basic Rack PDUs distribute reliable rack power distribution via a single input with multiple output receptacles. Easily mount this vertical PDU in racks or enclosures. It occupies zero U of valuable rack space, which allows space for more equipment in the rack. This vertical PDU does not require additional tools to mount into APC NetShelter Enclosures. Enables a quick recovery from overload events. Packaging Includes PDU, Installation guide, Rack Mounting brackets, Toolless Mounting Kit.
Lead time	Usually in Stock

### Main

Colour	Black	
product or component type	PDU	
PDU type	Basic	
Cord length	12 ft (3.7 m)	
Number of cables	1	
provided equipment	Installation guide Rack mounting brackets Toolless mounting kit	

## Complementary

Input Voltage	100 V 120 V	
Height	24.02 in (61 cm)	
Width	1.7 in (4.4 cm)	
Output Voltage	100 V 120 V	
Depth	1.7 in (4.4 cm)	
net weight	4.81 lb(US) (2.18 kg)	
mounting location	Side	
Mounting preference	No preference	
Input Plug Type	NEMA 5-15P	
mounting mode	Rack-mounted	
Rack units	OU	
Mounting position	Vertical	
[In] rated current	12 A	
Permissible voltage	100125 V	

Input current limits	15 A
Load capacity	1400 VA
Network frequency	50/60 Hz
Outlet type and quantity	14 NEMA 5-15R

## **Environment**

Product certifications	cUL listed METI Denan UL listed
Ambient air temperature for operation	32.0000000000113.00000000000 °F (045 °C)
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-13.0000000000149.0000000000 °F (-2565 °C)
Storage Relative Humidity	095 %
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	25.5 in (64.8 cm)
Package 1 Width	6.0 in (15.2 cm)
Package 1 Length	7.008 in (17.8 cm)
Package 1 Weight	6.44 lb(US) (2.92 kg)

# **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

### Resource performance

**Energy Efficient Product** 



Take-Back Program Available

## Well-being performance



Lead Free

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information