Exquisitely crafted for every detail

Meticulously crafted to surpass every design standard, the HP Z27k G3 4K USB-C® Display is composed of authentic aluminum and delivers an impressive, frameless viewing experience. Bring your ideas to life with remarkable color accuracy in precise 4K resolution. Refine your work experience and transform your PC into a powerhouse with this 27 inch diagonal screen monitor with USB-C 100W Power Delivery.



*Product image may differ from actual product

Universally consistent colors

Out of the box, you get remarkable color accuracy from screen to screen¹. Achieve precise, vibrant detail with 99% sRBG color gamut and 4K resolution.

Design pushed to the edge

Meticulously crafted with a razor-thin profile and frameless design, this stunning 27-inch diagonal screen monitor effortlessly powers your PC or Mac*. Get ultimate comfort with 4way ergonomic adjustability.

Always on low blue light

Experience exceptional vibrancy with HP Eye Ease, the always on low blue light filter that reduces blue light exposure with zero impact to true color accuracy.

Sustainability in action

Responsibly reimagined

Make a conscious choice with this monitor that's been built with the environment in mind. Its plastics consist of over 80% recycled materials² plus it has 100% sustainably sourced and recyclable packaging³. It is ENERGY STAR® certified and EPEAT® 2020 registered⁴.



Featuring







Easily connect multiple monitors

Declutter your desk and connect a series of displays by daisy chaining with a single DisplayPort™ cable.⁵

All the ports you need

Connect to a Workstation, a PC and additional displays.

Easily mount a Mini

Mount your HPZ2 Mini or HP Desktop Mini directly to the monitor for a clean workspace.⁶

HP Zero BrightDot Guarantee

Even if just a third of a pixel fails or is stuck in one position, HP will replace the entire display.⁷

Optional integrated audio

Easily attach the Z Display Conferencing Speaker Bar for stereo quality audio and dual microphones.⁸

3-year limited warranty

The assurance of HP's three-year standard limited warranty.



Specifications

Display specifications

Display size

Display size (diagonal, metric)

68.6 cm (27")

Aspect ratio

16:9¹

Curvature Flat

Native resolution

4K UHD (3840 x 2160)1

Resolution (maximum)

4K UHD (3840 x 2160 @ 60 Hz)

Resolutions supported

1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 800; 1440 x 900; 1600 x 1200; 1600 x 900; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1440; 2560 x 1600; 3840 x 2160; 640 x

480: 800 x 600 Panel type

IPS1

Bezel

4-sided micro-edge

Panel active area

59.67 x 33.57 cm

Panel bit depth

10 bit

Display scan frequency

50-60 Hz (Vertical) 30-80 KHz (Horizontal)

Response time

5ms GtG (with overdrive)1

Brightness

350 nits1

Contrast ratio

1000:1 (Static)1 10000000:1 (Dynamic)1

Pixel pitch

0.155 mm

Pixels per inch (ppi)

163 ppi

Viewing angle

178° (Vertical) 178° (Horizontal)

Backlight type

Edae-lit

Display features

Language selection; On-screen controls; Pivot rotation; Anti-glare; Height adjustable

Display User Control Options

Exit; Information; Management; Power control; Input control; Menu control;

Brightness+; Image; Color

Management software

HP Display Center; HP Display Manager

Low blue light modes

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)

Flicker-free Yes

Screen treatment

Anti-alare

Hardness

VESA mount

100 mm x 100 mm (bracket included)

Height adjustment range

150 mm

Tilt

-5 to +20°

Swivel

±45° **Pivot**

+90

Camera

No integrated camera

Microphone

Connectivity and communications

Port and connectors

1 HDMI 2.0

1 DisplayPort™ 1.4

1 DisplayPort™ 1.4-out

1RJ-45

1 SuperSpeed USB Type-C® 5Gbps signaling rate (USB Power Delivery up to 100W, Alt

Mode DisplayPort™ 1.4)

4 SuperSpeed USB Type-A 5Gbps signaling rate

1 RJ-45 (10/100/1000 Mbps)

HDCP

Yes, DisplayPort™ and HDMI

Power supply

100 - 240 VAC 50/60 Hz

Power consumption

165 W (maximum), 42 W (typical), 0.5 W (standby)

Logistics and Physical

Product color

Turbo Silver

Detachable stand

Physical security

Security lock-ready²

Dimensions without Stand (WxDxH)

61.23 x 6.35 x 35.61 cm

Dimensions with stand (W x D x H)

61.23 x 20.5 x 53.04 cm

Weight

6.2 kg (With stand.)

Packaged Dimensions (W x D x H)

69.8 x 42.3 x 16.3 cm

Packaged weight

Certification and compliance

Energy efficiency

ENERGY STAR® certified

Ecolabels

EPEAT® registered3

Environmental specifications

Arsenic-free display glass; Low halogen; Mercury-free display backlights; TCO

Certified; TCO Certified Edge

Certifications

BIS; BSMI; CB; CCC; CE; CEL; cTUVus; EAC; ErP; FCC; GS Mark; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TUV-S; VCCI; WEEE; ISC; Low blue light; CEL Grade 3; Ukraine Energy label; WW application; UAE⁵

Operating temperature range

41 to 95°F

Operating humidity range

20 to 80% non-condensing

Additional information

Monitor; Documentation; VESA Mount adapter; Cable manager; 1 USB Type-C® to Type-C cable; AC power cord; DisplayPort™ 1.4 cable4



Footnotes

Messaging Footnotes

- 1All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- ² Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard.
- 3 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from
- >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.

 4 Based on US EPEAT* registration according to IEEE 1680.1-2020 EPEAT*. Status varies by country. Visit www.epeat.net for more information.
- 5 Requires an additional DisplayPort™ cable to daisy chain.
 6 Z2 Mini and Desktop mini and B550 Z Display G3 PC Mounting Bracket sold separately.
- ⁷ The HP Pixel Policy allows no bright sub-pixel defects for this display. For complete details, see http://support.hp.com/us-en/document/c00288895.

Technical Specifications Footnotes

- $^{1} All\ specifications\ represent\ the\ typical\ specifications\ provided\ by\ HP's\ component\ manufacturers;\ actual\ performance\ may\ vary\ either\ higher\ or\ lower.$
- ² Lock sold separately.
- ³ Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. EPEAT* status varies by country. Visit www.epeat.net for more information.
- Included cables may vary by country.
- 5 Monitors produced from June 2024 comply with China regulation GB 21520-2023.

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be constituted as constituting on additional warranty. HP sholl not be liable for technical or editorial errors or ormissions containing herein. USB-C© is a registered trademark of USB implementers Forum. DisplayPort* logo are trademarks owned by the Video Electronics Standards Association (VESA*) in the United States and other countries. Missing Mac (Apple) ENERGY STAR. For trademark comments, see: https://equal.https://

