

Dual-Band USB Wi-Fi Adapter - 2.4 GHz and 5 GHz

MODEL NUMBER: **U263-AC600**



Plugs into your laptop or desktop computer's USB port to provide secure instant access to a dual-band wireless Ethernet network.

Features

Nano-Sized Dual-Band Wi-Fi Adapter Connects You to a Wireless Ethernet Network

Tiny enough to fit in the palm of your hand, this dual-band USB 2.0 Wi-Fi adapter plugs into the USB-A port on your laptop, tablet or desktop computer. It connects your device to a Wi-Fi network without having to rebuild any interior parts or replace a broken web card.

Dual-Band Connectivity Lets You Connect to More Devices with Less Interference

The U263-AC600 supports dual 2.4 GHz (150 Mbps) and 5 GHz (433 Mbps) network connections to make sure you have plenty of bandwidth for both high- and low-intensity applications. The 2.4 GHz band is ideal for basic web tasks, such as web browsing, sending email or streaming music. The 5 GHz band is recommended for downloading large files, streaming HD video on Netflix or lag-free gaming.

Compatible with the Most Recent IEEE Standards and Security Measures

This USB Wi-Fi adapter adjusts to a wide range of industry standards, including IEEE 802.11ac, and is backward compatible with 802.11a, 802.11b, 802.11g and 802.11n for integration with all wireless network devices. The U263-AC600 also supports 64- and 128-bit WEP/WPA and WPA2 one-key wireless security encryption.

Miniature, Lightweight Design Perfect for Travel and Storage

The U263-AC600 features a 1T1R design (meaning the internal antenna both transmits and receives) and fits in a pocket or laptop bag for travel. To use the adapter, install the drivers specific to your laptop, tablet or computer (search "U263-AC600" at tripplite.com/support), and then connect the adapter to the USB port on your device. The adapter is compatible with Windows, Mac or Linux computers.

Highlights

- Dual-band Wi-Fi adapter supports 2.4 GHz and 5 GHz networks
- 802.11ac adapter is backward compatible with 802.11a, 802.11b, 802.11g and 802.11n
- USB 2.0 host interface is backward compatible with USB 1.1 laptops, tablets and PCs
- Supports 64- and 128-bit WEP/WPA and WPA2 wireless security encryption
- Nano-sized 1T1R design fits easily into a pocket or laptop bag for connecting on the go

Applications

- Connect a notebook or desktop computer to a Wi-Fi network via USB port
- Provide an alternate means of connecting to Wi-Fi for a device with non-functioning Wi-Fi hardware

System Requirements

- Laptop, tablet or desktop computer with USB-A port
- 2.4 GHz and/or 5 GHz wireless network
- Windows, Mac or Linux operating system

Package Includes

- U263-AC600 Dual-Band USB Wi-Fi Adapter
- Owner's manual



Specifications

| OVERVIEW | |
|-----------------------------------|---|
| UPC Code | 037332259738 |
| Product Type | USB 2.0 Dual Band 2.4Ghz / 5Ghz Wi-Fi Adapter |
| Technology | USB; USB 2.0 (High Speed); Wireless |
| INPUT | |
| Bus Powered | Yes |
| Product Length (in.) | 0.746 |
| Product Length (cm.) | 1.9 |
| USER INTERFACE, ALERTS & CONTROLS | |
| LED Indicators | N/A |
| DATALINE SURGE SUPPRESSION | |
| Network (Ethernet) Protection | Yes |
| PHYSICAL | |
| Color | Black |
| Material of Construction | ABS |
| Unit Dimensions (hwd / cm) | .596 x 1.566 x 1.896 |
| Unit Dimensions (hwd / in.) | 0.235 x 0.617 x 0.746 |
| Unit Dimensions (hwd / mm) | 5.96 x 15.66 x 18.96 |
| Unit Packaging Type | Box |
| Unit Weight (kg) | 0.00 |
| Unit Weight (lbs.) | 0 |
| ENVIRONMENTAL | |
| Operating Temperature Range | 32 to 104°F (0 to 40°C) |
| Storage Temperature Range | -40 to (-40 to 70°C) |
| Operating Humidity Range | 10% to 90% RH, Non-Condensing |
| Storage Humidity Range | 5% to 90% RH, Non-Condensing |
| CONNECTIONS | |
| Side A - Connector 1 | USB A (MALE) |
| Wireless Interface | 2.4G max data rate: 150Mbps (11n); 5G max data rate: 433Mbps (11AC) |



| FEATURES & SPECIFICATIONS | |
|--------------------------------------|--------------------------|
| USB Specification | USB 2.0 (up to 480 Mbps) |
| Driver Required | Yes |
| STANDARDS & COMPLIANCE | |
| Certifications | CE, FCC, RoHS, REACH |
| WARRANTY | |
| Product Warranty Period (Worldwide) | 3-year limited warranty |

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>