

(Email/Fax this page)

↻ 750VA Line-Interactive UPS with 8 Outlets

**Model: PRO750RT2U****On-Battery Output Waveform:** Simulated sine wave**Manufacturer's Suggested Retail Price:** \$500.00 USD (48 Contiguous U.S. States Only)**Applications:** Small LAN or rack environments, security CCTV/DVRs, telecom/VoIP**Warranty:** 3 Years - Parts & Labor Including Batteries**UPC:** 784755154934**Description:**

The Minuteman PRO750RT2U is a 750VA/525W 120 VAC line-interactive UPS with 8 battery backup/surge outlets, USB communication port, SentryHD power management software and diagnostic software, and fax/modem/network line surge protection.

Back-up time - full load: 6.5 minutes**Back-up time - half load:** 14.8 minutes**Back-up time at defined RATED load of 350 WATTS:** 17.5 minutes

Runtimes for small loads of less than 10 percent of the stated capacity of a given UPS may vary greatly. Please call to confirm most accurate runtime for small loads.

Features:

- **Protection from Spikes, Surges, Brownouts, and Blackouts**
 - Buck and boost Automatic Voltage Regulation (AVR) function
 - All outlets are battery and surge-protected
 - RJ11 / RJ45 spike/surge protection for phone/fax/ modem/network connections (1Gb)
 - Coax protection for satellite/cable
- **Rack/tower Installation**
2U rack height or wall mounting with optional kit
- **Minuteman SentryHD Software**
 - Automatically saves and shuts down unfinished or open applications programs
 - Powers down your devices during blackouts
 - Provides comprehensive power monitoring
- **USB Communications**
No special USB drivers are required. The USB is automatically recognized by Microsoft® Windows® as HID-compliant devices ♦ similar to a mouse or a keyboard.
- **SNMP Compatible**
Each PRO-RT unit can be managed on a network with the addition of an optional SNMP management card. (NC models includes a pre-installed network card)
- **Fax/Modem/Network/Coax Line Protection**
The PRO-RT UPS provides a low cost means of protecting fax/modem/network lines.
- **Independent Battery Bypass**
Provides voltage regulation with surge and spike protection even when batteries are weak or dead.
- **Auto-restart**
When power returns after an extended outage and the batteries have been fully drained, the UPS automatically restarts

and provides power to attached devices if acceptable AC is present.

- **Warranty**

Each PRO-RT UPS system is covered by a three-year parts and labor warranty and \$100,000 Minuteman Platinum Protection Plan® (U.S.A. and Canada only). Five-year warranty options are available.


Properties:

Device type: Uninterruptible Power Supply

Input plug type: NEMA 5-15P 

Input voltage: 120

Output voltage: 120

Number of fully protected outlets: 8 (NEMA 5-15R) 

Number of surge protected only outlets: None

Phone / modem (RJ-11) protection? Yes

Network (RJ-45) protection? Yes

No. of serial (DB-9) ports: 0

No. of dry contact ports: 0

USB communications port: Yes

Battery:

User replaceable battery? Yes

No. of internal batteries: 1

Replacement battery description: Battery module

Replacement battery part no.: BM0072

Replacement battery suggested retail price: \$180.00 USD (each)

Technical Attributes:

SNMP manageable? Yes

Power in Watts: 525

EMI/RFI filtering? Yes

Max. energy dissipation: 960 (Joules)

Protected equipment insurance value: \$100000 USD (US and Canada Only)

Switchover time: 6-10 ms

Software:

***Operating system shutdown software available for free download:** Yes

Op. System(s) supported by SentryHD software: Windows 10, 8, 7 - Windows Server 2019, 2016, 2012, 2008, 2003 - Linux CentOS, Citrix XenServer, Fedora, Linux KVM, OpenSuSE, ubuntu

Product Dimensions (in inches) :

Length: 16.10

Width/Depth: 18.90

Height: 3.40

Weight: 31.30 lbs.

Email or Fax this page: (*Indicates required field)

***To (Name):**

***To: Fax Number (if faxing):** - include area code

OR Email Address:

***From (Name):**

***From (Email Address):**

Add Notes (250 char max):

Email a copy to the From Email Address (for Email only)



Welcome Mac Safari User! **Powered by: MINUTEMAN UPS and optimized for use with any browser**

DISCLAIMER:

Back-up runtime information is based on estimates. Actual runtime may vary depending upon the power factors of the protected equipment and the condition of the UPS batteries. SizeMyUPS information is provided for reference only. It is provided "as is"

without warranty of any kind, express or implied. Products specifications are subject to change without notice. Please contact a Minuteman representative for more information.