



# HP Color LaserJet Pro 4201dn Printer (4RA85F)



## Overview

**Fast color printing and easy management tools.**

Get a blazing fast color printer and easy management tools with LaserJet Pro.

### **Maximum productivity in full color**

Support your business workteam with this compact, high-performing, color printer, ideal for up to 10 users.

### **Robust tools to set up and manage your printers [3]**

Centralize your print fleet management. HP Web Jetadmin easily adds and updates devices, solutions, and policies. [3]

### **Advance your security with HP Wolf Pro**

Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.

### **Sustainable printing [4,6,13]**

Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing. [13,15]

## Features

Business team solution

Blazing fast speed

Simple shortcuts<sup>[1]</sup>

True-to-life colors [14]<sup>[14]</sup>

HP Web Jetadmin. [3]<sup>[3]</sup>

---

*[1] Requires the HP Smart app download. For details on local printing requirements see [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting). Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required.*

*[3] HP Web Jetadmin is available for download at no additional charge at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin).*

*[4] HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See [hp.com/ecosmart](http://hp.com/ecosmart)*

*[6] Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see [hp.com/recycle](http://hp.com/recycle).*

*[13] Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP TerraJet Cartridges compared to predecessors. See [hp.com/TerraJetplasticreductions](http://hp.com/TerraJetplasticreductions).*

*[14] Standard print mode for HP Color LaserJet Pro series with HP TerraJet technology compared to predecessors. See [hp.com/TerraJetcolors](http://hp.com/TerraJetcolors).*

*[15] HP calculations based on Energy Star® normalized TEC data in HP TerraJet Cartridges compared to predecessors. See [hp.com/TerraJetenergysaving](http://hp.com/TerraJetenergysaving).*

## Specifications

<b>Print Resolution Technologies</b>	HP ImageREt 2400, PANTONE® calibrated
<b>Print quality black (best)</b>	Up to 600 x 600 dpi
<b>Print quality color (best)</b>	Up to 600 x 600 dpi
<b>Print speed black (ISO, A4)</b>	Up to 33 ppm
<b>Print speed black (ISO, letter)</b>	Up to 35 ppm
<b>Print Speed Color (ISO)</b>	Up to 33 ppm
<b>Print speed color (ISO)</b>	Up to 35 ppm
<b>Print speed</b>	Print speed up to 35/33 ppm black & color (Letter/A4)
<b>Functions</b>	Print
<b>Duplex printing</b>	Automatic
<b>Duty cycle (monthly, A4)</b>	Up to 50,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 50,000 pages
<b>Printer smart software features</b>	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print quality mode, accepts a variety of paper sizes and types
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology
<b>Replacement cartridges</b>	HP 210A Black Original LaserJet Toner Cartridge (~2,000 pages) W2100A; HP 210A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2101A; HP 210A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2102A; HP 210A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2103A; HP 210X Black Original LaserJet Toner Cartridge (~7,500 pages) W2100X; HP 210X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2101X; HP 210X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2102X; HP 210X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2103X
<b>Supplies feature</b>	TerraJet Cartridge
<b>Connectivity, standard</b>	1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000 Base-TX network
<b>Network capabilities</b>	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x
<b>Mobile printing capability</b>	HP Smart App; Apple AirPrint™; Mobile Apps; Mopria™ Certified
<b>Network protocols, supported</b>	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog
<b>Software included</b>	No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> or <a href="http://123.hp.com">http://123.hp.com</a>

Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS

*(Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <http://citrixready.citrix.com>; Citrix Server 6.5; Citrix XenApp & XenDesktop 7.6; Linux- For more information see <http://developers.hp.com/hp-linux> imaging-and-printing; Novell iPrint server; Unix- For more information see <http://hp.com/go/unixmodelscripts>; Windows Server 2008 R2 64-bit ; Windows Server 2012 64-bit; Windows Server 2012 R2 64-bit; Windows Server 2016 64-bit; Windows Server 2019 64-bit; Windows Server 2022 64-bit; (All operating systems with the latest updates); Android; iOS; macOS Big Sur v11.0; macOS Catalina v10.15; macOS Monterey v12.0; macOS's-; Mobile OS's-; Win10; Win11; Win7 Ultimate; Windows Client OS (32/64 bit)-; (All operating systems with the latest updates))*

## Compatible Operating Systems

### Technical features

Automatic 2-sided printing; Cloud-based fleet management; Compact size; ENERGY STAR®; Network printing; HP Auto-on/Auto-off; TerraJet Toner; Private Print via PIN; Professional print quality; Made with recycled plastic

### Sustainable impact specifications

ENERGY STAR® certified; EPEAT® registered; Contains at least 10% post-consumer recycled plastic

### Energy star certified

Yes

### Ecolabels

IT ECO Declaration; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US

### Blue Angel compliant

No, please refer to the ECI (Ecolabel Comparison Information) document

### Faxing

No

### Display area (imperial)

2.0 x 1.3 inch

### Display area (metric)

51.6(W) X 30.1(H) mm

### Display

4-line back lit LCD

### Minimum dimensions (W x D x H)

421 x 427 x 288 mm

### Minimum dimensions (W x D x H)

16.6 x 16.8 x 11.3 in

### Weight

~16.33 kg

### Weight

~36 lb

### Power consumption

580 watts (active printing), 17 watts (ready), 0.7 watts (sleep), 0.7watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual-on), 0.07 watts (off) *(Values based on 115V test results based on Energy Star test method.)*

### Power supply type

Internal (built-in) Power Supply

### What's in the box

HP Color LaserJet Pro 4201dn; 4 preinstalled introductory HP LaserJet Toner Cartridges (Black: ~1,200 pages; Cyan, Magenta, Yellow: ~1,000 pages); In-box documentation (Reference guide; Setup Card; Regulatory flyer); HP printer software is available at [www.hp.com/support](http://www.hp.com/support); Power cord.<sup>[1]</sup>

### Manufacturer Warranty

One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to [hp.com/support](http://hp.com/support) to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033)

## Additional specifications

<b>Accessories</b>	HP Color LaserJet Pro 550 Sheet Paper Tray 28N93A
<b>Acoustic power emissions (active scan)</b>	N/A
<b>Acoustic power emissions (active, printing)</b>	6.2 B(A)
<b>Acoustic power emissions (ready)</b>	Inaudible
<b>Acoustic power note</b>	Configuration tested: base model, simplex printing, A4 paper at an average of 34 ppm.
<b>Acoustic pressure emissions bystander (active scan)</b>	N/A
<b>Acoustic pressure emissions bystander (active, printing)</b>	51 dB(A)
<b>Acoustic pressure emissions bystander (ready)</b>	Inaudible
<b>Automatic paper sensor</b>	No
<b>Bottom margin (A4)</b>	4.23 mm
<b>Business filter</b>	cMPS
<b>Cable included</b>	No, please purchase USB cable separately
<b>Cartons per layer</b>	6
<b>Certifications and compliances</b>	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
<b>Color or black</b>	Color
<b>Compatible Network Operating Systems</b>	Windows Server; SAP; Novell; UNIX; Citrix; Linux
<b>Component type</b>	Printer
<b>Control panel</b>	4-line LCD with rotational dial with push button for menu selection
<b>Count of layers in pallet</b>	4 (NA/APJ), 3 (EMEA)
<b>Country of origin</b>	Made in Vietnam

**Downloadable software**

From <http://123.hp.com>- HP Easy Start (Guided Software Install for Windows and Mac); From <http://hp.com> for Windows OS- Full-solution software and drivers; Basic-solution software and drivers; HP PCL6 XPS Discrete Print Driver; Product Documentation and Support; From <http://hp.com> for Mac OS-; HP Mac OS Print Driver; HP Easy Admin; HP Universal Fax Driver; HP Universal Scan Solution; For Mobile OS-; iOS For more information see <http://hp.com/go/businessmobileprinting>; Android For more information see: <http://hp.com/go/businessmobileprinting>; From <http://hp.com> for printer administrators-; Printer Administrator Resource Kit (Driver Configuration; Utility - Driver Deployment Utility - Managed Printing Administrator); HP Universal Print Drivers PCL6 GDI & PS GDI for Windows For more information on the supported operating systems go to <http://support.hp.com>; SAP Print Drivers for more information see <http://support.hp.com/us-en/document/c05051702>; HP Web JetAdmin; HP JetAdvantage Security Manager; HPLIP Linux; Printer Driver for more information see <http://hplipopensource.com/hplip-web/index.html>; Unix Model Script Printer Driver; For more information on the supported operating systems go to <http://support.hp.com>; Enter your product name and search; Click on User Guides and enter your product name and search for User Guide; Search for your (Product Name) - User Guide; Search for the Supported Operating Systems section; Supported Operating systems; For more information on the supported operating systems also see [www.hp.com/go/upd](http://www.hp.com/go/upd); HP Smart Suite- Basic (Only supported on Windows 10 and above); HP Smart Suite- Advanced (Only supported on Windows 10 and above); HP SmartApp (Only supported on Windows 10 and above); HP SmartDriver; HP PrintScanDr; HP WebJetAdmin + Workpath; HP Command Center; Chrome Extension; Android Plug-in

**Driver updates**

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to <http://www.hp.com/support/> (country/region may need to be selected) Select "Support"; Select "Software and Drivers", Select "Printer", Enter a product name/number, (The operating system is automatically detected), Select a driver or other software, Select "Download" for the software desired

**Dynamic security**

Dynamic security enabled printer

**Ecolabels footnote**

[3] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

**Electromagnetic compatibility**

CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.

**Engine life**

100000

**Envelope Feeder**

No

**Finished output handling**

Sheet feed

**First page out black (A4, ready)**

As fast as 9.5 sec

**First page out black (A4, sleep)**

As fast as 10.2 sec

**First page out black (letter, ready)**

As fast as 9.1 sec

**First page out black (letter, sleep)**

As fast as 10.0 sec

**First page out color (A4, ready)**

As fast as 10 sec

**First page out color (A4, sleep)**

As fast as 10.5 sec

<b>First page out color (letter, ready)</b>	As fast as 10 sec
<b>First page out color (letter, sleep)</b>	As fast as 10.3 sec
<b>Fonts and typefaces</b>	111 scalable TrueType fonts
<b>Input capacity</b>	Up to 300 sheets
<b>Left margin (A4)</b>	4.23 mm
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 15 envelopes
<b>Maximum Memory</b>	512 MB NAND Flash, 512 MB DRAM
<b>Maximum dimensions (W x D x H)</b>	16.6 x 25 x 16.5 in (with optional 550-sheet tray 3)
<b>Maximum dimensions (W x D x H)</b>	421 x 636 x 420mm
<b>Maximum input capacity (sheets)</b>	Up to 850 sheets (with Optional 550-sheet tray)
<b>Maximum output capacity (sheets)</b>	Up to 150 sheets
<b>Maximum print area</b>	212 x 352 mm
<b>Media size, tray 1</b>	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5)
<b>Media size, tray 2</b>	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5)
<b>Media size, tray 3</b>	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)
<b>Media sizes supported, key</b>	10 x 15 cm; A4; Envelopes
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; Envelopes
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.93 x 5.82 to 8.5 x 14 in; Duplex (all trays): 5.82 x 5.82 in to 8.5 x 14 in
<b>Media sizes, custom</b>	Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
<b>Media type and capacity, tray 1</b>	Sheets: 50; envelopes: 5
<b>Media type and capacity, tray 2</b>	Sheets: 250; envelopes: 10
<b>Media type and capacity, tray 3</b>	Sheets: 550
<b>Media types</b>	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
<b>Media weight (tray 1)</b>	60 to 176 g/m <sup>2</sup> (up to 200 g/m <sup>2</sup> with postcards and HP Color laser glossy photo papers)
<b>Media weight (tray 2)</b>	60 to 163 g/m <sup>2</sup> paper (up to 176 g/m <sup>2</sup> with postcard, up to 200 g/m <sup>2</sup> HP Color laser glossy photo papers)
<b>Media weight (tray 3)</b>	Optional Tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> postcards, up to 200 g/m <sup>2</sup> HP Color laser glossy photo papers)
<b>Memory</b>	512 MB NAND Flash, 512 MB DRAM

<b>Memory upgrade</b>	Not available
<b>Minimum System Requirements</b>	2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;
<b>Minimum System Requirements for Macintosh</b>	2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;
<b>Number of print cartridges</b>	4 (1 each black, cyan, magenta, yellow)
<b>Number of users</b>	3-10 Users
<b>Operating humidity range</b>	10 to 80% RH (non-condensing)
<b>Operating temperature range</b>	10 to 32.5°C
<b>Operating temperature range</b>	50 to 90.5°F
<b>Output capacity</b>	Up to 150 sheets
<b>Package dimensions (W x D x H)</b>	19.57 x 14.92 x 22.95 in
<b>Package dimensions (W x D x H)</b>	497 x 379 x 583 mm
<b>Package weight</b>	42.0 lb
<b>Package weight</b>	19.0 kg
<b>Page yield (set-up/inbox cartridges)</b>	~1,200 pages black, ~1,000 pages cyan, magenta, yellow composite yield
<b>Page yield footnote</b>	[2]
<b>Pallet dimensions</b>	47.24 x 39.37 x 97.76 in (AMS/APJ), 47.24 x 39.37 x 74.8 in (EMEA)
<b>Pallet dimensions (W x D x H)</b>	1200 x 1000 x 2483 mm (NA/APJ), 1200 x 1000 x 1900 mm (EMEA)
<b>Pallet weight</b>	486 kg (NA/APJ), 370 (EMEA)
<b>Pallet weight</b>	1072 lb (NA/APJ), 815 lb (EMEA)
<b>Paper handling input, optional</b>	Optional 550-sheet tray
<b>Paper handling input, standard</b>	50-sheet multipurpose tray, 250-sheet input tray
<b>Paper handling output, standard</b>	150-sheet output bin
<b>Paper trays, maximum</b>	3
<b>Paper trays, standard</b>	2
<b>Plug and play</b>	HP Smart App; Auto Wireless Connect
<b>Power</b>	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
<b>Print Technology</b>	Laser
<b>Print colors</b>	Yes
<b>Print languages</b>	HP PCL 6, HP PCL 5e, HP Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office, TIFF, JPEG
<b>Print quality black (normal)</b>	ImageREt 2400, HP premium print quality mode (600 x 600 dpi)
<b>Print resolution color (normal)</b>	ImageREt 2400, HP premium print quality mode (600 x 600 dpi)

<b>Print speed black (Portrait, A5)</b>	Up to 44 ppm
<b>Print speed color (Portrait, A5)</b>	Up to 44 ppm
<b>Print speed duplex (A4)</b>	Up to 29 ipm
<b>Print speed duplex (A4)</b>	Up to 29 ipm
<b>Print speed duplex (letter)</b>	Up to 31 ipm
<b>Print speed duplex (letter)</b>	Up to 31 ipm
<b>Print speed footnote (A5)</b>	Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
<b>Print technology</b>	Laser
<b>Printer Management</b>	HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration; Utility - Driver ; Deployment Utility - Managed Printing Administrator)
<b>Printer black pages (MPV black)</b>	326
<b>Printer color pages (MPV color)</b>	217
<b>Processor speed</b>	1200 MHz
<b>Product long name specifications</b>	HP Color LaserJet Pro 4201dn Printer: Prints up to 35 ppm black & color (letter); Up to 50,000 page duty cycle; recommended for up to 4,000 pages per month; Auto-duplex; gigabit ethernet networking; 850 sheet maximum input capacity; multipurpose tray
<b>Product short name specifications</b>	HP Color LaserJet Pro 4201dn Printer, Color, Printer for Small medium business, Print, Print from phone or tablet; Two-sided printing; Optional high-capacity trays; TerraJet cartridge
<b>Quantity per pallet</b>	24 (NA/APJ), 18 (EMEA)
<b>RMN number</b>	BOISB-2000-00
<b>Recommended media weight (duplex)</b>	60-163g/m <sup>2</sup> plain paper, 105-200g/m <sup>2</sup> glossy
<b>Recommended monthly page volume</b>	750 to 4,000
<b>Recommended operating humidity range</b>	30 to 70% RH (non-condensing)
<b>Recommended operating temperature range</b>	59 to 80.6°F
<b>Recommended operating temperature range</b>	15 to 27°C
<b>Replacement cartridges footnote</b>	[2] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a>
<b>Right margin (A4)</b>	4.23 mm

<b>Safety</b>	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); IEC 62368-1:2014; EN 62368-1:2014(EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); UL62368-1 2nd Ed. 2014-12-01, CSA C22.2 No. 62368-1-14, 2nd Ed.; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 56, Dated May 8, 2019; Other safety approvals as required by individual countries.
<b>Segment (filter)</b>	Small medium business
<b>Standard media sizes (duplex)</b>	A4; A5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); B5 (JIS); Oficio; Oficio (216 x 340 mm); A5R
<b>Standard media sizes (duplex, imperial)</b>	Letter; Legal; Executive; Oficio; Oficio (8.5 x 13 in); 16k; A4; A5; A5-R; B5(JIS)
<b>Standard output capacity (envelopes)</b>	Up to 20 envelopes
<b>Storage</b>	Optional Job Storage via external rear host USB port (minimum 16 GB)
<b>Storage device and direct print support</b>	USB Printing; Optional job storage via external rear host USB port (Minimum 16GB)
<b>Storage temperature range</b>	-20 to 40°C
<b>Storage temperature range</b>	-4 to 104°F
<b>Target user and print volume</b>	For teams up to 10 users; Prints up to 4,000 pages/month
<b>Tariff numbers</b>	AM Base / National HTS Code 8443321010; EU Base HTS Code 8443321000; AP Base HTS Code 84433239
<b>Top key features</b>	Print from phone or tablet; Two-sided printing; Optional high-capacity trays; TerraJet cartridge
<b>Top margin (A4)</b>	4.23 mm
<b>Typical electricity consumption (TEC) footnote</b>	[4] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Energy Star TEC based on 115V test result; Blue Angel TEC based on 230V test result.
<b>Typical electricity consumption (TEC) number</b>	0.370 kWh/Week (Blue Angel); 0.395 kWh/Week (Energy Star 3.0)
<b>UNSPSC code</b>	43212105
<b>UPC number</b>	(B1H) 196548688869; (BGJ) 196068698461; (BGM) 196068698478
<b>Warm-up time</b>	As fast as 50 sec
<b>Web address for additional information</b>	hp.com/support/colorlj4201-4203
<b>What is in the box footnote</b>	[1] For yield information on the cartridge(s) included with your printer, see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a> . Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[1] For yield information on the cartridge(s) included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary

*considerably based on images printed and other factors.*

---

## HP Laser Toner Cartridges and Kits

★ : Recommended

### HP Color Laser Toner Printer Cartridges

HP 210A Black Original LaserJet Toner Cartridge	W2100A
HP 210A Cyan Original LaserJet Toner Cartridge	W2101A
HP 210A Magenta Original LaserJet Toner Cartridge	W2103A
HP 210A Yellow Original LaserJet Toner Cartridge	W2102A
HP 210X Black Original LaserJet Toner Cartridge	W2100X
HP 210X Cyan Original LaserJet Toner Cartridge	W2101X
HP 210X Magenta Original LaserJet Toner Cartridge	W2103X
HP 210X Yellow Original LaserJet Toner Cartridge	W2102X
HP 220A Black Original LaserJet Toner Cartridge	W2200A
HP 220A Cyan Original LaserJet Toner Cartridge	W2201A
HP 220A Magenta Original LaserJet Toner Cartridge	W2203A
HP 220A Yellow Original LaserJet Toner Cartridge	W2202A
HP 220X Black Original LaserJet Toner Cartridge	W2200X
HP 220X Cyan Original LaserJet Toner Cartridge	W2201X
HP 220X Magenta Original LaserJet Toner Cartridge	W2203X
HP 220X Yellow Original LaserJet Toner Cartridge	W2202X
HP 230A Black Original LaserJet Toner Cartridge	W2300A
HP 230A Cyan Original LaserJet Toner Cartridge	W2301A
HP 230A Magenta Original LaserJet Toner Cartridge	W2303A
HP 230A Yellow Original LaserJet Toner Cartridge	W2302A
HP 230X Black Original LaserJet Toner Cartridge	W2300X
HP 230X Cyan Original LaserJet Toner Cartridge	W2301X
HP 230X Magenta Original LaserJet Toner Cartridge	W2303X
HP 230X Yellow Original LaserJet Toner Cartridge	W2302X

## Accessories

### Printer Accessories

★ : Recommended

#### LaserJet Options

HP Color LaserJet 550 Sheet Grey Paper Tray

632J6A

HP Color LaserJet 550 Sheet Paper Tray

28N93A

---

## Disclaimer — Copyright

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 28, 2023 5:07 PM UTC+0000