





APC Easy Rack, 48U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 2258H x 800W x 1200D mm

ER8822

#### **Overview**

Lead time Usually in Stock

### Main

Product or component type	Rack
number of rack unit	48U
Provided equipment	Baying hardware Key(s)
	Keyed-alike doors and side panels
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels

## **Physical**

Height	225.8 cm
Width	80 cm
Depth	120 cm
Net weight	150 kg
Colour	Black
Mounting mode	Not rack-mountable
Maximum mounting depth	104.14 cm
minimum mounting depth	24.16 cm
rack width	19"
Marking	18 gauge front door 19 gauge rear door 16 gauge post 14 gauge EIA mounting rail
Permanent permissible load	1199.8 kg static 599.6 kg dynamic

## **Conformance**

 Standards
 UL 2416

 UL 60950-1
 EIA-310E

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	239 cm	
Package 1 Width	125 cm	
Package 1 Length	85 cm	
Package 1 Weight	159 kg	
Pallet layers	1	

# **Logistical informations**

Country of origin CN

# **Contractual warranty**

Warranty 5 year repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

# Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes

#### **Certifications & Standards**

REACh Declaration
Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Product Environmental Profile
End of Life Information