

Product data sheet

Specifications



APC Replacement Battery Cartridge, VRLA, 9Ah, 24V DC, 2-year warranty

APCRBCV203

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Product or Component Type	Replacement battery cartridge
Main Output Voltage	24 V DC
number of rack unit	0U
Battery Type	VRLA

Batteries & Runtime

Battery Placement	Internal Battery
Battery blocks per string	2
Battery Slots Empty	0
Included Battery Modules	0
Battery Voltage	24 V
RBC Quantity	1

Physical

Height	2.6 in (64.8 mm)
Width	5.9 in (150.9 mm)
Depth	3.9 in (98.6 mm)
Net Weight	11.02 lb(US) (5 kg)
Mounting Mode	Not rack-mountable
USB compatible	No

Output

Battery Capacity	9 Ah
------------------	------

Conformance

Product Certifications	CB
------------------------	----

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Operating altitude	0...6561.68 ft (0...2000 m)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Relative Humidity	0...90 % non-condensing
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage altitude	0.000000000...9842.5 ft (0...3000 m)
Storage Relative Humidity	0...95 % non-condensing

Ordering and shipping details

GTIN	731304451051
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.087 in (18.000 cm)
Package 1 Width	9.055 in (23.000 cm)
Package 1 Length	9.843 in (25.000 cm)
Package 1 Weight	12.765 lb(US) (5.790 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	20
Package 2 Height	20.472 in (52.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	293.215 lb(US) (133.000 kg)

Contractual warranty

Warranty	2 Years
----------	---------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Mercury Free	
 Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information