





# APC Essential SurgeArrest, 6 outlet

P6B

! To be discontinued on: Aug 30, 2024

#### **Overview**

Lead time Usually in Stock

### Main

Main Input Voltage	120 V	
product or component type	Surge protection device	
Main Output Voltage	120 V	
Rated power in W	0 W	
Rated power in VA	0 VA	
Input Connection Type	NEMA 5-15P	
Cable length	6 ft (1.8 m)	
Number of cables	1	
Provided equipment	User manual	

### **Batteries & Runtime**

Number of battery filled slots	0
Number of battery free slots	0

# **Physical**

Colour	Charcoal	
Height	11.50 in (29.2 cm)	
Width	2.2 in (5.7 cm)	
Depth	1.5 in (3.8 cm)	
net weight	0.99 lb(US) (0.45 kg)	
Mounting preference	No preference	
mounting mode	Not rack-mountable	
Two post mountable	0	
USB compatible	No	

#### Input

Network frequency 50/60 Hz +/- 5 Hz auto-sensing

# **Output**

Maximum configurable power in 0 W W

### **Conformance**

Product certifications	CSA
Standards	UL 1449
Equipment protection policy	Lifatima : \$25000

# **Environmental**

Ambient air temperature for operation	32.0000000000104.00000000000 °F (040 °C)	
Relative humidity	095 %	
Operating altitude	010000 ft	
Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)	
Storage Relative Humidity	095 %	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	

# **Surge Protection and Filtering**

Surge energy rate 840 J

# **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	13.3 in (33.8 cm)	
Package 1 Width	1.5 in (3.8 cm)	
Package 1 Length	5.8 in (14.7 cm)	
Package 1 Weight	1.3 lb(US) (0.6 kg)	
SCC14	10731304211027	

# **Contractual warranty**

Warranty Limited Lifetime



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Circularity Profile	End of Life Information