Product data sheet

Specifications

APC

Green Premium™

APC KVM 2G, Server Module, USB

KVM-USB

Overview

Lead time	Usually in Stock

Main

product or component type	Server

Physical

Height	0.6 in (1.4 cm)
Width	4.9 in (12.5 cm)
Depth	4.9 in (12.5 cm)
net weight	0.26 lb(US) (0.12 kg)
Mounting preference	No preference
mounting mode	Not rack-mountable

Conformance

Product certifications	C-Tick CE TAA compliance VCCI class A
Standards	FCC part 15 class A ICES-003 UL 60950-1

Environmental

Ambient air temperature for operation	32.0000000000…122.0000000000 °F (0…50 °C)
Operating altitude	0...10000 ft
Relative humidity	5…95 %
Ambient air temperature for storage	14.0000000000…140.0000000000 °F (-10…60 °C)
Storage altitude	0…50000 ft (0.0000000000…15240.0000000000 m)
Storage Relative Humidity	5…95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.7 in (4.2 cm)
Package 1 Width	5.08 in (12.9 cm)

Package 1 Length	4.9 in (12.5 cm)
Package 1 Weight	0.35 lb(US) (0.16 kg)
SCC14	10731304286681

Contractual warranty

Warranty	2 years repair or replace

Life Is On | Schneider Electric

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant

                                        EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Environmental Disclosure   Product Environmental Profile

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile   End of Life Information