

# Product data sheet

Specifications



## Power Cord, C13 to C20, 2.0m

AP9879



Product availability: Stock - Normally stocked in distribution facility

### Overview

Lead time Usually in Stock

### Main

Product or Component Type Power cord  
Input Connection Type IEC 60320 C20  
Cable length 6.5 ft (2.0 m)  
Number of cables 1

### Physical

Color Black  
Net Weight 0.79 lb(US) (0.36 kg)  
Mounting preference No preference  
Mounting Mode Not rack-mountable

### Input

Max line current 10 A

### Output

Maximum Total Current Draw per Phase 10 A  
Number of power socket outlets 1 IEC 60320 C13

### Conformance

Product Certifications UL Listed

### Ordering and shipping details

Category 11309-APC RESALE PRODUCTS  
Discount Schedule APC1  
GTIN 731304198734  
Returnability No  
Country of origin US

### Packing Units

Unit Type of Package 1 PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	12.008 in (30.5 cm)
<b>Package 1 Width</b>	4.02 in (10.2 cm)
<b>Package 1 Length</b>	4.02 in (10.2 cm)
<b>Package 1 Weight</b>	1.012 lb(US) (0.459 kg)
<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	10
<b>Package 2 Height</b>	9.06 in (23 cm)
<b>Package 2 Width</b>	13.0 in (33 cm)
<b>Package 2 Length</b>	20.7 in (52.5 cm)
<b>Package 2 Weight</b>	12.1 lb(US) (5.5 kg)
<b>Unit Type of Package 3</b>	PAL
<b>Number of Units in Package 3</b>	10
<b>Package 3 Height</b>	56.69 in (143.99 cm)
<b>Package 3 Width</b>	39.4 in (100 cm)
<b>Package 3 Length</b>	47.2 in (120 cm)
<b>Package 3 Weight</b>	12.1 lb(US) (5.5 kg)

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Take-back Transparency RoHS/REACH

## Resource performance

 Take-Back Program Available

## Well-being performance

 Lead Free

## Certifications & Standards

### Reach Regulation

[REACH Declaration](#)

### Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

### Environmental Disclosure

[Product Environmental Profile](#)

### Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

### Circularity Profile

[End of Life Information](#)

### California Proposition 65

WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)