



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: B020-008-17-IP

Console KVM Switch - 8-Port NetDirector 1U Rackmount Console IP KVM Switch w/17" LCD



Highlights

- 8-Port 1U Rackmount Console KVM Switch with built-in IP access
- Dual bus support - simultaneous access for one local and one remote user at the console level
- Dual rail configuration - Push keyboard in while the LCD monitor remains open
- Cascadable - supports up to 64 attached servers
- Connect to either a USB or PS/2 computer/server using P774-Series (PS/2) and P776-Series (USB) KVM Cable kits
- 17" LCD display
- 1 year warranty

Description

The B020-008-17-IP Console KVM Switch with built-in IP access allows secure access to multiple computers from a single KVM (keyboard, monitor and mouse) console. A single B020-008-17-IP can control up to 8 connected computers. It consists of an integrated 17" LCD monitor, keyboard and touch pad in a 1U rackmountable, retractable sliding housing.

The LCD and keyboard/touch pad modules slide independently of each other. To maximize space, the keyboard/touch pad module slides back to "hide away" when not in use, while the thin profile LCD monitor rotates back flush against the rack allowing convenient monitoring of computer activity.

The B020-008-17-IP features IP-based connectivity that allows one local operator and one remote operator to simultaneously monitor and access the computers attached to the console. Because it uses TCP/IP for its communications protocol, the B020-008-17-IP can be accessed from any computer on the LAN, WAN or Internet whether that computer is located down the hall, down the street, or halfway around the world.

Package Includes


- B020-008-17-IP Console KVM Switch with IP Access with Standard Rack Mount Kit
- Power Cord
- User Manual on CD

Features

- 8-port Remote Access Console KVM switch
- Integrated KVM console with 17" LCD monitor, keyboard and touch pad
- Dual slide LCD monitor module can slide independently of the keyboard/touch pad module
- Control PS/2 or USB computers/servers using P774-Series (PS/2) and P776-Series (USB) KVM Cable kits
- Dual bus supports one local and one remote simultaneously accessing the KVM Switch
- Single console controls up to 8 computers - cascade additional B007-008 KVM Switches to control up to 64 computers
- Remotely access computers via the LAN, WAN or Internet to control your installation when and where you want
- Grayscale option to improve transfer speed in low bandwidth situations
- User-selectable network transfer rate
- Includes an extra HD15 and (2) PS/2 ports on the rear of the unit, which allows for connection of an external console
- Internet browser access Windows Client and Java Client provided, Java Client works with most operating systems

Network Interfaces: TCP/IP, HTTP, HTTPS, UDP, RADIUS, DHCP, SSL, ARP, DNS, 10Base-T/100Base-TX, Auto Sense, and Ping
 High video resolution: up to 1280 x 1024 @ 75Hz (17" LCD monitor); 1600 x 1200 @ 60Hz (remote computer)
 Power Consumption: 120V, 60Hz, 31W; 230V, 50Hz, 39W
 1 Year Limited Warranty

Specifications

OVERVIEW	
# Of Users	1
Console	Yes
Control	OSD, Push Button, Hot Key
Max CPU	64
Unit Dimensions (HWD/in.)	1.75" x 19" x 27.8"
Remote Display	1600 x 1200 @ 60Hz; DDC2B
Cat5 KVM Switch	No
IP Remote Access	YES, BUILT IN
INPUT	
Maximum input amps	100-240V AC, 50/60Hz, 1A
Recommended Electrical Service	120V / 31W, 230V / 39W
PHYSICAL	
Unit weight (lbs)	37.7
Color	Black
Style	1U Rackmount
LCD Monitor (in.)	17
ENVIRONMENTAL	
Relative Humidity	0% to 80% RH, Non-condensing
Storage Temperature	-20 to +60 degrees C
Operating Temperature	0 to 40 degrees C
CONNECTIONS	
Ports	8
Computer/Server Ports	 (x8) HD15 (Female)
Other Ports	 RJ45 (Female)
Local Console Ports - Port 1	 HD15 (Female)
Local Console Ports - Port 2	 (x3) MiniDIN6 (Female)
Features/Specifications	
Autoscan (Y,N)	Y
Autoscan Duration	1 - 255 seconds

Related Items

Extended Warranties		
WEXT3-B02017IP	3-Year Extended Warranty for B020-008-17-IP and B020-016-17-IP KVM Switches only	Qty: [optional]
WEXT5-B02017IP	5-Year Extended Warranty for B020-008-17-IP and B020-016-17-IP KVM Switches only	Qty: [optional]

KVM Adapters/Console Extender Kits		
B013-000	KVM Switch Accessories - KVM Console Extender Kit	Qty: [optional]

KVM Cable Kits		
P774-010	KVM Switch Cable Kits - 10-ft. PS/2 (3-in-1) Cable Kit for B020 and B022 series KVMs	Qty: [optional]
P774-006	KVM Switch Cable Kits - 6-ft. PS/2 (3-in-1) Cable Kit for B020 and B022 series KVMs	Qty: [optional]
P774-015	KVM Switch Cable Kits - 15-ft. PS/2 (3-in-1) Cable Kit for B020 and B022 series KVMs	Qty: [optional]
P776-006	KVM Switch Cable Kits - 6-ft. USB (2-in-1) Cable Kit for B020 and B022 series KVMs	Qty: [optional]
P776-010	KVM Switch Cable Kits - 10-ft. USB (2-in-1) Cable Kit for B020 and B022 series KVMs	Qty: [optional]
P774-025	KVM Switch Cable Kits - 25-ft. PS/2 (3-in-1) Cable Kit for B020 and B022 series KVMs	Qty: [optional]
P776-019	KVM Switch Cable Kits - 19-ft. USB (2-in-1) Cable Kit for B020 and B022 series KVMs	Qty: [optional]

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/EN/products/model.cfm?txtModelID=3659.