

Product data sheet

Specifications



APC KVM 2G, Server Module, PS/2

KVM-PS2

Overview

Lead time Usually in Stock

Main

Product or component type Server

Physical

Height 1.4 cm

Width 12.5 cm

Depth 12.5 cm

Net weight 0.13 kg

Mounting preference No preference

mounting mode Not rack-mountable

Conformance

Product certifications C-Tick
CE
TAA compliance
VCCI class A

Standards FCC part 15 class A
ICES-003
UL 60950-1

Environmental

Ambient air temperature for operation 0...50 °C

Operating altitude 0...10000 ft

Relative humidity 5...95 %

ambient air temperature for storage -10...60 °C

Storage altitude 0.0000000000...15240.0000000000 m

Storage Relative Humidity 5...95 %

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 4.2 cm

Package 1 Width 12.9 cm

Package 1 Length	12.5 cm
Package 1 Weight	0.17 kg
SCC14	10731304286650

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

[End of Life Information](#)