

Product data sheet

Specifications



APC Replacement Battery Cartridge, VRLA, 7Ah, 12V DC, 2-year warranty

APCRBCV210

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Product or Component Type	Replacement battery cartridge
Main Output Voltage	12 V DC
number of rack unit	0U
Battery Type	VRLA

Batteries & Runtime

Battery Placement	Internal Battery
Battery blocks per string	1
Battery Slots Empty	0
Included Battery Modules	0
Battery Voltage	12 V
RBC Quantity	1

Physical

Height	3.9 in (99 mm)
Width	2.6 in (65 mm)
Depth	5.9 in (151 mm)
Net Weight	4.06 lb(US) (1.84 kg)
Mounting Mode	Not rack-mountable
USB compatible	No

Output

Battery Capacity	7 Ah
------------------	------

Conformance

Product Certifications	CB
------------------------	----

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Operating altitude	0...6561.68 ft (0...2000 m)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Relative Humidity	0...90 % non-condensing
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage altitude	0.0000000000...9842.5 ft (0...3000 m)
Storage Relative Humidity	0...95 % non-condensing

Ordering and shipping details

GTIN	731304451129
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.693 in (17.000 cm)
Package 1 Width	6.102 in (15.500 cm)
Package 1 Length	7.362 in (18.700 cm)
Package 1 Weight	4.486 lb(US) (2.035 kg)
Unit Type of Package 2	BB1
Number of Units in Package 2	6
Package 2 Height	7.362 in (18.700 cm)
Package 2 Width	15.354 in (39.000 cm)
Package 2 Length	19.291 in (49.000 cm)
Package 2 Weight	28.717 lb(US) (13.026 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	36
Package 3 Height	20.472 in (52.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	194.007 lb(US) (88.000 kg)

Contractual warranty

Warranty	2 Years
----------	---------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)
[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Mercury Free	
 Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information