

EPoS

BTD 900c dongle

The BTD 900c dongle provides your PC/Mac with a rapid Bluetooth® connection to the audio device ensuring an excellent audio experience.



Key Features

Plug-and-play

Rapid Bluetooth® connection between your laptop and headset

Get clear call quality

Designed for use with compatible EPOS Bluetooth® headsets, delivering reliable communication and call control.

Enjoy wireless freedom

Freedom to move up to 25 m / 82 ft from your laptop while using the dongle – depending on device and environment



Listen to music while working

When the BTD 900c dongle is connected to a compatible EPOS Bluetooth® headset high quality audio mode enhances the music listening experience while working

Compatible EPOS Solutions


The BTD 900c is supported by: IMPACT 500 and ADAPT E1 series

What's in the Box

BTD 900c



Quick Guide



Compliance Sheet

Safety Guide

Product data

1/3

General

Technology	Bluetooth® 5.3
Range	25 m / 82 ft (device dependent)
Weight	1.87 g / 0.06 oz
Transmission frequency	2,4 GHz
Supported operating systems	Windows, Mac®
USB	Version 2.0
Firmware update	Yes – application downloadable from eposaudio.com/software
Warranty	2 years

Compatibility

EPOS devices	IMPACT 500 & ADAPT E1
--------------	-----------------------

Product data

2/3

Software

EPOS Connect desktop app

EPOS Connect freeware for Windows and Mac. Conduct firmware updates and configure headsets for personal audio preferences:
eposaudio.com/software-epos-connect

EPOS Connect

Compatible with most iOS and Android systems and available in 7 languages including English, French, German, Spanish, Japanese, Korean and Simplified Chinese.

EPOS Connect for thin clients

Conduct firmware updates, supported by DellWyse, Linux, IGEL, eLux

EPOS Connect for web

A web-based solution to conduct firmware updates and configure headsets for personal audio preferences

EPOS Manager

Manage, update and configure EPOS audio devices from any location. For both cloud and on-premises solutions:
eposaudio.com/software-epos-manager

Packaging

Dimenions of product packaging (L x H x D)

95 x 20 x 63 mm / 3.74 x 0.79 x 2.48 in

Package weight (incl. complete product and packaging)

27 g / 0.95 oz

Units in distributor master carton

40 pcs

Master carton weight incl. Products

1.687 kg / 3.72 lbs

Dimensions of master carton (L x H x D)

252 x 185 x 219 mm / 9.92 x 7.28 x 8.62 in

Unit pack/end user

1 pc

Product data

3/3

Product variants

BTD 900c

What's in the box

BTD 900c dongle, quick guide, safety guide, compliance sheet

Product

BTD 900c
Art. no. 1001149

Connects to

PC/softphone

EAN code

57 14708 00951 1

UPC code

8 40064 40951 3