

# EcoTank ET-16655



This feature-rich EcoTank makes light of A3+ tasks, while offering a low cost per page.

Perfect for businesses this high-performance A3+ multifunction EcoTank with fax has refillable ink tanks to deliver ultra-low-cost office printing. Features include 500-sheet front tray capacity, 50-sheet rear feed and 50-sheet ADF. Print how you like with mobile printing, Ethernet and a 10.9cm LCD touchscreen with hard keys.

#### Get more done in less time

Get the edge with this fast and efficient printer that can deliver a first page in as little as 5½ seconds\*. Coupled with fast double-sided printing, and a high speed Automatic Document Feeder, you'll be able to speed through everyday tasks.

#### Feature-rich A3 EcoTank

The ET-16655 is designed for office tasks with A3+ print, A3 scan, A3 copy and fax. It's easy to navigate the extensive range of features via the 10.9cm LCD touchscreen and hard keys.

#### Keep on saving

Save every time you print with this EcoTank that delivers an incredibly low cost per page. Unlike other printers, EcoTank features large ink tanks that you fill with low-cost ink bottles.

#### End interruptions

Minimising refills, this EcoTank can print thousands of pages before needing more ink, while the two A3 paper front trays offer a capacity of 500-sheets. Free yourself from manual page loading with a generous 50-sheet rear feed and A3 ADF.

#### Print from almost anywhere

With Wi-Fi and Wi-Fi Direct, you can send documents to print from smart devices using the Epson Smart Panel app\*. Also features Ethernet.

#### Easy to use and reliable

Filling the large front ink tanks is simple with the resealable, intuitive and drip-free ink bottles. The Heat-Free PrecisionCore printhead is renowned for its speed, quality, reliability and efficiency, and will last the lifetime of the printer.

## DATASHEET / BROCHURE



## KEY FEATURES

- **Fast, time-saving printing**  
Enjoy print speeds up to 25ppm\* in both black and colour
- **A3+ multifunction printer with touchscreen, ADF and fax**  
High quality print, copy, scan and fax with large paper trays for low-intervention printing
- **Multiple connectivity options let you print with ease**  
Wi-Fi, Wi-Fi Direct, Ethernet & free mobile printing apps\*
- **One set of replacement inks prints up to 7,500 pages in black and 6,000 pages in colour\***  
Just add paper for low intervention printing!
- **Number 1 ink tank printer brand worldwide\***  
100m EcoTank printers sold worldwide\*
- **Simple hassle-free ink tank system lets you refill from bottles**  
Plus the EcoTank key-lock bottle system ensures it's mess-free too
- **Legal Statement**  
Complies with The UK Product Security and Telecommunications Infrastructure (Product Security) requirements. Epson will provide security updates for 7 years from purchase

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color
Minimum Droplet Size	3.8 pl
Ink Technology	Pigment ink
Printing Resolution	4,800 x 1,200 DPI
Category	Home Office, Office Desktop
All-in-One Functions	Print, Scan, Copy, Fax

### PRINT

Printing Speed ISO/IEC 24734	25 pages/min Monochrome, 25 pages/min Colour
Maximum Printing Speed	32 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> ), 32 pages/min Colour (plain paper 75 g/m <sup>2</sup> )
Duplex Printing Speed	21 A4 Pages/min Monochrome, 21 A4 Pages/min Colour
ISO/IEC 24734	
First Page Out	Monochrome 5.5 Seconds, Colour 5.5 Seconds
Recommended Duty Cycle	3,300 pages per month
Colours	Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### SCAN

Double-sided scanning	Yes
Single-sided scan speed (A4 black)	26 ipm with ADF scan 5 sec. with flatbed scan
Doubled-sided scan speed (A4 black)	11.5 ipm with ADF scan
Single-sided scan speed (A4 colour)	9 ipm with ADF scan 10 sec. with flatbed scan
Doubled-sided scan speed (A4 colour)	6 ipm with ADF scan
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, TIFF, multi-TIFF, PDF, PNG
Scanner type	Contact image sensor (CIS)

### FAX

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	200 names and numbers
Page memory	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
Fax Functions	PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Fax to Folder, Address Book, Broadcast Fax, Fax Preview, Polling Reception

### PAPER / MEDIA HANDLING

Number of paper trays	3
Paper Formats	A3+, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B6, DL (Envelope), No. 10 (Envelope)
Duplex	Yes (A4/A3, plain paper)
Automatic Document Feed	50 pages
Output Tray Capacity	125 Sheets
Paper Tray Capacity	550 Sheets Standard
Compatible Paper Weight	64 - 300g/m <sup>2</sup> Paper compatibility may vary by printer. Third party media may not be compatible. See printer's online User's Guide for suitable Epson paper and note that 300gsm, where applicable, is based on Epson Ultra Glossy Photo Paper
Media Handling	ADF 2-sided copy (A4/A3, plain paper), ADF 2-sided fax (A4/A3, plain paper), ADF 2-sided scan (A4/A3, plain paper), Automatic duplex (A4/A3, plain paper), Borderless Print

## EcoTank ET-16655

### WHAT'S IN THE BOX

- 1 set of ink (1x 127ml BK, 3x 70ml CMY)
- Main unit
- Power cable
- Quick Start Guide
- User manual

## PRODUCT SPECIFICATIONS

### GENERAL

Energy Use	19 Watt (standalone copying, ISO/IEC 24712 pattern), 0.8 Watt (sleep mode), 9.5 Watt (Ready), 0.2 Watt (Power off), TEC 0.14 kWh/week
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	515 x 500 x 350 mm (Width x Depth x Height)
Product weight	21 kg
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later
Interfaces	USB, Ethernet, WiFi, Wi-Fi Direct, USB host
Sound Power	Operation:6.8 B (A)
Noise	Operation:52 dB (A)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Epson Smart Panel App
Power supply	220V, 240V
Colour	Black

### OTHER FEATURES

Panel	Type: Color, Touchscreen, Diagonal:10.9 cm
Features	Touchscreen

### OTHER

Warranty	12 months Carry in, 200,000 pages Optional warranty extension available
----------	--

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color
Minimum Droplet Size	3.8 pl
Ink Technology	Pigment ink
Printing Resolution	4,800 x 1,200 DPI
Category	Home Office, Office Desktop
All-in-One Functions	Print, Scan, Copy, Fax

### PRINT

Printing Speed ISO/IEC 24734	25 pages/min Monochrome, 25 pages/min Colour
Maximum Printing Speed	32 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> ), 32 pages/min Colour (plain paper 75 g/m <sup>2</sup> )
Duplex Printing Speed	21 A4 Pages/min Monochrome, 21 A4 Pages/min Colour
ISO/IEC 24734	
First Page Out	Monochrome5.5 Seconds, Colour5.5 Seconds
Recommended Duty Cycle	3,300 pages per month
Colours	Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### SCAN

Double-sided scanning	Yes
Single-sided scan speed (A4 black)	26 ipm with ADF scan 5 sec. with flatbed scan
Doubled-sided scan speed (A4 black)	11.5 ipm with ADF scan
Single-sided scan speed (A4 colour)	9 ipm with ADF scan 10 sec. with flatbed scan
Doubled-sided scan speed (A4 colour)	6 ipm with ADF scan
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, TIFF, multi-TIFF, PDF, PNG
Scanner type	Contact image sensor (CIS)

### FAX

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITT/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	200 names and numbers
Page memory	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
Fax Functions	PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Fax to Folder, Address Book, Broadcast Fax, Fax Preview, Polling Reception

### PAPER / MEDIA HANDLING

Number of paper trays	3
Paper Formats	A3+, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B6, DL (Envelope), No. 10 (Envelope)
Duplex	Yes (A4/A3, plain paper)
Automatic Document Feed	50 pages

Output Tray Capacity 125  
Sheets

Paper Tray Capacity 550 Sheets  
Standard

Compatible Paper Weight 64 -  
300g/m<sup>2</sup>  
Paper  
compatibility  
may vary by  
printer.  
Third party  
media may  
not be  
compatible.  
See  
printer's  
online  
User's  
Guide for  
suitable  
Epson  
paper and  
note that  
300gsm,  
where  
applicable,  
is based on  
Epson Ultra  
Glossy  
Photo Paper

Media Handling ADF 2-  
sided copy  
(A4/A3,  
plain  
paper), ADF  
2-sided fax  
(A4/A3,  
plain  
paper), ADF  
2-sided  
scan  
(A4/A3,  
plain  
paper),  
Automatic  
duplex  
(A4/A3,  
plain  
paper),  
Borderless  
Print

---

## EcoTank ET-16655

---

### WHAT'S IN THE BOX

---

- 1 set of ink (1x 127ml BK, 3x 70ml CMY)
- Main unit
- Power cable
- Quick Start Guide
- User manual

## PRODUCT SPECIFICATIONS

### GENERAL

Energy Use	19 Watt (standalone copying, ISO/IEC 24712 pattern), 0.8 Watt (sleep mode), 9.5 Watt (Ready), 0.2 Watt (Power off), TEC 0.14 kWh/week
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	515 x 500 x 350 mm (Width x Depth x Height)
Product weight	21 kg
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later
Interfaces	USB, Ethernet, WiFi, Wi-Fi Direct, USB host
Sound Power	Operation:6.8 B (A)
Noise	Operation:52 dB (A)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Epson Smart Panel App
Power supply	220V, 240V
Colour	Black

### OTHER FEATURES

Panel	Type: Color, Touchscreen, Diagonal:10.9 cm
Features	Touchscreen

### OTHER

Warranty	12 months Carry in, 200,000 pages Optional warranty extension available
----------	--

## LOGISTICS INFORMATION

SKU	C11CH71411BA
EAN code	8715946734552
Country of Origin	Indonesia
Layer	2 Units
Layer Block	2 Units

## EcoTank ET-16655

### INK BOTTLE COMPATIBILITY



### INK BOTTLE YIELD DATA



Included	4,500 pages*	2,800 pages*
Replacement	7,500 pages*	6,000 pages*

\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>



For more information please contact:

Home users: 0343 90 37766  
Business users\*: 0871 42 37766  
Republic of Ireland: 01 436 7742  
Or visit us at <https://www.epson.co.uk/contactus>  
\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

1. For more details see [epson.co.uk/ecotankfootnotes](http://www.epson.co.uk/ecotankfootnotes)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.  
Last extracted: 2025-08-21

# EPSON®