

# WorkForce Pro WF-M4619DWF



Stylish and compact, this A4 multifunction mono business inkjet offers high-speed, low-cost printing and flexible, wireless solutions.

Designed for business, this high-quality A4 multifunction mono printer offers single and double-sided printing, scan, copy and fax functionality. Reduce waiting time thanks to fast print speeds of up to 25ppm<sup>1</sup> and a 35 page A4 automatic document feeder (ADF). And that's not forgetting its cost-effective inks and flexible wireless connectivity solutions such as scan-to-cloud<sup>2</sup>.

#### Professional A4 printing

This A4 multifunction printer will meet the needs of even the most demanding home office and small office users. It offers double-sided (duplex) printing, scan, and fax functionality, plus its automatic document feeder can process up to 35 double-sided A4 pages. Furthermore, its PrecisionCore printhead produces high-quality, laser-like prints.

#### Enhance your productivity

This efficient, reliable and fast model offers A4 double-sided printing and print speeds of 25ppm<sup>1</sup>. It's also simple to operate thanks to its intuitive 6.9cm touchscreen user interface.

#### Minimise your outgoings

Dramatically reduce your costs with low cost ink cartridges. Giving great value for money, these cartridges offer a high ink yield of up to 2,200 pages<sup>3</sup>.

#### Flexible wireless solutions

Print from anywhere in the home or office with Wi-Fi connectivity. Use Wi-Fi Direct to print from compatible wireless devices without a Wi-Fi network. Epson's free mobile printing apps and solutions provide further versatility; and Email Print allows you to send items to print from almost anywhere in the world<sup>2</sup>. And with scan-to-cloud, you can enjoy the benefits of collaborative working<sup>2</sup>.

## KEY FEATURES

- **High-quality A4 multifunction**  
Double-sided print, scan, copy and fax
- **Fast business-quality printing**  
25ppm in black<sup>1</sup>
- **Cost-effective inks**  
Print up to 2,200 pages without changing ink cartridges<sup>3</sup>
- **Wireless solutions**  
Ethernet, Wi-Fi, Wi-Fi Direct and scan-to-cloud<sup>2</sup>
- **Epson's free mobile printing apps**  
Freedom to print and scan from almost anywhere<sup>2</sup>
- **Legal Statement**  
Complies with The UK Product Security and Telecommunications Infrastructure (Product Security) requirements. Epson will provide security updates for 7 years from purchase

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black
Minimum Droplet Size	3.8 pl
Ink Technology	DURABrite™ Ultra
Category	Home Office, Office Desktop
All-in-One Functions	Print, Scan, Copy, Fax

### PRINT

First Page Out	Monochrome 5.5 Seconds
Printing Speed ISO/IEC 24734	25 pages/min Monochrome
Duplex Printing Speed ISO/IEC 24734	16 A4 Pages/min Monochrome
Maximum Printing Speed	36 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> )
Printing Resolution	4,800 x 2,400 DPI
Printing Volume	40,000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	250 - 2,000 pages per month
Colours	Black [Pigment]
Print from	PC, MAC, Network, Mobile Device, PC (Wired), PC (Wireless), Mobile Device (WiFi Direct), Mobile Device (via USB)

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### SCAN

Single-sided scan speed (A4 black)	9,600 DPI; , 12 ipm with ADF scan
Scanning Speed	5 sec/page ( Monochrome, 200 dpi, Flatbed ); 11 sec/page ( Colour, 200 dpi, Flatbed ); 12 sec/page ( Monochrome, 200 dpi, ADF ); 8 sec/page ( Colour, 200 dpi, ADF );
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Optical Resolution (ADF)	600 DPI x 600 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, TIFF, multi-TIFF, PNG
Scanner type	Contact image sensor (CIS)
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)

### FAX

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page

### CONNECTIVITY

Network Printing Protocols	IPP, LDP, Port 9100, WSD
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNT, SLP, WSD, LLTD, Ping
Network Protocol	IPv4, IPv6
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB host, Wireless LAN IEEE 802.11a/b/g/n/ac, Wireless LAN a/n (5GHz)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA3-SAE(AES)
Network Protocol	TCP/IPv4, TCP/IPv6

## WorkForce Pro WF-M4619DWF

### WHAT'S IN THE BOX

- Individual Ink Cartridges
- Main unit
- Power cable
- Quick Start Guide
- Warranty document
- Driver and utilities

## PRODUCT SPECIFICATIONS

### PAPER / MEDIA HANDLING

Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), Letter, A6 (10.5x14.8 cm), B5, C6 (Envelope), DL (Envelope), No. 10 (Envelope), 10 x 15 cm, 13 x 18 cm, 16:9, Legal, User defined
Automatic Document Feed	35 pages
Compatible Paper Weight	64 - 90g/m <sup>2</sup>
Duplex	Yes (A4, plain paper)
Output Tray Capacity	80 Sheets
Paper Tray Capacity	250 Sheets Standard, 250 Sheets Maximum
Number of paper trays	1

### GENERAL

Recommended number of users	From:1 To:5
Energy Use	0.7 Watt (sleep mode), TEC 0.11 kWh/week
Supply Voltage	AC 100 V - 240 V
Product dimensions	425 x 388 x 277 mm (Width x Depth x Height)
Product weight	10.1 kg
Compatible Operating Systems	Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.9.5 or later, Windows 10, Windows 10 (32/64 bit), Windows 11, Windows 7, Windows 7 (32/64 bit), Windows 8, Windows 8.1, Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit)
Sound Power	Operation:6.7 B (A)
Noise	Operation:54 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Epson Smart PanelApp
Power supply	240V

### ADDITIONAL FEATURES

Features	Touchscreen
Panel	Type: Color, Touchscreen, Diagonal:6.9 cm

### PRODUCT SAFETY

Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Always follow the information on the product label.
-------------------------	--

### OTHER FEATURES

Emulations	GDI
------------	-----

### OTHER

Warranty	12 months On-site service Optional warranty extension available
----------	--

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black
Minimum Droplet Size	3.8 pl
Ink Technology	DURABrite™ Ultra
Category	Home Office, Office Desktop
All-in-One Functions	Print, Scan, Copy, Fax

### PRINT

First Page Out	Monochrome5.5 Seconds
Printing Speed ISO/IEC 24734	25 pages/min Monochrome
Duplex Printing Speed ISO/IEC 24734	16 A4 Pages/min Monochrome
Maximum Printing Speed	36 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> )
Printing Resolution	4,800 x 2,400 DPI
Printing Volume	40,000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	250 - 2,000 pages per month
Colours	Black [Pigment]
Print from	PC, MAC, Network, Mobile Device, PC (Wired), PC (Wireless), Mobile Device (WiFi Direct), Mobile Device (via USB)

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### SCAN

Single-sided scan speed (A4 black)	9,600 DPI; , 12 ipm with ADF scan
Scanning Speed	5 sec/page ( Monochrome, 200 dpi, Flatbed ); 11 sec/page ( Colour, 200 dpi, Flatbed ); 12 sec/page ( Monochrome, 200 dpi, ADF ); 8 sec/page ( Colour, 200 dpi, ADF );
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Optical Resolution (ADF)	600 DPI x 600 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, TIFF, multi-TIFF, PNG

Scanner type	Contact image sensor (CIS)
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)

<b>FAX</b>	
Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page

<b>CONNECTIVITY</b>	
Network Printing Protocols	IPP, LDP, Port 9100, WSD
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping
Network Protocol Interfaces	IPv4, IPv6 Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB host, Wireless LAN IEEE 802.11a/b/g/n/ac, Wireless LAN a/n (5GHz)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA3-SAE(AES)
Network Protocol	TCP/IPv4, TCP/IPv6

---

## WorkForce Pro WF-M4619DWF

---

### WHAT'S IN THE BOX

---

- Individual Ink Cartridges
- Main unit
- Power cable
- Quick Start Guide
- Warranty document
- Driver and utilities

## PRODUCT SPECIFICATIONS

WorkForce Pro WF-M4619DWF

### PAPER / MEDIA HANDLING

Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), Letter, A6 (10.5x14.8 cm), B5, C6 (Envelope), DL (Envelope), No. 10 (Envelope), 10 x 15 cm, 13 x 18 cm, 16:9, Legal, User defined
Automatic Document Feed	35 pages
Compatible Paper Weight	64 - 90g/m <sup>2</sup>
Duplex	Yes (A4, plain paper)
Output Tray Capacity	80 Sheets
Paper Tray Capacity	250 Sheets Standard, 250 Sheets Maximum
Number of paper trays	1

### GENERAL

Recommended number of users	From:1 To:5
Energy Use	0.7 Watt (sleep mode), TEC 0.11 kWh/week
Supply Voltage	AC 100 V - 240 V
Product dimensions	425 x 388 x 277 mm (Width x Depth x Height)
Product weight	10.1 kg
Compatible Operating Systems	Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.9.5 or later, Windows 10, Windows 10 (32/64 bit), Windows 11, Windows 7, Windows 7 (32/64 bit), Windows 8, Windows 8.1, Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit)
Sound Power	Operation:6.7 B (A)
Noise	Operation:54 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Epson Smart PanelApp
Power supply	240V

### ADDITIONAL FEATURES

Features	Touchscreen
Panel	Type: Color, Touchscreen, Diagonal:6.9 cm

### PRODUCT SAFETY

Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Always follow the information on the product label.
-------------------------	---

### OTHER FEATURES

Emulations	GDI
------------	-----

### OTHER

Warranty	12 months On-site service Optional warranty extension available
----------	--

---

## SUPPLIES

---

● WF-M4xxx Series Ink Cartridge Black C13T11J140 2,200 pages

---

## OPTIONAL ACCESSORIES

---

● 58xx/53xx Series Maintenance Box  
C12C938211

---

## LOGISTICS INFORMATION

SKU	C11CK74401BY
EAN code	8715946716718
Country of Origin	Indonesia
Layer	2 Units
Layer Block	4 Units

1. Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default A4 simplex. For more information, please visit [www.epson.eu/testing](http://www.epson.eu/testing)
2. Epson iPrint requires a wireless connection and the Epson printing app. Epson Email print, Epson Remote Print Driver and Epson Scan-to-Cloud require an internet connection. For more information, supported languages and devices, please visit [www.epsonconnect.eu](http://www.epsonconnect.eu)
3. Approx. page yield based on ISO/IEC 24711/24712. Actual yield will vary depending on images printed and usage conditions. For more information visit [www.epson.eu/pageyield](http://www.epson.eu/pageyield)
- 4.
5. WARNING: when printing on glossy photo paper ink drying time will be considerably extended. Drying times depends also on humidity, temperature and other conditions. Do not touch the printed side until ink is completely dry. Moisture and oils from your skin can also affect print quality. Even after dry, avoid rubbing or scratching the surface of the printed paper. For Photo printing, Matte Photo paper is recommended

For more information please contact:

Home users: 0343 90 37766  
Business users\*: 0871 42 37766  
Republic of Ireland: 01 436 7742  
Or visit us at <https://www.epson.co.uk/contactus>  
\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.  
Last extracted: 2024-05-31

**EPSON**<sup>®</sup>