

WorkForce Pro WF-C5890DWF

DATASHEET / BROCHURE



Smanjite troškove štampanja u preduze u i uticaj na životnu sredinu, a povećajte produktivnost uz kraće vreme intervencije i rešenja koja podržavaju vaše poslovanje.

Mali štampač za radne grupe, savršen za poslovno okruženje – od malih kancelarija do velikih korporacija. Idealno rešenje za sve koji su tradicionalno koristili laserske štampače i žele da smanje troškove, povećaju produktivnost i imaju ređe prekide u radu, a da istovremeno smanje uticaj na životnu sredinu i poboljšaju ugled u pogledu korporativne društvene odgovornosti.

Ušteda novca

Zahvaljujući i niskoj ukupnoj ceni posjedovanja i manjoj potrebi za zamenom rezervnih delova, ovo je privlačno rešenje za kompanije koje žele da uštede novac. Pošto je ovaj štampač predviđen za radne grupe, kompanije mogu da izbegnu skrivene troškove produktivnosti zaposlenih u vezi sa centralizovanim štampanjem. Troškovi su još niži zahvaljujući i inovativnom sistemu dovoda mastila koji vodi manjoj potrebi za zamenom potrošnih materijala.

Visoka produktivnost i kraće vreme intervencije

Ovaj štampač nudi izuzetno kratko vreme štampanja prve stranice (FPOT) od 5,3 sekunde za stranice u boji i 4,8 sekundi za crno-bele stranice iz režima pripravnosti. Odštampajte do 10.000 crno-belih i 5000 strana u boji bez zamene kertridža¹. Osim toga, WF-C5890DWF može da štampa na velikom broju različitih medija, uključujući i reciklirani papir, sjajni papir, kovertu i nalepnice.

Smanjite uticaj na životnu sredinu

Poboljšajte održivost svog poslovanja i istovremeno povećajte produktivnost i smanjite troškove energije. To što je potrošnja energije mala, ne ugrožava sjajan rezultat štampe.

Predviđen za preduzeće

Širok opseg softvera i alatki nudi bezbedne opcije za štampanje i pomaže pri daljinskom upravljanju uređajima. Mogućnost bežičnog povezivanja podržava i štampanje sa mobilnih uređaja. Osim toga, ovaj štampač se lako i intuitivno rukuje jer ima potpuno novi grafički korisnički interfejs jednostavan za upotrebu.

GLAVNE OSOBINE

- **Održivost**
Mala potrošnja energije i manje potrošnog materijala
- **Ušteda novca**
Manji broj rezervnih delova i niska ukupna cena posjedovanja
- **Visoka produktivnost, retke intervencije**
Pouzdanost štampanja uz kertridže sa mastilom velikog kapaciteta i izvanredan kapacitet papira
- **Predviđen za preduzeće**
DuraBrite Ultra pigmentna mastila

EPSON®

SPECIFIKACIJE PROIZVODA

TEHNIKA

Metoda štampanja	PrecisionCore™ glava za štampanje
Konfiguracija sapnica	800 Sapnice, crno, 800 Sapnice po boji
Minimalna veličina kapljice	3,8 pl, With Variable-Sized Droplet Technology
Tehnologija mastila	DURABrite™ Ultra
Snaga	Srednje velika delovna skupina
Više funkcija	Print, Skeniranje, Kopija, Fax

ŠTAMPANJE

Broj boja	4 boje
Vreme do prve strane	Monohrom 4,8 Sekunde, Colour 5,3 Sekunde
Brzina štampanja ISO/IEC 24734	25 Pages/min Monohrom, 25 Pages/min Colour
Brzina dvostrane štampe ISO/IEC	16 A4 Pages/min Monohrom, 16 A4 Pages/min Colour
Maximum Printing Speed	34 Pages/min Monohrom (plain paper 75 g/m²), 34 Pages/min Colour (plain paper 75 g/m²)
Rezolucija štampanja	4.800 x 1.200 DPI
Volumen štampanja	75.000 Pages per month Maksimalan broj odštampanih stranica na mesečnom nivou prema performansama štampa a, uključujući i brzinu štampanja prema ISO standardu i mogući nastup upravljanja papirom.
Preporučeni radni ciklus	250 - 5.000 Pages per month
Detaljne informacije o brzinama štampanja potražite na http://www.epson.eu/testing .	

SKENIRANJE

Scanning Speed	24 ipm (Monochrome, Single-sided, 200 dpi, ADF); 24 ipm (Colour, Single-sided, 200 dpi, ADF); 7,5 ipm (Monochrome, Double-sided, 200 dpi, ADF); 7,5 ipm (Colour, Double-sided, 200 dpi, ADF); 5 sec/page (Monochrome, 200 dpi, Flatbed); sec/page, dpi;
Rezolucija skeniranja	1.200 DPI x 2.400 DPI (vodoravno x uspravno)
Optical Resolution (ADF)	1.200 DPI (vodoravno x uspravno)
Napredna integracija dokumenata	Scan to E-mail, Skeniranje za FTP, Skeniranje za mrežni direktorij, Raunar (Epson Document Capture Pro), USB memorijski uređaj/kartica
Izlazni formati	Skeniranje u JPEG, Skeniranje u TIFF, Skeniranje u PDF
Tip skenera	Senzor za prepoznavanje slike (CIS)

ŠLanje FAKSA

Vrsta faksa	Štampanje faksova crno-belo i u boji
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITT/ITU Group3 faks sa režimom korekcije greške
Šlanje faksa pomoću brzog biranja (maks.)	200 imena i brojevi
Memorija stranice	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
Funkcije faksa	Šlanje faksa preko PC-a, Faks na e-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax

COPY

Copy Speed	do 22 ipm Black, do 22 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 %
Maximum number of copies	999

WorkForce Pro WF-C5890DWF

OBIM ISPORUKE

- pojedinačni kertridži
- Strujni kabl
- Driveri i pomoćni programi
- Uputstvo za postavljanje
- Uputstvo za upotrebu (CD)

SPECIFIKACIJE PROIZVODA

WorkForce Pro WF-C5890DWF

CONNECTIVITY

Protokoli za mrežno štampanje	LPR, FTP, IPP, LDP, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint
Protokoli za upravljanje mrežom	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap
Network Scanning Protocols	NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP
Priklju ci	Wi-Fi Direct, USB velike brzine – kompatibilan sa specifikacijom USB 2.0, Ethernet interfejs (1000 Base-T/100-Base TX/10-Base-T), USB 2.0-A (2x), Beži ni LAN IEEE 802.11a/b/g/n/ac, Beži ni LAN a/n (5 GHz)
WLAN sigurnost	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES), WPA3-SAE(AES)
Network Protocol	TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS

SPECIFIKACIJE PAPIRA I SENZORI

Formati papira	C4 (Envelope), Pravne informacije, A6 (10,5x14,8 cm), B5, A5 (14,8x21,0 cm), Pismo, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4 (21.0x29,7 cm), B6, No. 10 (koverta), Definisano od strane korisnika, C6 (koverta), DL (koverta)
Automatsko uvla enje dokumenta	50 Stranice
Odgovaraju a težina papira	64 - 256g/m ²
Dvostrano	Da
Standard Paper input	250 SheetsStandardno, 80 SheetsMP tray
Kapacitet ADF-a	150 Sheets
Paper Tray Capacity	330 SheetsStandardno, 1.830 Sheetsmaksimalno
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	3 x 500 sheet paper tray
Maximum paper input	1.830
Rear paper path (special media)	Da
Broj fioka za papir	4

PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal
Custom sizes	Min64x 125 mm to Max215,9x 6.000 mm
Compatible paper weight	64g/m ² - 256g/m ²
Paper Capacity 1	80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

PAPER FEED C1

Paper Input Name	C1
Paper Formats	A4, A5, A6, Letter
Custom sizes	Min85x 125 mm to Max215,9x 355,6 mm
Compatible paper weight	64g/m ² - 160g/m ²
Paper Capacity 1	250 Sheets of Plain Paper, Envelopes, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED C2

Paper Input Name	C2
Paper Formats	A4, A5, A6, Letter
Custom sizes	Min100x 148 mm to Max215,9x 355,6 mm
Compatible paper weight	64g/m ² - 160g/m ²
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name	Duplex
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min148x 210 mm to Max216x 297 mm
Compatible paper weight	64g/m ² - 160g/m ²
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

SPECIFIKACIJE PROIZVODA

WorkForce Pro WF-C5890DWF

OPŠTE INFORMACIJE	
Potrošnja energije	27 W(standalone copying, ISO/IEC 24712 pattern), 1,2 W(sleep mode), 11,7 WSpreman, 0,2 W(isklju iti), TEC0,18 kWh/week
Priklju ak	AC 220 V - 240 V, 50 Hz - 60 Hz
Dimenzije	425 x 535 x 357 mm (Širina x Dubina x Visina)
Težina	18,7 kg
Kompatibilni operativni sistemi	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, SAP, Windows 10, Windows 11, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2, macOS 11 or later
Sadržani softver	Epson Document Capture Pro (samo za Windows)
Ja ina buke	Rad:6,4 B (A)
Pritisak buke	Rad:52 dB (A)
Štampanje sa mobilnog ure aja i iz oblaka	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print
Snabdevanje strujom	220V, 240V
ADDITIONAL FEATURES	
Memorija	3.072 MB
Funkcije	Dodirni ekran, Direktno štampanje, Direktno štampanje sa USB-a
LC displej	Tip: Obojeni, Dodirni ekran, Dijagonala:10,9 cm
Obrada medija	Automatsko dvostrano štampanje (A4, obi an papir), Automatic duplex (A4, plain paper), Uspravno i položeno štampanje, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode
PRODUCT SAFETY	
Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. spectextoptionproductsafetywarningfixedtext
OSTALE FUNKCIJE	
Emulacije	PCL5c, PCL6, PostScript 3, ESC/P-R, PDF 1.7
Security	WPA2, WPA3
OSTALI	
Garancija	12 Meseci On site service Optional warranty extension available

POTROŠNI MATERIJAL

● WF-C53xx / WF-C58xx Series Ink Cartridge L Black	C13T11C140	3.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge L Cyan	C13T11C240	3.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge L Magenta	C13T11C340	3.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge L Yellow	C13T11C440	3.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge XL Black	C13T11D140	5.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge XL Cyan	C13T11D240	5.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge XL Magenta	C13T11D340	5.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge XL Yellow	C13T11D440	5.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge XXL Black	C13T11E140	10.000 pages

OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette Unit for 58xx/53xx
C12C937901
- 58xx/53xx Series Maintenance Box
C12C938211
- Paper Feed Roller for Cassette A (58XX/53XXSeries)
C12C938261
- Paper Feed Roller for Cassette B (58XX/53XXSeries)
C12C938281

INFORMACIJE O LOGISTICI

SKU	C11CK23401
Šifrirane trake	8715946703503
Zemlja porekla	Indonesia
Veli ina palete	2 Komad

WorkForce Pro WF-C5890DWF

INK YIELD DATA



●	3.000 strane*	5.000 strane*	10.000 strane*
● ● ●	3.000 strane*	5.000 strane*	

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>