WorkForce Pro WF-C5890DWF

DATASHEET / BROCHURE











Reduce your business printing costs and environmental impact, while increasing productivity with less intervention, and solutions to support your business.

A small workgroup printer perfect for the business environment, from small offices to large corporates. Ideal for those who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime, while also reducing their environmental impact and improving their CSR reputation.

Save money

The low TCO and fewer required replacement part make this an attractive choice for businesses on a budget. Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system.

High productivity and low intervention

Delivering a fast First Page Out Time (FPOT) of 5.3 seconds in colour and 4.8 seconds in mono from ready mode. Print up to 10,000 pages in monochrome and 5,000 in colour without changing supplies¹. In addition, the WF-C5890DWF can print on a wide range of media, including recycled paper, glossy media, envelopes and labels.

Reduce your impact

Improve your businesses sustainability, while keeping productivity high and energy costs low. Benefit from low-power consumption without compromising on an ultra-sharp output.

Built for business

A range of software and tools provide secure print options, and help manage devices remotely. Wireless connectivity also supports printing from mobile devices. And with its brand new, user-friendly GUI, it's intuitive to operate.

KEY FEATURES

- Sustainable
 - Low power consumption and fewer supplies
- Save money
 Fewer replacement parts and low TCO
- High productivity, low intervention
 Reliable printing with high-ink-yield supplies and great paper capacity
- Built for business
 DuraBrite Ultra pigment inks



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Print Head

Nozzle Configuration 800 Nozzles Black, 800 Nozzles per Color Minimum Droplet Size 3,8 pl, With Variable-Sized Droplet Technology

Ink Technology DURABrite™ Ultra Category Office Workgroup All-in-One Functions Print, Scan, Copy, Fax

PRINT

Number of colours 4 colour

First Page Out Monochrome4,8 Seconds, Colour5,3 Seconds Printing Speed ISO/IEC 24734 25 pages/minMonochrome, 25 pages/minColour **Duplex Printing Speed** 16 A4 Pages/minMonochrome, 16 A4 Pages/minColour

ISO/IEC 24734

Maximum Printing Speed 34 pages/minMonochrome (plain paper 75 g/m²), 34 pages/minColour (plain paper 75 g/m²)

Printing Resolution 4.800 x 1.200 DPI Printing Volume 75.000 pages per month

The maximum number of printed pages per month based on the performance capabilities of

the printer, including ISO rated print speeds and paper handling capabilities.

Recommended Duty Cycle 250 - 5.000 pages per month

For detailed information on printing speeds please visit http://www.epson.eu/testing.

SCAN

24 ipm (Monochrome, Single-sided, 200 dpi, ADF); 24 ipm (Colour, Single-sided, 200 dpi, Scanning Speed

ADF); 7,5 ipm (Monochrome, Double-sided, 200 dpi, ADF); 7,5 ipm (Colour, Double-sided,

200 dpi, ADF); 5 sec/page (Monochrome, 200 dpi, Flatbed); sec/page, dpi;

Optical Resolution 1.200 DPI x 2.400 DPI (Horizontal x Vertical)

Optical Resolution (ADF) 1.200 DPI (Horizontal x Vertical)

Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Advanced document

integration Pro), USB Memory Device / Card

Output formats JPEG, TIFF, PDF Contact image sensor (CIS)

Scanner type

FAX Walk-up black and white and colour fax capability

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page

Error correction mode CCITU/ITU Group3 fax with Error Correction Mode

Fax speed dials (max) 200 names and numbers

Up to 550 pages/ 6MB (ITU-T No. 1 chart) Page memory

Fax Functions PC Fax, Fax to E-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax

COPY

Copy Speed Up to22 ipm Black, Up to22 ipm Colour

*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

600 x 1200 Copy resolution (dpi) 25 % - 400 % Reduction / Enlargement Maximum number of copies

WorkForce Pro WF-C5890DWF

WHAT'S IN THE BOX

- Individual Ink Cartridges
- Power cable
- Driver and utilities
- Setup guide
- User manual (CD)



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5890DWF

CONNECTIVITY

Network Printing Protocols

Network Management Protocols

LPR, FTP, IPP, LDP, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP

2.0c. SNMP 3.0. SNMP Trap

Network Scanning Protocols NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP

Interfaces

Wi-Fi Direct, Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000

Base-T/ 100-Base TX/ 10-Base-T), USB 2.0-A (2x), Wireless LAN IEEE 802.11a/b/g/n/ac,

Wireless LAN a/n (5GHz)

WI AN Security WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES), WPA3-SAE(AES)

Network Protocol TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS

PAPER / MEDIA HANDLING

Paper Formats

C4 (Envelope), Legal, A6 (10.5x14.8 cm), B5, A5 (14.8x21.0 cm), Letter, 9 x 13 cm, 10 x 15 cm,

13 x 18 cm, A4 (21.0x29.7 cm), B6, No. 10 (Envelope), User defined, C6 (Envelope), DL

50 pages

Automatic Document Feed Compatible Paper Weight

64 - 256g/m²

Duplex Yes

Standard Paper input 250 SheetsStandard, 80 SheetsMP tray

Output Tray Capacity

Paper Tray Capacity 330 SheetsStandard, 1.830 SheetsMaximum Standard paper tray(s) 80-Sheet Multi-Purpose Tray, 250-sheet paper tray

3 x 500 sheet paper tray Optional paper tray(s) Maximum paper input 1.830

Rear paper path (special

media)

Number of paper trays

PAPER FEED RASF

Paper Input Name

Paper Formats A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal

Custom sizes Min64x 125 mm to Max215,9x 6.000 mm

Yes

64g/m² - 256g/m² Compatible paper weight

80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Paper Capacity 1 Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper Media type

PAPER FEED C1

Paper Input Name C1

Paper Formats A4, A5, A6, Letter

Min85x 125 mm to Max215,9x 355,6 mm Custom sizes

Compatible paper weight 64g/m² - 160g/m²

Paper Capacity 1 250 Sheets of Plain Paper, Envelopes, 80gsm Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED C2

Paper Input Name

A4. A5. A6. Letter Paper Formats

Custom sizes Min100x 148 mm to Max215,9x 355,6 mm

Compatible paper weight 64g/m² - 160g/m²

Paper Capacity 1 500 Sheets of Plain Paper, 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name Duplex

Paper Formats A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive

Custom sizes Min148x 210 mm to Max216x 297 mm

Compatible paper weight 64g/m² - 160g/m²

Plain Paper, Recycled Paper, Colour Paper, Letterhead Media type



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5890DWF

GENERAL

Systems

Energy Use 27 Watt(standalone copying, ISO/IEC 24712 pattern), 1,2 Watt(sleep mode), 11,7 Watt(Ready),

0,2 Watt(Power off), TEC0,18 kWh/week

Supply Voltage AC 220 V - 240 V, 50 Hz - 60 Hz

Product dimensions 425 x 535 x 357 mm (Width x Depth x Height)

Product weight 18,7 kg

Compatible Operating Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS

X 10.12.x, Mac OS X 10.6.8, SAP, Windows 10, Windows 11, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2, macOS 11 or later

10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS

Included Software Epson Document Capture Pro (Windows only)

Sound Power Operation:6,4 B (A)
Noise Operation:52 dB (A)

Mobile and Cloud printing Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint,

services Google Cloud Print Power supply 220V, 240V

ADDITIONAL FEATURES

Memory 3.072 MB

Features Touchscreen, Direct Print, Direct print from USB
Panel Type: Color, Touchscreen, Diagonal:10,9 cm

Media Handling ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape

printing, Thick Media Support

Security Functions Limit access function with Epson Web Config, Secure confidential printing with PIN code

release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin

Mode

PRODUCT SAFETY

Product Safety Warnings Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

Always follow the information on the product label.

OTHER FEATURES

Emulations PCL5c, PCL6, PostScript 3, ESC/P-R, PDF 1.7

Security WPA2, WPA3

OTHER

Warranty 12 months On-site service



SUPPLIES

 ● WF-C53xx / WF-C58xx Series Ink Cartridge L Black 	C13T11C140	3.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge L Cyan	C13T11C240	3.000 pages
 ● WF-C53xx / WF-C58xx Series Ink Cartridge L Magenta 	C13T11C340	3.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge L Yellow	C13T11C440	3.000 pages
WF-C53xx / WF-C58xx Series Ink Cartridge XL Black	C13T11D140	5.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge XL Cyan	C13T11D240	5.000 pages
● WF-C53xx / WF-C58xx Series Ink Cartridge XL Magenta	C13T11D340	5.000 pages
 WF-C53xx / WF-C58xx Series Ink Cartridge XL Yellow 	C13T11D440	5.000 pages
WF-C53xx / WF-C58xx Series Ink Cartridge XXL Black	C13T11E140	10.000 pages

OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette Unit for 58xx/53xx C12C937901
- 58xx/53xx Series Maintenance Box C12C938211
- Paper Feed Roller for Cassette A (58XX/53XXSeries) C12C938261
- Paper Feed Roller for Cassette B (58XX/53XXSeries)
 C12C938281

LOGISTICS INFORMATION

SKU	C11CK23401
EAN code	8715946703503
Country of Origin	Indonesia
Layer	2 Units

WorkForce Pro WF-C5890DWF

INK YIELD DATA



•	3.000 pages*	5.000 pages*	
• • •		5.000 pages*	

^{*} Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

^{1.} Approximate page yield. Actual yield will vary depending on images printed and usage conditions.

