

EcoTank ET-5855



A must-have for businesses, this fast, A4 multifunction EcoTank features a 500-sheet front tray capacity, 50-sheet rear feed, 50-sheet ADF & fax.

Print, scan, copy and fax with this easy-to-use EcoTank printer, that delivers an exceptionally low cost per page. A4 jobs can be accomplished quickly thanks to fast print and scan speeds, two A4 250-sheet front trays, a 50-sheet rear feed, and a 50-sheet A4 ADF. Print how you like with mobile printing, Ethernet and a 10.9cm LCD touchscreen.

Get more done in less time

Get the edge with this fast and efficient printer that can deliver a first page in as little as 5½ seconds*. Coupled with fast double-sided printing, and a high speed Automatic Document Feeder, you'll be able to speed through everyday tasks.

Feature-rich A4 EcoTank

The ET-5855 is designed for office tasks with A4 print, scan, copy and fax. Selecting features is easy with the LCD touchscreen.

Keep on saving

Save every time you print with this EcoTank that delivers an incredibly low cost per page. Unlike other printers, EcoTank features large ink tanks that you fill with low-cost ink bottles.

End interruptions

Minimising refills, this EcoTank can print thousands of pages before needing more ink, while the two front paper trays offer a capacity of 500-sheets. Free yourself from manual page loading with a generous 50-sheet rear feed and A4 ADF.


Print from almost anywhere

With Wi-Fi and Wi-Fi Direct, you can send documents to print from smart devices using the Epson Smart Panel app*. Also features Ethernet.

Easy to use and reliable

Filling the large front ink tanks is simple with the resealable, intuitive and drip-free ink bottles. The Heat-Free PrecisionCore printhead is renowned for its speed, quality, reliability and efficiency, and will last the lifetime of the printer.

DATASHEET / BROCHURE



KEY FEATURES

- **Fast, time-saving printing**
Enjoy print speeds up to 25ppm*
- **A4 multifunction printer with fax, touchscreen and ADF**
High quality print, copy and scan in one machine, plus large paper trays to save you time
- **Multiple connectivity options let you print with ease**
Wi-Fi, Wi-Fi Direct, Ethernet & free mobile printing apps*
- **One set of replacement inks prints up to 7,500 pages in black and 6,000 pages in colour***
Just add paper for low intervention printing!
- **Number 1 ink tank printer brand worldwide***
100m EcoTank printers sold worldwide*
- **Simple hassle-free ink tank system lets you refill from bottles**
Plus the EcoTank key-lock bottle system ensures it's mess-free too
- **Legal Statement**
Complies with The UK Product Security and Telecommunications Infrastructure (Product Security) requirements. Epson will provide security updates for 7 years from purchase

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|----------------------|--|
| Printing Method | PrecisionCore™ Print Head |
| Nozzle Configuration | 800 Nozzles Black, 800 Nozzles per Color |
| Minimum Droplet Size | 3.8 pl |
| Ink Technology | Pigment ink |
| Printing Resolution | 4,800 x 1,200 DPI |
| Category | Home Office, Office Desktop |
| All-in-One Functions | Print, Scan, Copy, Fax |

PRINT

| | |
|------------------------------|--|
| Printing Speed ISO/IEC 24734 | 25 pages/min Monochrome, 25 pages/min Colour |
| Maximum Printing Speed | 32 pages/min Monochrome (plain paper 75 g/m ²), 32 pages/min Colour (plain paper 75 g/m ²) |
| Duplex Printing Speed | 21 A4 Pages/min Monochrome, 21 A4 Pages/min Colour |
| ISO/IEC 24734 | |
| First Page Out | Monochrome 5.5 Seconds, Colour 6 Seconds |
| Recommended Duty Cycle | 3,300 pages per month |
| Colours | Black, Cyan, Yellow, Magenta |

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

| | |
|--------------------------------------|---|
| Double-sided scanning | Yes |
| Single-sided scan speed (A4 black) | 27.5 ipm with ADF scan 5 sec. with flatbed scan |
| Doubled-sided scan speed (A4 black) | 11 ipm with ADF scan |
| Single-sided scan speed (A4 colour) | 9 ipm with ADF scan 10 sec. with flatbed scan |
| Doubled-sided scan speed (A4 colour) | 6 ipm with ADF scan |
| Optical Resolution | 1,200 DPI x 2,400 DPI (Horizontal x Vertical) |
| Output formats | BMP, JPEG, TIFF, multi-TIFF, PDF, PNG |
| Scanner type | Contact image sensor (CIS) |

FAX

| | |
|------------------------|---|
| Type of fax | Walk-up black and white and colour fax capability |
| Fax Transmission Speed | Up to 33.6kbps / Approx. 3 sec/page |
| Error correction mode | CCITT/ITU Group3 fax with Error Correction Mode |
| Fax speed dials (max) | 200 names and numbers |
| Page memory | Up to 550 pages/ 6MB (ITU-T No. 1 chart) |
| Fax Functions | PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Address Book, Broadcast Fax, Fax Preview, Polling Reception |

PAPER / MEDIA HANDLING

| | |
|---------------------------------|---|
| Number of paper trays | 3 |
| Paper Formats | A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B6, B5, No. 10 (Envelope), DL (Envelope), C6 (Envelope), C4 (Envelope), Letter, Legal |
| Duplex | Yes (A4, plain paper) |
| Automatic Document Feed | 50 pages |
| Output Tray Capacity | 125 Sheets |
| Paper Tray Capacity | 550 Sheets Standard |
| Rear paper path (special media) | Yes |
| Compatible Paper Weight | 64 - 300g/m ² Paper compatibility may vary by printer. Third party media may not be compatible. See printer's online User's Guide for suitable Epson paper and note that 300gsm, where applicable, is based on Epson Ultra Glossy Photo Paper |
| Media Handling | ADF 2-sided copy (A4, plain paper), ADF 2-sided fax (A4, plain paper), ADF 2-sided scan (A4, plain paper), Automatic duplex (A4, plain paper) |

EcoTank ET-5855

WHAT'S IN THE BOX

- Power cable
- Main unit
- Quick Start Guide
- User guide
- 1 set of ink (1x 127ml BK, 3x 70ml CMY)

PRODUCT SPECIFICATIONS

GENERAL

| | |
|------------------------------------|--|
| Energy Use | 19 Watt (standalone copying, ISO/IEC 24712 pattern), 0.8 Watt (sleep mode), 9.1 Watt (Ready), 0.2 Watt (Power off), TEC 0.14 kWh/week |
| Supply Voltage | AC 100 V - 240 V, 50 Hz - 60 Hz |
| Product dimensions | 425 x 500 x 350 mm (Width x Depth x Height) |
| Product weight | 17.8 kg |
| Compatible Operating Systems | Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later, XP Professional x64 Edition |
| Interfaces | USB, Ethernet, Wireless LAN IEEE 802.11 a/b/g/n/ac, Wi-Fi Direct |
| Sound Power | Operation:6.6 B (A) |
| Noise | Operation:51 dB (A) |
| WLAN Security | WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP) |
| Mobile and Cloud printing services | Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Epson Smart Panel App |
| Power supply | 220V, 240V |
| Colour | Black |

OTHER FEATURES

| | |
|----------|--|
| Panel | Type: Color, Touchscreen, Diagonal:10.9 cm |
| Features | Touchscreen |

OTHER

| | |
|----------|--|
| Warranty | 12 months Carry in, 200,000 pages Optional warranty extension available |
|----------|--|

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|----------------------|--|
| Printing Method | PrecisionCore™ Print Head |
| Nozzle Configuration | 800 Nozzles Black, 800 Nozzles per Color |
| Minimum Droplet Size | 3.8 pl |
| Ink Technology | Pigment ink |
| Printing Resolution | 4,800 x 1,200 DPI |
| Category | Home Office, Office Desktop |
| All-in-One Functions | Print, Scan, Copy, Fax |

PRINT

| | |
|------------------------------|--|
| Printing Speed ISO/IEC 24734 | 25 pages/min Monochrome, 25 pages/min Colour |
| Maximum Printing Speed | 32 pages/min Monochrome (plain paper 75 g/m ²), 32 pages/min Colour (plain paper 75 g/m ²) |
| Duplex Printing Speed | 21 A4 Pages/min Monochrome, 21 A4 Pages/min Colour |
| ISO/IEC 24734 | |
| First Page Out | Monochrome5.5 Seconds, Colour6 Seconds |
| Recommended Duty Cycle | 3,300 pages per month |
| Colours | Black, Cyan, Yellow, Magenta |

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

| | |
|--------------------------------------|---|
| Double-sided scanning | Yes |
| Single-sided scan speed (A4 black) | 27.5 ipm with ADF scan 5 sec. with flatbed scan |
| Doubled-sided scan speed (A4 black) | 11 ipm with ADF scan |
| Single-sided scan speed (A4 colour) | 9 ipm with ADF scan 10 sec. with flatbed scan |
| Doubled-sided scan speed (A4 colour) | 6 ipm with ADF scan |
| Optical Resolution | 1,200 DPI x 2,400 DPI (Horizontal x Vertical) |
| Output formats | BMP, JPEG, TIFF, multi-TIFF, PDF, PNG |
| Scanner type | Contact image sensor (CIS) |

FAX

| | |
|------------------------|---|
| Type of fax | Walk-up black and white and colour fax capability |
| Fax Transmission Speed | Up to 33.6kbps / Approx. 3 sec/page |
| Error correction mode | CCITU/ITU Group3 fax with Error Correction Mode |
| Fax speed dials (max) | 200 names and numbers |
| Page memory | Up to 550 pages/ 6MB (ITU-T No. 1 chart) |
| Fax Functions | PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Address Book, Broadcast Fax, Fax Preview, Polling Reception |

PAPER / MEDIA HANDLING

| | |
|-----------------------|--|
| Number of paper trays | 3 |
| Paper Formats | A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B6, B5, No. 10 (Envelope), DL (Envelope), C6 (Envelope), C4 (Envelope), Letter, Legal |
| Duplex | Yes (A4, plain paper) |

Automatic Document Feed 50
pages

Output Tray Capacity 125 Sheets

Paper Tray Capacity 550 Sheets

Rear paper path (special media) Standard
Yes

Compatible Paper Weight 64 -
300g/m²
Paper compatibility may vary by printer. Third party media may not be compatible. See printer's online User's Guide for suitable Epson paper and note that 300gsm, where applicable, is based on Epson Ultra Glossy Photo Paper

Media Handling ADF 2-sided copy (A4, plain paper), ADF 2-sided fax (A4, plain paper), ADF 2-sided scan (A4, plain paper), Automatic duplex (A4, plain paper)

EcoTank ET-5855

WHAT'S IN THE BOX

- Power cable
- Main unit
- Quick Start Guide
- User guide
- 1 set of ink (1x 127ml BK, 3x 70ml CMY)

PRODUCT SPECIFICATIONS

GENERAL

| | |
|------------------------------------|--|
| Energy Use | 19 Watt (standalone copying, ISO/IEC 24712 pattern), 0.8 Watt (sleep mode), 9.1 Watt (Ready), 0.2 Watt (Power off), TEC 0.14 kWh/week |
| Supply Voltage | AC 100 V - 240 V, 50 Hz - 60 Hz |
| Product dimensions | 425 x 500 x 350 mm (Width x Depth x Height) |
| Product weight | 17.8 kg |
| Compatible Operating Systems | Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later, XP Professional x64 Edition |
| Interfaces | USB, Ethernet, Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct |
| Sound Power | Operation:6.6 B (A) |
| Noise | Operation:51 dB (A) |
| WLAN Security | WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP) |
| Mobile and Cloud printing services | Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Epson Smart Panel App |
| Power supply | 220V, 240V |
| Colour | Black |

OTHER FEATURES

| | |
|----------|--|
| Panel | Type: Color, Touchscreen, Diagonal:10.9 cm |
| Features | Touchscreen |

OTHER

| | |
|----------|--|
| Warranty | 12 months Carry in, 200,000 pages Optional warranty extension available |
|----------|--|

LOGISTICS INFORMATION

| | |
|-------------------|---------------|
| SKU | C11CJ29406BA |
| EAN code | 8715946734675 |
| Country of Origin | Indonesia |
| Layer | 2 Units |
| Layer Block | 4 Units |



For more information please contact:

Home users: 0343 90 37766
 Business users*: 0871 42 37766
 Republic of Ireland: 01 436 7742
 Or visit us at <https://www.epson.co.uk/contactus>
 * 10p per minute plus network extras.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
 Product information is subject to change without prior notice.
 Last extracted: 2025-10-27

EcoTank ET-5855

INK BOTTLE COMPATIBILITY



INK BOTTLE YIELD DATA



| | | |
|-------------|--------------|--------------|
| Included | 4,500 pages* | 2,800 pages* |
| Replacement | 7,500 pages* | 6,000 pages* |

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>

1. For more details see epson.co.uk/ecotankfootnotes

EPSON[®]