

# SureColor T5700DM

## Multi-function printer



This 36-inch multi-function printer with integrated dual light CIS scanner delivers on speed and quality whilst remaining sleek and compact.

The T5700DM is a highly productive, secure and compact MPF with excellent scanning and printing capabilities.

This MFP offers business enhancing solutions from Epson and 3rd party Independent Software Vendors (ISV), high scan speeds (up to 10 IPS) and image correction thanks to the integrated 36-inch dual light CIS scanner (with RGB filters).

**The T5700DM uses a fully integrated 36-inch Dual light CIS scanner to support and enhance business productivity. High speed, premium quality Print and Copy enlargement and advanced Scan capabilities will support business requirements.**

### **Simple user experience**

Simplified scanning workflows, easy-to-feed documents and selectable scan to locations, including encrypted network folders and encrypted 960GB SSD.

## DATASHEET / BROCHURE



## KEY FEATURES

- **High productivity**  
36-inch dual light CIS scanner with RGB filters
- **Secure scanning destinations**  
Scan to secure sites, Mail, encrypted SSD and FTP servers
- **Enhanced image quality**  
Dual light scanner detects and adjusts to reduce wrinkles and creases
- **Extensive processing and storage**  
Adobe PS 64GB, 4GB Printer memory, 8GB scan mem included in 960GB SSD
- **Legal Statement**  
Complies with The UK Product Security and Telecommunications Infrastructure (Product Security) requirements. Epson will provide security updates for 7 years from purchase

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ TFP print head
All-in-One Functions	Print, Scan, Copy
Ink Technology	Ultrachrome® XD3

### PRINT

Colours Capacity	Photo Black [350ml, 700ml], Matte Black [350ml, 700ml], Cyan [350ml, 700ml], Yellow [350ml, 700ml], Magenta [350ml, 700ml], Red [350ml, 700ml]
Minimum Droplet Size (colour) (CMY)	3.5 pl, (mk)3.5 pl, (pk)3.5 pl
Minimum line width	0.02 mm
Line accuracy	+/-0.1
Print from	PC, MAC, Network, Mobile Device, USB, Cloud, Direct from Device
Ink tank capacity	350 ml, 700 ml
Printing Resolution	1,200 x 2,400 DPI
Printing Resolution - Draft	300 x 600 DPI
Printing Resolution - Maximum Quality	2,400 x 1,200 DPI
Printing Resolution - Speed	600 x 600 DPI

### PAPER / MEDIA HANDLING

Paper Formats	A0, A1, A2 (42.0x59.4cm), A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), 17" (43.2 cm) Roll, 24" (61.0 cm) Roll, 36" (91.4 cm) Roll
Thickness	Single Sheet0.1 mm, Roll0.3 mm, Rigid board supported
Compatible Paper Thickness	1.5 mm
Auto Take Up Reel	Yes
Roll Capacity - Diameter	Roll 1:170 mm, Roll 2:170 mm
Roll Capacity - Weight	Roll 1:10,200 g, Roll 2:10,200 g
Borderless printing on	20 inches, 10" (25.4cm) Roll, 17" (43.1cm) Roll, 24" (60.9cm) Roll

### GENERAL

Power consumption	90 Watt, 44 Watt (economy), 2 Watt (standby), 1.3 Watt (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1,645 x 499 x 975 mm (Width x Depth x Height)
Product weight	147 kg
Optional extras	Cover Plus warranty extensions, NFC Card Reader (Server), NFC Card Reader (Serverless), Roll Feed Spindle 36"

### OTHER FEATURES

Emulations	ESC/P-R, PostScript 3, Adobe® Postscript 3®, PDF 1.7, HP-GL2, RTL
Features	Touchscreen, Bluetooth, Direct print from USB, Driver Preview, Scan Preview, Auto Take up Reel, Nozzle Verification Technology
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac
Optional Software & Solutions	Epson Print Automate, Dinax Mirage, Epson Edge, Epson Cloud Solution PORT, Epson Print Layout, Epson LFP Accounting Tool, Epson Device Admin, Epson Edge Dashboard, Epson Print Admin, Epson Print Admin Serverless
Security	SNMP V3, IPSec, AES-256, Data storage Encryption, Data Encryption, WPA3, NFC - Card Authentication Reader, TMP (Trusted Platform Module), PIN code Release, Image Overwrite, User Authorisation, LDAP, IEEE802, SSL/TLS, Panel Admin Mode

### LCD AND MEMORY CARDS

Panel	Type: Color, Touchscreen
-------	--------------------------

## SureColor T5700DM Multi-function printer

### WHAT'S IN THE BOX

- SureColor T-Series Printer/Scanner
- Roll Feed Spindle 36"
- Warranty Documents
- Adobe PostScript 3
- Ink set
- AC adapter
- Installation/safety manual
- Maintenance boxes
- Setup guide

## PRODUCT SPECIFICATIONS

### SCAN

Scanner	Standard
Maximum Precision	OR +/-0.1 % of vector length (whichever is greater)
Destinations	SSD, Scan to Email, USB (Memory device), Network Folder
Output formats	JPEG, TIFF, multi-TIFF, PDF, PDF/A, PDF multi, Secured PDF
Scanner type	Contact image sensor (CIS)
Light Source	Dual LED (RGB)
Scan width	36" (153mm to 914.4mm)
Scanning Speed	10 inch/sec ( Monochrome, 200 dpi; 4.5 inch/sec ( Colour, 200 dpi;

### COPY

Reduction / Enlargement	25 % - 755 %
Maximum number of copies	99

### OTHER

Warranty	24 months On-site service Optional warranty extension available
----------	--

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ TFP print head
All-in-One Functions	Print, Scan, Copy
Ink Technology	Ultrachrome® XD3

### PRINT

Colours Capacity	Photo Black [350ml, 700ml], Matte Black [350ml, 700ml], Cyan [350ml, 700ml], Yellow [350ml, 700ml], Magenta [350ml, 700ml], Red [350ml, 700ml]
Minimum Droplet Size (colour)	(CMY)3.5 pl, (mk)3.5 pl, (pk)3.5 pl
Minimum line width	0.02 mm
Line accuracy	+/-0.1
Print from	PC, MAC, Network, Mobile Device, USB, Cloud, Direct from Device
Ink tank capacity	350 ml, 700 ml
Printing Resolution	1,200 x 2,400 DPI
Printing Resolution - Draft	300 x 600 DPI
Printing Resolution -	2,400 x 1,200 DPI
Maximum Quality	
Printing Resolution - Speed	600 x 600 DPI

### PAPER / MEDIA HANDLING

Paper Formats	A0, A1, A2 (42.0x59.4cm), A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), 17" (43.2 cm) Roll, 24" (61.0 cm) Roll, 36" (91.4 cm) Roll
Thickness	Single Sheet 0.1 mm, Roll 0.3 mm, Rigid board supported
Compatible Paper Thickness	1.5 mm
Auto Take Up Reel	Yes
Roll Capacity - Diameter	Roll 1:170 mm, Roll 2:170 mm
Roll Capacity - Weight	Roll 1:10,200 g, Roll 2:10,200 g
Borderless printing on	20 inches, 10" (25.4cm) Roll, 17" (43.1cm) Roll, 24" (60.9cm) Roll

### GENERAL

Power consumption	90 Watt, 44 Watt (economy), 2 Watt (standby), 1.3 Watt (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1,645 x 499 x 975 mm (Width x Depth x Height)
Product weight	147 kg
Optional extras	Cover Plus warranty extensions, NFC Card Reader (Server), NFC Card Reader (Serverless), Roll Feed Spindle 36"

### OTHER FEATURES

Emulations	ESC/P-R, PostScript 3, Adobe® Postscript 3®, PDF 1.7, HP-GL2, RTL
Features	Touchscreen, Bluetooth, Direct print from USB, Driver Preview, Scan Preview, Auto Take up Reel, Nozzle Verification Technology
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac
Optional Software & Solutions	Epson Print Automate, Dinax Mirage, Epson Edge, Epson Cloud Solution PORT, Epson Print Layout, Epson LFP Accounting Tool, Epson Device Admin, Epson Edge Dashboard, Epson Print Admin, Epson Print Admin Serverless
Security	SNMP V3, IPSec, AES-256, Data storage Encryption, Data Encryption, WPA3, NFC - Card Authentication Reader, TMP (Trusted Platform Module), PIN code Release, Image Overwrite, User Authorisation, LDAP, IEEE802, SSL/TLS, Panel Admin Mode

### LCD AND MEMORY CARDS

Panel	Type: Color, Touchscreen
-------	--------------------------

## SureColor T5700DM Multi-function printer

### WHAT'S IN THE BOX

- SureColor T-Series Printer/Scanner
- Roll Feed Spindle 36"
- Warranty Documents
- Adobe PostScript 3
- Ink set
- AC adapter
- Installation/safety manual
- Maintenance boxes
- Setup guide

---

## PRODUCT SPECIFICATIONS

---

### SCAN

Scanner	Standard
Maximum Precision	OR +/-0.1 % of vector length (whichever is greater)
Destinations	SSD, Scan to Email, USB (Memory device), Network Folder
Output formats	JPEG, TIFF, multi-TIFF, PDF, PDF/A, PDF multi, Secured PDF
Scanner type	Contact image sensor (CIS)
Light Source	Dual LED (RGB)
Scan width	36" (153mm to 914.4mm)
Scanning Speed	10 inch/sec ( Monochrome, 200 dpi; 4.5 inch/sec ( Colour, 200 dpi;

### COPY

Reduction / Enlargement	25 % - 755 %
Maximum number of copies	99

### OTHER

Warranty	24 months On-site service Optional warranty extension available
----------	--

---

---

## SureColor T5700DM Multi-function printer

---

### WHAT'S IN THE BOX

---

- SureColor T-Series Printer/Scanner
- Roll Feed Spindle 36"
- Warranty Documents
- Adobe PostScript 3
- Ink set
- AC adapter
- Installation/safety manual
- Maintenance boxes
- Setup guide

## SUPPLIES

● Cleaning Stick S090013 (50 pcs)	C13S090013
● Auto Cutter Blade	C13S210117
● Borderless Maintenance Box (Tx700/Px500)	C13S210116
● Maintenance Box (Tx700/Px500)	C13S210115
● Singlepack UltraChrome XD3 Cyan T50M2 (700ml)	C13T50M200
● Singlepack UltraChrome XD3 Cyan T50U2 (350ml)	C13T50U200
● Singlepack UltraChrome XD3 Photo Black T50M1 (700ml)	C13T50M100
● Singlepack UltraChrome XD3 Photo Black T50U1 (350ml)	C13T50U100
● Singlepack UltraChrome XD3 Red T50MF (700ml)	C13T50MF00
● Singlepack UltraChrome XD3 Red T50UF (350ml)	C13T50UF00
● Singlepack UltraChrome XD3 Yellow T50M4 (700ml)	C13T50M400
● Singlepack UltraChrome XD3 Yellow T50U4 (350ml)	C13T50U400
● Archival Matte Paper, DIN A3+, 189g/m{s2}, 50 Sheets	C13S041340
● Archival Matte Paper, DIN A3, 189g/m{s2}, 50 Sheets	C13S041344
● Epson A4 Archival Matte Photo Paper 189gsm, 50 sheets	C13S041342
● Bond Paper Bright 90, 594mm x 50m	C13S045277
● Bond Paper Bright 90, 610mm x 50m	C13S045278
● Bond Paper Bright 90, 841mm x 50m	C13S045279
● Bond Paper Bright 90, 914mm x 50m	C13S045280
● Bond Paper Satin 90, 610mm x 50m	C13S045282
● Bond Paper Satin 90, 914mm x 50m	C13S045283
● Bond Paper White 80, 594mm x 50m	C13S045272
● Bond Paper White 80, 610mm x 50m	C13S045273
● Bond Paper White 80, 841mm x 50m	C13S045274
● Bond Paper White 80, 914mm x 50m	C13S045275
● Coated Paper 95, 610mm x 45m	C13S045284
● Coated Paper 95, 914mm x 45m	C13S045285
● Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{s2}	C13S041385
● Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{s2}	C13S041617
● Enhanced Matte Paper, 17" x 30,5 m, 189g/m{s2}	C13S041725
● Enhanced Matte Paper, 24" x 30,5 m, 189g/m{s2}	C13S041595
● Enhanced Matte Paper, DIN A2, 192g/m{s2}, 50 Sheets	C13S042095
● Enhanced Matte Paper, DIN A3+, 192g/m{s2}, 100 Sheets	C13S041719
● Enhanced Matte Paper, DIN A4, 192g/m{s2}, 250 Sheets	C13S041718
● Enhanced Matte Posterboard, DIN A2, 800g/m{s2}, 20 Sheets	C13S042111
● Enhanced Matte Posterboard, DIN A3+, 800g/m{s2}, 20 Sheets	C13S042110
● Enhanced Synthetic Paper Roll, 24	C13S041614
● Matte Backlit Film, 24" x 30,5 m, 280g/m{s2}	C13S045083
● Epson A4 Matte Paper 167gsm, 50 sheets	C13S041256
● Photo Paper Gloss, 17" x 30,5 m, 250g/m{s2}	C13S041892
● Photo Paper Gloss, 24" x 30,5 m, 250g/m{s2}	C13S041893
● Photo Paper Gloss, 36" x 30,5 m, 250g/m{s2}	C13S041894
● Photo Quality Ink Jet Paper, DIN A2, 102g/m{s2}, 30 Sheets	C13S041079
● Photo Quality Ink Jet Paper, DIN A3+, 102g/m{s2}, 100 Sheets	C13S041069
● Photo Quality Ink Jet Paper, DIN A3, 102g/m{s2}, 100 Sheets	C13S041068
● Epson A4 Photo Quality Inkjet Paper 102gsm, 100 sheets	C13S041061
● Premium Glossy Photo Paper Roll, 16" x 30,5 m, 170g/m{s2}	C13S042076
● Premium Glossy Photo Paper Roll, 16	C13S041742
● Premium Glossy Photo Paper Roll, 24" x 30,5 m, 170g/m{s2}	C13S041390
● Premium Glossy Photo Paper Roll, 24" x 30,5 m, 260g/m{s2}	C13S041638
● Premium Glossy Photo Paper, DIN A2, 255g/m{s2}, 25 Sheets	C13S042091
● Premium Glossy Photo Paper, DIN A3+, 255g/m{s2}, 20 Sheets	C13S041316
● Premium Luster Photo Paper, 16" x 30,5 m, 260g/m{s2}	C13S042079
● Premium Luster Photo Paper, 20" x 30,5 m, 260g/m{s2}	C13S042080
● Premium Luster Photo Paper, 24" x 30,5 m, 260g/m{s2}	C13S042081
● Premium Luster Photo Paper, 30 cm x 30,5 m, 260g/m{s2}	C13S042078
● Premium Luster Photo Paper, DIN A2, 250g/m{s2}, 25 Sheets	C13S042123
● Premium Luster Photo Paper, DIN A3+, 250g/m{s2}, 100 Sheets	C13S041785
● Premium Luster Photo Paper, DIN A4, 250g/m{s2}, 250 Sheets	C13S041784

CoverPlus



## LOGISTICS INFORMATION

SKU	C11CH82301A1
EAN code	8715946703107
Country of Origin	Indonesia

For more information please contact:

Home users: 0343 90 37766  
 Business users\*: 0871 42 37766  
 Republic of Ireland: 01 436 7742  
 Or visit us at <https://www.epson.co.uk/contactus>  
 \* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
 Product information is subject to change without prior notice.  
 Last extracted: 2025-11-21

**EPSON**<sup>®</sup>