CO-W01

DATASHEET / BROCHURE

Create the big screen experience with this high-quality, long-lasting and flexible projector for the home and office, with WXGA resolution.

Here's a projector the whole family can enjoy; from watching box sets to delivering sharp presentations, this WXGA projector has the tools for the job. There's no need to worry about ambient light; it produces a bright and clear display with 3,000 lumens and 3LCD technology. It's also easy to transport and set up. And its incredibly long lamp life means it's great value for money.

Bigger is better
Whether you're watching your favourite film or delivering a presentation, this projector can achieve an impressive 378 inch display. It's great quality too, with 3LCD technology that makes the display up to three times brighter than competitor products[1], thanks to its bright and vivid colours. From family and friends to business colleagues and clients, it's sure to get everyone's attention.

High-quality, bright images
Even in bright rooms, this powerful yet affordable WXGA projector delivers exceptionally bright yet colourful images with clear details. It's all thanks to 3LCD technology, which produces an equally high White and Colour Light Output of 3,000 lumens.

Long-lasting solution
Looking for a long-term, hassle-free and affordable solution for your projection needs? This model's long-lasting lamp light source provideds you with 18 years' worth of entertainment[2].

Plug and play
Here's a projector that's designed with portability and quick set up in mind. Its compact design makes it easy to move from room to room, and you can quickly position the image with keystone correction and access content simply with the HDMI input.

KEY FEATURES

- **Create the big screen experience**
  From box sets to business presentations, capture everyone's attention
- **Bright even with ambient light**
  Equally high White and Colour Light Output of 3,000 lumens
- **Affordable, high-tech equipment**
  Enjoy this WXGA projector
- **Long-lasting solution**
  18 years' worth of entertainment[2]
- **Portable and quick to set up**
  Easy set up with keystone slider for perfect alignment

EPSON®

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0,59 inch with MLA (D10)
IMAGE	
Color Light Output	3.000 Lumen- 2.000 Lumen (economy) In accordance with ISO 21118:2020
White Light Output	3.000 Lumen - 2.000 Lumen (economy) In accordance with ISO 21118:2020
Resolution	WXGA
Resolution Enhancement	HD ready
Aspect Ratio	16:10
Light source	Lamp
Lamp	UHE, 188 W, 6.000 h durability, 12.000 h durability (economy mode)
Keystone Correction	Manual vertical: ±30 °, Manual horizontal ±30 °
Colour Video Processing	8 Bits
2D Vertical Refresh Rate	100 Hz - 120 Hz
Colour Reproduction	16.77 million colours
OPTICAL	
Throw Ratio	1,27 - 1,71:1
Zoom	Digital, Factor:1 - 1,35
Lens	Optical
Screen Size	33 inches - 378 inches
Projection Distance Wide	0,9 m - 10,4 m
Projection Distance Tele	0,9 m - 10,4 m
Projection Distance Wide/Tele	1,64 m (60 inch screen),
Projection Lens F Number	1,44
Projection Lens Focus	Manual
Offset	7 : 1
CONNECTIVITY	
Interfaces	HDMI 1.4, USB 2.0-A, USB 2.0 Type B (Service Only)
Epson iProjection App	n/a
ADVANCED FEATURES	
Security	Kensington lock, Padlock, Security cable hole
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard, Vivid
Other features	A/V mute, Built-in speaker, Horizontal and vertical keystone correction, MHL audio/video interface, Quick Corner
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation

CO-W01

WHAT'S IN THE BOX

- Main unit
- Power cable
- Quick Start Guide
- Remote control incl. batteries
- User manual (CD)
- Warranty card

EPSON®

PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	270 Watt (Normal Peak-mode), 214 Watt (Eco Peak-Mode), 0,5 Watt (Energy saving standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	295 x 211 x 87 mm (Width x Depth x Height)
Product weight	2,4 kg
Noise Level	Normal:38 dB (A) - Economy:29 dB (A)
Supported Temperature	Operation 5° C - 40° C
Supported Humidity	Operation -10% - 60%, Storage 10% - 90%
	Improper installation of the projector on a ceiling or wall may cause it to fall, leading to potential injury or damage. To prevent this, ensure the ceiling mount is securely fastened using all mounting points specified in the projector's user guide which is available to download from our support website (www.epson.eu/support). We recommend the use of Epson-approved ceiling mounts that are compatible with the projector model. Additionally, attach a safety wire of adequate strength to secure the projector to the ceiling mount. If the projector is suspended from a ceiling or wall mount and installed in an environment with heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke or bubbles are used for event staging, or where aroma oils are frequently burned, it can make certain parts of our products susceptible to a material degradation which over time could break and cause the projector to drop from the ceiling. We recommend that the equipment be inspected on a regular basis, either by the user or by a qualified professional, to ensure continued safe operation. If you are concerned about the environment in which your projector is installed, or if you have any other questions, please contact our support department and they can provide additional assistance.
Loudspeaker	5 Watt
Room Type / Application	Small Office/Home Office, Home Photo, TV & Box sets
Positioning	Ceiling Mounted, Desktop
Audio	Standard
Colour	White
OTHER	
Warranty	24 months Carry in

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0,59 inch with MLA (D10)
IMAGE	
Color Light Output	3.000 Lumen- 2.000 Lumen (economy) In accordance with ISO 21118:2020
White Light Output	3.000 Lumen - 2.000 Lumen (economy) In accordance with ISO 21118:2020
Resolution	WXGA
Resolution Enhancement	HD ready
Aspect Ratio	16:10
Light source	Lamp
Lamp	UHE, 188 W, 6.000 h durability, 12.000 h durability (economy mode)
Keystone Correction	Manual vertical: ±30 °, Manual horizontal ±30 °
Colour Video Processing	8 Bits
2D Vertical Refresh Rate	100 Hz - 120 Hz
Colour Reproduction	16.77 million colours
OPTICAL	
Throw Ratio	1,27 - 1,71:1
Zoom	Digital, Factor:1 - 1,35
Lens	Optical
Screen Size	33 inches - 378 inches
Projection Distance Wide	0,9 m - 10,4 m
Projection Distance Tele	0,9 m - 10,4 m
Projection Distance Wide/Tele	1,64 m (60 inch screen),
Projection Lens F Number	1,44
Projection Lens Focus	Manual
Offset	7 : 1
CONNECTIVITY	
Interfaces	HDMI 1.4, USB 2.0-A, USB 2.0 Type B (Service Only)
Epson iProjection App	n/a
ADVANCED FEATURES	
Security	Kensington lock, Padlock, Security cable hole
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard, Vivid
Other features	A/V mute, Built-in speaker, Horizontal and vertical keystone correction, MHL audio/video interface, Quick Corner
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation

CO-W01

WHAT'S IN THE BOX

- Main unit
- Power cable
- Quick Start Guide
- Remote control incl. batteries
- User manual (CD)
- Warranty card

EPSON®

PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	270 Watt (Normal Peak-mode), 214 Watt (Eco Peak-Mode), 0,5 Watt (Energy saving standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	295 x 211 x 87 mm (Width x Depth x Height)
Product weight	2,4 kg
Noise Level	Normal:38 dB (A) - Economy:29 dB (A)
Supported Temperature	Operation 5° C - 40° C
Supported Humidity	Operation -10% - 60%, Storage 10% - 90%
	Improper installation of the projector on a ceiling or wall may cause it to fall, leading to potential injury or damage. To prevent this, ensure the ceiling mount is securely fastened using all mounting points specified in the projector's user guide which is available to download from our support website (www.epson.eu/support). We recommend the use of Epson-approved ceiling mounts that are compatible with the projector model. Additionally, attach a safety wire of adequate strength to secure the projector to the ceiling mount. If the projector is suspended from a ceiling or wall mount and installed in an environment with heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke or bubbles are used for event staging, or where aroma oils are frequently burned, it can make certain parts of our products susceptible to a material degradation which over time could break and cause the projector to drop from the ceiling. We recommend that the equipment be inspected on a regular basis, either by the user or by a qualified professional, to ensure continued safe operation. If you are concerned about the environment in which your projector is installed, or if you have any other questions, please contact our support department and they can provide additional assistance.
Loudspeaker	5 Watt
Room Type / Application	Small Office/Home Office, Home Photo, TV & Box sets
Positioning	Ceiling Mounted, Desktop
Audio	Standard
Colour	White
OTHER	
Warranty	24 months Carry in

CO-W01

WHAT'S IN THE BOX

- Main unit
- Power cable
- Quick Start Guide
- Remote control incl. batteries
- User manual (CD)
- Warranty card

EPSON®

OPTIONAL ACCESSORIES

- Soft Carry Case - ELPKS69 - EB-x05/x41/x42, EH-TW6 series
  V12H001K69
- Wireless LAN Adapter - ELPAP11 (2.4GHz & 5GHz)
  V12H005A01
- Ceiling Mount (White) - ELPMB23
  V12H003B23

LOGISTICS INFORMATION

SKU	V11HA86040
EAN code	8715946706849
Country of Origin	Philippines
Layer	6 Units

1. Colour brightness(colour light output) in brightest mode, measured by a third-party lab in accordance with IDMS 15.4. Colour brightness will vary depending on usage conditions. Top-selling Epson 3LCD projectors versus top selling 1-chip DLP projectors based on NPD sales data for October 2019 through September 2020.
2. Based on watching an average 1hr 45mins film every day and the lamp set in Eco mode.

EPSON®