HP E27q G4 QHD Monitor



Enhance your entire viewing experience

Work comfortably and stay focused with the optimized ergonomics and Quad HD resolution of the HP E27q G4 QHD Monitor with HP Eye Ease that is designed around you. Make life easy for IT with remote manageability.



Total comfort begins with HP Eye Ease

• Keep your eyes comfortable through the work day with HP Eye Ease, our first built-in, always-on blue light filter that presents your vivid content with zero impact on your color accuracy, no OSD required.

Personalize your view

• Never lose a moment of productivity with 4-way monitor adjustability that lets you find your sweet spot, a 3-sided micro-edge, flicker-free 27" (68.58 cm) diagonal screen that reveals more of your work, and Quad HD resolution for crisp visuals from any angle.

Responsibly made

• Energy efficiency is built into every ENERGY STAR® certified, EPEAT® 2020 registered³, and low halogen⁴ display. We go one step further with 100% recyclable packaging that's easily accepted by recycling facilities.

Featuring

- Connect to your most frequently-used devices with VGA, HDMI, and DisplayPort™. Add up to four of your USB accessories right at the monitor with the integrated USB 3.2 hub.
- Work comfortably with adjustable tilt, height, and swivel settings. Use pivot rotation to conveniently customize portrait or landscape views on multiple monitors.
- Create an efficient, compact, solution when you mount your HP Desktop Mini PC directly on the column stand using the optional HP B300 PC Mounting Bracket.
- Customize your monitor and help deter its theft with easy, intuitive HP Display Center software that lets you tailor your settings, partition screens, and even dim the screen if your monitor is disconnected without approval—all through the host PC.
- Customize a total solution with options like the HP S101 Speaker Bar, which attaches easily to the lower bezel to add stereo audio on the monitor.
- Rest assured that this monitor has been vigorously tested for compatibility across HP PCs and workstations. It's
 also supported by our three-year standard limited warranty. Extend your protection to cover accidents, nextbusiness day needs, and more with optional HP Care Pack services.

HP E27q G4 QHD Monitor Specifications Table







Display type	Ib2,1
Panel Active Area	23.49 x 13.21 in 59.67 x 33.56 cm
Brightness	250 nits ¹
Contrast ratio	1000:1
Response Ratio	5ms GtG (with overdrive) ¹
Product colour	Black
Aspect ratio	16:9
Native resolution	QHD (2560 x 1440) ¹
Resolutions supported	2560 x 1440
Display features	On-screen controls; Low blue light mode; Anti-glare
User controls	Brightness; Exit; Information; Management; Power control; Input control; Menu control; Image; Color
Input signal	1 VGA; 1 USB Type-B; 1 HDMI 1.4; 1 DisplayPort™ 1.2; 4 USB-A 3.2 Gen 1
Display size (diagonal)	27"
Display size (diagonal, metric)	68.58 cm (27")
Environmental	Operating temperature: 5 to 35°C; Operating humidity: 20 to 80% non-condensing;
Power	Input voltage 100 to 240 VAC
Power consumption	60 W (maximum), 25 W (typical), 0.5 W (standby)
Dimensions	24.15 x 1.85 x 14.41 in 61.33 x 4.7 x 36.61 cm (Without stand.)
Weight	15.43 lb 7 kg (With stand.)
Physical security features	Security lock-ready ²
Energy efficiency compliance	ENERGY STAR® certified; EPEAT® 2019 registered ³
Certification and compliance	BIS; BSMI; CB; CCC; CE; CECP; CEL; EAC; ENERGY STAR®; FCC; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TCO Certified; TCO Certified Edge;
cer uncation and compliance	TUV LBL; TUV-S; VCCI; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; TGM; TUV-GS
What's in the box	TUV LBL; TUV-S; VCCI; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; TGM; TUV-GS Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable
What's in the box	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable
What's in the box Pixels per inch (ppi)	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi
What's in the box Pixels per inch (ppi) Panel bit depth	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178°
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178°
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45°
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23°
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt Pivot	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23° ±90
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt Pivot Height adjustment range	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23° ±90 150 mm
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt Pivot Height adjustment range VESA mounting	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23° ±90 150 mm 100 mm x 100 mm
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt Pivot Height adjustment range VESA mounting Hardness	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23° ±90 150 mm 100 mm x 100 mm 3H
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt Pivot Height adjustment range VESA mounting Hardness Screen treatment Touch-enabled Integrated privacy filter	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23° ±90 150 mm 100 mm x 100 mm 3H Anti-glare
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt Pivot Height adjustment range VESA mounting Hardness Screen treatment Touch-enabled Integrated privacy filter Flicker-free	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23° ±90 150 mm 100 mm x 100 mm 3H Anti-glare Not touch-enabled No Yes
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt Pivot Height adjustment range VESA mounting Hardness Screen treatment Touch-enabled Integrated privacy filter	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23° ±90 150 mm 100 mm x 100 mm 3H Anti-glare Not touch-enabled No
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt Pivot Height adjustment range VESA mounting Hardness Screen treatment Touch-enabled Integrated privacy filter Flicker-free Low blue light modes Display scan frequency (horizontal)	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23° ±90 150 mm 100 mm x 100 mm 3H Anti-glare Not touch-enabled No Yes
What's in the box Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Swivel Tilt Pivot Height adjustment range VESA mounting Hardness Screen treatment Touch-enabled Integrated privacy filter Flicker-free Low blue light modes	Monitor; DisplayPort™ 1.2 cable; HDMI cable; USB cable; Warranty card; Product notice; AC power cable 109 ppi 8 bit 178° 178° 3-sided micro-edge ±45° -5 to +23° ±90 150 mm 100 mm x 100 mm 3H Anti-glare Not touch-enabled No Yes Yes (TÜV certified)

HP E27q G4 QHD Monitor

Accessories and services (not included)

HP B300 PC Mounting Bracket



2017 and 2018 HP EliteDisplays and HP Z Displays.

Product number: 2DW53AA

HP Business PC Security Lock v3 Kit



Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the affordable HP Business PC Security Lock v3 Kit. Crisp, clear, high-resolution monitors for the business environment.

Product number: 3XJ17AA

HP S101 Speaker Bar



Add rich stereo audio to select HP displays 1 without crowding your desk with the HP S101 Speaker Bar, which fits neatly underneath the display head and connects through USB. Crisp, clear, high-resolution monitors for the business environment. **Product number: 5UU40AA**

HP 3 year Next business day Onsite Standard Monitor Hardware Support



HP E27q G4 QHD Monitor

Messaging Footnotes

- ³ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.
- ⁴ External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen. Sold separately.

- 6 Requires Windows 10 on host PC.
 7 HP Care Packs sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP Services are governed by the applicable HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Technical Specifications Footnotes

- 1 All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- ³ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.epeat.net for more information.

Sign up for updates hp.com/go/getupdated

