



HP Color LaserJet Pro 3202dn

High-Speed. Vivid Colour. Pro Performance.

Diseñado para equipos de trabajo empresariales que necesitan un rendimiento profesional con una impresión rápida y de alta calidad a doble cara, una productividad láser y una fiabilidad galardonada en un diseño que ahorra espacio.¹¹



Dynamic security enabled printer. Contains technology that may prevent cartridges with non-HP chips or circuitry from working now or in the future. More at: <http://www.hp.com/learn/ds>



Fast two-sided printing



Time saving



Printer security settings



Environmental globe

Professional color and speed

- Experience high-speed automatic two-sided colour printing at 25 pages per minute.¹
- Bring your business to life with next-generation TerraJet Toner designed for more true-to-life, vibrant colours.⁸
- Streamline your workspace and help boost your team's efficiency with this compact laser printer.

Peace-of-mind with award-winning reliability¹¹

- Performance you can count on page after page with award-winning reliability.¹¹
- Keep your business connected with reliable network printing.
- Rely on low maintenance printing to avoid downtime and stay focused on your business.

Pro level security to help protect your business

- Safeguard your business with proactive, embedded security ready out of the box and tamper-resistant toner.¹²
- Professional level printer security with preconfigured settings mean it's ready for business.
- Strengthen and simplify compliance. HP Security Manager upgrade applies policies across your printer network.¹⁰

Compact and energy efficient design

- Designed in a compact size with energy saving auto-on/auto-off technology to optimise printer energy use.
- Specially formulated HP TerraJet Toner engineered for low energy use when printing.⁷
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Easily recycle your used Original HP Toner Cartridges for free through the HP Planet Partners program.⁹

Descripción del producto

HP Color LaserJet Pro 3202dn

1. Fast, automatic two-sided printing
2. High-Speed USB ports, Ethernet
3. Print speed up to 26/25 ppm (Letter/A4)
4. 250-sheet input tray with 1-sheet MP tray
5. Timesaving Shortcuts
6. Hybrid Control Panel with easy, guided setup
7. Auto-jam recovery
8. Wolf Pro Security



Accesorios, consumibles y asistencia

Consumibles	W2190A Cartucho de Tóner Original HP LaserJet 219A negro (Aproximadamente 1300 páginas en negro)
	W2190X Cartucho de Tóner Original HP LaserJet 219X de alta capacidad negro (Aproximadamente 3200 páginas en negro)
	W2191A Cartucho de Tóner Original HP LaserJet 219A cian (Aproximadamente 1200 páginas en cian)
	W2191X Cartucho de Tóner Original HP LaserJet 219X de alta capacidad cian (Aproximadamente 2500 páginas en cian)
	W2192A Cartucho de Tóner Original HP LaserJet 219A amarillo (Aproximadamente 1200 páginas en amarillo)
	W2192X Cartucho de Tóner Original HP LaserJet 219X de alta capacidad amarillo (Aproximadamente 2500 páginas en amarillo)
	W2193A Cartucho de Tóner Original HP LaserJet 219A magenta (Aproximadamente 1200 páginas en magenta)
W2193X Cartucho de Tóner Original HP LaserJet 219X de alta capacidad magenta (Aproximadamente 2500 páginas en magenta)	
Accesorios	
Servicio y asistencia	<p>UH761E - HP 3 years Standard exchange for HP Color LaserJet Pro 3201-3203, 3288 Printer Series</p> <p>UH757E - HP 3 years Next Business Day exchange for HP Color LaserJet Pro 3201-3203, 3288 Printer Series</p> <p>UH764E - HP 3 years Return to Depot for HP Color LaserJet Pro 3201-3203, 3288 Printer Series</p> <p>(UH761E - available in all EMEA countries except Adriatic, Africa, CIS, EEM, Israel, ME, Russia, Romania, Slovenia, South Africa, Turkey, UH757E - available in Austria, Belgium, Czech Rep, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK, UH764E - available in Adriatic, Africa, CIS, EEM, Israel, ME, Russia, Romania, Slovenia, South Africa, Turkey)</p>

Especificaciones técnicas

Modelo	HP Color LaserJet Pro 3202dn
Número del producto	8D7L0A
Funciones	Print
Panel control	2" MGD display; 4 buttons (Back, Home, Cancel and OK); 1 directional pad (Up, Down, Left and Right)
Imprimir	
Tecnología de impresión	Laser
Velocidad de impresión ⁶	Blanco y negro (A4, normal): Up to 25 ppm Color (A4, normal): Up to 25 ppm ; Blanco y negro (A4, a doble cara): Up to 15 ipm Color (A4, a doble cara): Up to 15 ipm
Primera página ⁸	Blanco y negro (A4, listo): As fast as 10.9 sec Color (A4, listo): As fast as 11.0 sec ; Blanco y negro (A4, en reposo): As fast as 11.0 sec Color (A4, en reposo): As fast as 11.1 sec
Resolución de impresión	Blanco y negro (óptimo): Up to 600 x 600 dpi Color (óptimo): Up to 600 x 600 dpi
Ciclo mensual de trabajo	Up to 40,000 pages A4; Volumen de páginas mensuales recomendado⁹: 150 to 2,500
Lenguajes de impresión estándar	HP PCL6, PostScript, HP PCL5, PDF, URF, PWG-Raster, PCLM, JPEG
Fuentes y tipos de letra	111 Scalable TrueType Fonts
Área de impresión	Márgenes de la impresión Superior: 5 mm, Inferior: 5 mm, Izquierdo: 5 mm, Derecho: 5 mm; Superficie máxima de impresión : 216 x 356 mm
Impresión a doble cara	Automatic
Velocidad del procesador	1.2 GHz
Conectividad	
Estándar	1 Gigabit Ethernet 10/100/1000 Base-TX network; 1 Hi-Speed USB 2.0 (device); Auto-crossover Ethernet
Función de impresión móvil	Apple AirPrint™; Mopria™ Certified; HP Smart App; Mobile Apps
Protocolos de red admitidos	TCP/IPv4, TCP/IPv6, DHCP, DNS.
Funciones de red	Built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Memoria	Estándar: 256 MB ; Máximo: 256 MB
Manipulación de los soportes	
Número de bandejas para el papel	Estándar: 2 ; Máximo: 2
Tipos de soporte	Paper (bond, brochure, colored, glossy, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
Tamaño del soporte	Personalizado (métrico): 76 x 127 mm to 216 x 356 mm Compatible (métrico): 102 x 127 mm to 216 x 356 mm

Modelo	HP Color LaserJet Pro 3202dn
Número del producto	8D7L0A
Manipulación de los soportes	Entrada estándar: 250 sheets Main Input Tray; 1 sheet Priority Feed Tray Salida estándar: 100 sheets Output Tray
Peso de los soportes	60 to 163 g/m ² Paper; Up to 176 g/m ² with postcards; Up to 200g/m ² Glossy Papers
Capacidad de entrada	Bandeja 1: 1 sheet for all media type Bandeja 2: Sheets: Up to 250; Transparencias: Up to 10mm; Envelope: Up to 10 Máximo: Up to 251 sheets
Capacidad de salida	Estándar: Up to 100 sheets @ 75gsm (or Up to 15mm stack) Sobres: Up to 10 envelopes Transparencias: Up to 10 mm stack Máximo: Up to 100 sheets @ 75gsm (or Up to 15mm stack)
Sistemas operativos compatibles ¹	Windows 11; Windows 10; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; macOS v14 Sonoma; Linux
Sistemas operativos de red compatibles	Windows 11; Windows 10; macOS 12 Monterey; macOS 13 Ventura; macOS v14 Sonoma; Linux
Requisitos mínimos del sistema	Windows: Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection Mac: Apple® macOS 12.0 Monterey; macOS 13.0 Ventura; macOS v14 Sonoma; 2GB HD; Internet required
Software incluido	HP Printer Software downloadable from https://www.hp.com/download
Gestión de la seguridad	Device Unique Password, Enable/Disable USB Ports, EWS Session Timeout, Access Control for Device Features, Remote Scan Enable/Disable
Gestión de impresoras	HP Web Jetadmin
Dimensiones y peso	
Dimensiones de la impresora (ancho x fondo x alto) ⁴	Mínimo 390 x 419.12 x 254.19 mm; Máximo: 390 x 472 x 266 mm
Peso de la impresora ¹³	13.8 kg
Entorno operativo	Temperatura: 15 to 30°C Humedad: 30 to 70% RH
Condiciones de almacenamiento	Temperatura: -20 to 60°C
Acústica ⁵	Emissiones de potencia acústica: 6.2 B(A) Emissiones de presión acústica: 51 dB(A)
Potencia ¹	Requisitos: 220-volt input voltage: 220 – 240V (±10%) @ 50Hz ± 3 Hz, 60Hz ± 3 Hz; 110-volt input voltage: 110 – 127V (±10%) @ 50Hz ± 3 Hz, 60Hz ± 3 Hz (Not dual voltage, product varies by part number with # Option code identifier); Consumo: 415 watts (Printing), 6.1 watts (Ready), 0.63 watts (Sleep), 0.05 watts (Auto-Off), 0.05 watts (Manual-Off); Consumo eléctrico típico (TEC)¹⁰: 0.272 kWh/week (Energy Star); Tipo de fuente de alimentación: Internal (Built-in) power supply
Tecnología con funciones de ahorro de energía	HP Auto-On/Auto-Off Technology
Certificados	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Indonesia, Singapore, Philippines, etc. Estándar de emisión electromagnética: EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A1 1:2020+A1:2020; EN 55035:2017+A1 1:2020; EN 61000-4-1:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other Telecom approvals as required by individual countries Blue Angel Compatible con Blue Angel Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Especificaciones de impacto sostenible	Contains post-consumer recycled plastic
País de origen	Made in Vietnam
Contenido de la caja ²	8D7L0A HP Color LaserJet Pro 3202dn; Power cord; Toner cartridge; User Guide; Flyers
Garantía	One-year limited warranty. For more information please visit us at https://www.support.hp.com ¹² . 3-year HP commercial warranty at no extra cost (register within first 60 days at https://www.hp.com/eu/3yearwarranty).

Notas al pie

- ¹ Mediated using ISO/IEC 24734 and excludes first set of test documents. For more information, see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: <https://www.hpsmart.com>
- ³ HP Web Jetadmin is available for download at no additional charge at <https://www.hp.com/go/webjetadmin>
- ⁴ HP calculations based on normalized Energy Star® TEC data of HP LaserJet Pro and Enterprise series with HP TerraJet Cartridges compared to predecessors. See <https://www.hp.com/TerraJet/energysaving>
- ⁵ Standard print mode for HP Color LaserJet Pro series with HP TerraJet Toner Cartridges compared to predecessors. See <https://www.hp.com/TerraJet/colors>
- ⁶ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see <https://www.hp.com/recycle>
- ⁷ HP Security Manager must be purchased separately. For details, see <https://www.hp.com/go/securitymanager>
- ⁸ Buyers Lab (BLI) 2022-2024 Most Reliable A4 Brand Award based on devices tested by Keypoint Intelligence from 2017 to 2021. See <https://www.keypointintelligence.com/view-award?region=&id=135871174680>
- ⁹ HP office-class printing systems are select Managed and Enterprise devices with FutureSmart firmware 4.5 and up, Pro devices, LaserJet models 200 and up, with respective Original HP Toner, PageWide and Ink Cartridges. Does not include HP integrated printhead cartridges. Digital supply-chain tracking, hardware, chips and packaging security features vary locally by SKU. See <https://www.hp.com/cartridgesecurity>
- ¹⁰ Based on 2023 Q2 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2023 Q2 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

Avisos legales sobre las especificaciones técnicas

- ¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- ² For yield information on the cartridge(s) included with your printer, see <https://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- ³ Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <https://www.hp.com/go/toneryield>
- ⁴ End to End Dimensions when printer is set up and on standby
- ⁵ Configuration tested: base model, simplex printing, A4 paper at an average of 25 ppm
- ⁶ Mediated using ISO/IEC 24734, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁷ Mediated using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁸ Mediated using ISO/IEC 17629. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁹ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ¹⁰ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- ¹¹ Windows Server 2016, Windows Server 2019, Windows Server 2022, Linux (For more information see <https://www.developers.hp.com/hp-linux-imaging-and-printing>)
- ¹² Warranty and support options vary by product, country, and local legal requirements
- ¹³ Product Weight Inclusive of Starter Supplies

