

Poly Blackwire 8225 Stereo Microsoft Teams Certified USB-C Headset +USB-C/A Adapter

Stay distraction-free on calls

Is background noise affecting your productivity? Reduce noise and increase focus with the Poly Blackwire 8225 headset with a noise-canceling microphone enhanced with Acoustic Fence technology and advanced hybrid active noise canceling (ANC).



*Product image may differ from actual product

Sound like a winner

With the Blackwire 8225, your voice is the only thing heard, not the chaos around you. Its noise-canceling microphone with Acoustic Fence technology puts you in a quiet office, even if you're in a noisy kitchen.

Stay focused

It's no secret that tuning out background noise makes you more productive. Hybrid active noise canceling (ANC) makes it easy to escape the noise around you. And three ANC settings mean you can fine-tune your level of quiet where you work.

Long-lasting comfort

The Blackwire 8225 is crafted from premium materials with a lightweight design. You will get a comfortable, customized fit using adjustment markers and 180° pivoting speakers. You'll fall in love with the aesthetic design and robust look and feel.

Advanced hybrid ANC

Optimize audio comfort and quality with advanced hybrid active noise canceling (ANC) by choosing between three settings.

Acoustic Fence technology

Reduce disruptions from close talkers and environmental noise with the flexible, noise canceling microphone enhanced with Acoustic Fence technology.

Connectivity options

Enhanced connectivity for your devices with a USB Type-C® cord and tethered USB-A adapter.

Lightweight design

Padded headband and soft leatherette ear cushions provide all day comfort.

Poly Blackwire 8225 Stereo Microsoft Teams Certified USB-C Headset +USB-C/A Adapter

Specifications



Compatible with

Compatible operating systems: Windows 10; macOS

Connectivity and communications

Connection type: USB Type-A; Wired USB Type-C®
Ear cushions: Artificial leather (surface material)
Headphone type: On-ear (stereo)

User interface features

Button user controls: Call answer/end; Mute; Volume +/-; Microsoft Teams; ANC: off, low, high

Audio

Audio features:
Noise and echo reduction
Dynamic EQ optimized
Microphone type: Omnidirectional
Microphone bandwidth: 100 Hz to 10 kHz
Speaker bandwidth: 200 Hz to 6.8 kHz (speech mode); 20 Hz to 20 kHz (media mode)
Speaker size: 32 mm
Signal-to-noise ratio: >118 dB
Frequency response (microphone): 100 Hz to 10 kHz
Sensitivity (microphone): -38 dBV/Pa
Sensitivity (speaker): 84 dB SPL (1 mW/1 cm) +/- 3 dB

Battery

Impedance: 32 ohm

Certifications

Certified collaboration software: Microsoft Teams
Special features: UC certified; Two LED indicators on speaker in call status

Environmental

Acoustic protection technology: SoundGuard Digital^{1,2}

Applications supported

Management software:
Plantronics Hub (desktop)

Minimum system requirements

USB Type-A port; USB Type-C® port

Weight and dimensions

Product Primary Color: Black
Weight (metric): 186 g
Product Dimensions (metric): 155 x 32 x 18 mm
Package dimensions (metric): 183 x 209 x 55 mm
Package Weight (metric): 333 g
Cable length (metric): 63 cm (inline module to headset); 149 cm (USB to inline module); 219 cm (total USB to headset)
Product number: 8X225AA

Warranty

Poly standard two-year limited warranty

Country of origin

Country of origin: Product of Mexico and China

What is in the box

Headset
Carrying case
User guide
USB Type-C® to USB Type-A adapter

Technical Specifications Footnotes

¹ SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA). ² Requires Poly Lens Desktop App to enable SoundGuard Digital features.