



# HP Z24m G3 QHD Conferencing Display

## Creative Collaboration Elevated

Enhanced by HP Presence<sup>2</sup>, you can collaborate wherever you find yourself all while creating with the brilliant and vibrant color you need. With integrated conferencing 5 MP webcam, speakers and mic, you feel as if you're face-to-face. With the 60,5 cm(23.8-inch) diagonal HP Z24m G3 Display, you have color accuracy, HDR, and QHD to bring your ideas to life.



\*Product image may differ from actual product

### Share Your Ideas in Perfect Clarity

- Make an outstanding impression with state-of-the-art integrated conferencing features enhanced by HP Presence<sup>2</sup>. Present your work in perfect clarity with a high-resolution 5MP webcam, noise-cancelling mics and fine-tuned, recessed speakers designed to fit in a 4-sided borderless frame. These integrated features are rigorously tested to ensure Zoom and other conferencing software work seamlessly.

### See Colors as They Really Are

- Trust the colors you see on screen with the industry-leading Z by HP color accuracy and factory color calibration you expect. Equipped with the creative color gamuts you work in most<sup>1</sup>, you'll have all the shades and hues you need for web, photography, and video creation on Mac<sup>®</sup> or PC. Lean into realism with HDR 400 for darker blacks and brighter whites.

### A Smooth Screen Experience

- Experience every pixel and movement with the precision of reality in crisp Quad HD resolution and a fast 90Hz refresh rate<sup>1</sup>. Navigate your workflow in Windows 11 and Adobe<sup>®</sup> with high definition and smooth motion as you scroll, click, and direct your projects.

### Work Flows with You

- Stay in your creative flow with a display that keeps up with you. Not only is the 4-sided borderless display stunning by itself, with daisy chaining<sup>3</sup> you can pair the Z24q G3 display<sup>4</sup> for virtually seamless dual displays. USB-C<sup>®</sup> connection provides 100W charging and compatibility with Mac<sup>®</sup> or PC, so nothing stops your flow. Get to creating quicker with proximity detection and keep it up all day with built-in wellness features.

## Featuring

### Enhanced by HP Presence

Look and sound your best with all new collaborating features.

### Colors Calibrated to Perfection

Every HP Z Display undergoes factory color calibration and testing to achieve a Delta E of less than 2, making color differences virtually indistinguishable to the human eye.

### The Color Gamuts You Use Most

Create in the color gamuts you use most. 99% sRGB for web, 90% P3 for photography, and BT.709 for HD video.

### Shine Brightly

With 400 nits of brightness, you can clearly see your screen when you're in the sun, by a bright window, or under artificial lighting.<sup>1</sup>

### Lean into Realism with HDR 400

Lean into realism with HDR 400 for deeper blacks, brighter whites, and richer colors.

### Crisp QHD Resolution

See 2x the details on your 23.8-inch diagonal screen with crisp QHD resolution.

### Proximity Detection

Get to work faster and know your privacy is protected with proximity detection.

### Display More with DisplayPort™ 1.4

Display more with DisplayPort™ 1.4 and connect up to 3 QHD displays.

### Endless Adjustability

With 4-way adjustability you can customize pivot, tilt, height adjust, and swivel settings to fit you, your desk, and your needs.

### Always-on, True Color, Low-Blue Light Filter

HP Eye Ease is a filter that keeps you comfortable by reducing blue light without impacting color accuracy.

### Zoom Certified

Because HP met or exceeded all Zoom quality benchmarks, you can be sure our hardware works seamlessly with Zoom and most other conferencing platforms to deliver an stunning conferencing experience every time.

### Only Share When You Want

Push the webcam down for worry-free privacy.

### Windows® Hello Enabled Integrated Webcam

Integrated webcam features an improved discrete IR sensor, so using your face as a password with Windows® Hello has never been more hassle-free.<sup>5</sup>

### Crystal Clear Audio, Beautiful Design

With built-in, down firing speakers, hear with perfect clarity in a 4-sided borderless frame.

### Your Webcam and Audio Your Way

Customize your webcam and audio settings using simple controls in HP Display Center. Crop in and adjust brightness, exposure, volume using simple sliders.<sup>6</sup>

### Monitors Containing Recycled Materials

HP is helping conserve natural resources, reduce waste sent to landfills, and lower energy consumption by using 90% recycled plastics in the plastics of Z G3 Monitors.<sup>7</sup>

### Thoughtful Product Packaging

HP is committed to reducing plastic in landfills by using 100% recyclable packaging that meets recycling requirements, so it stays out of the landfill.<sup>8,9</sup>

### More Ports. More Flexibility.

Packed with ports including USB-C®, HDMI, DisplayPort™, and four USB-A 3.2 ports.<sup>10</sup>

### Easily Personalize and Adjust Your Display

Customize your display with easy, intuitive HP Display Center software that lets you tailor your settings, partition screens, and even dim the screen.<sup>6</sup>

### Remote Management Reimagined

Manage deployment, asset tracking and monitor settings remotely.<sup>11</sup>


### Crystal Clear Audio, Beautiful Design

With built-in, down firing speakers, hear rich audio in perfect clarity via dual 5W speakers with 84dB SPL and 160 Hz bass roll off.

### 3 years limited warranty

Get peace of mind with a 3 years warranty

## HP Z24m G3 QHD Conferencing Display Specifications Table



\*Product image may differ from actual product

|                                     |                                                                                                                                                                                                                                                  |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Display type                        | IPS <sup>1</sup>                                                                                                                                                                                                                                 |
| Panel Active Area                   | 52.68 x 29.64 cm                                                                                                                                                                                                                                 |
| Brightness                          | 400 nits <sup>1</sup>                                                                                                                                                                                                                            |
| Contrast ratio                      | 1000:1 <sup>1</sup>                                                                                                                                                                                                                              |
| Response Ratio                      | 5ms GtG (with overdrive) <sup>1</sup>                                                                                                                                                                                                            |
| Product colour                      | Black/Silver                                                                                                                                                                                                                                     |
| Aspect ratio                        | 16:9                                                                                                                                                                                                                                             |
| Native resolution                   | QHD (2560 x 1440) <sup>1,2,3,4</sup>                                                                                                                                                                                                             |
| Resolutions supported               | 640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 1024; 1440 x 900; 1600 x 900; 1600 x 1200; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1400                                                                                    |
| Display features                    | On-screen controls; Anti-glare; IR webcam; Height Adjust/Tilt/Swivel/Pivot; Integrated speakers; HP Eye Ease; Integrated microphone                                                                                                              |
| User controls                       | Brightness; Exit; Information; Management; Power; Input control; Menu control; Image; Color                                                                                                                                                      |
| Display size (diagonal, metric)     | 60.45 cm (23.8")                                                                                                                                                                                                                                 |
| Ports and Connectors                | USB Type-C® video input: 1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 100W USB Power Delivery, Alt Mode DisplayPort™ 1.4); 1 HDMI 2.0; 1 DisplayPort™ 1.4; 1 DisplayPort™ 1.4-out; 4 SuperSpeed USB Type-A 5Gbps signaling rate; 1 RJ-45 |
| HDCP                                | Yes, DisplayPort™ and HDMI                                                                                                                                                                                                                       |
| Camera                              | Yes, 5MP                                                                                                                                                                                                                                         |
| Environmental                       | Operating temperature: 5 to 35°C;<br>Operating humidity: 20 to 80% non-condensing;                                                                                                                                                               |
| Power                               | 100 - 240 VAC 50/60 Hz                                                                                                                                                                                                                           |
| Power consumption                   | 170 W (maximum), 38 W (typical), 0.5 W (standby)                                                                                                                                                                                                 |
| Dimensions                          | 62.5 x 14.1 x 38.7 cm                                                                                                                                                                                                                            |
| Weight                              | 5.7 kg (With stand.)                                                                                                                                                                                                                             |
| Physical security features          | Security lock-ready <sup>12</sup>                                                                                                                                                                                                                |
| Certification and compliance        | Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECp; CEL; cTUVus; EAC; FCC; GS Mark; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TUV-S; VCCI; Vietnam MEPS; WEEE; ISC; Low blue light; South Africa Energy; ICE; UAE; Ukraine certificates       |
| Sustainable impact specifications   | 85% post-consumer recycled plastic; Low Halogen; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Contains Ocean-Bound recycled plastic; Designed with recycled metals <sup>6,7,8,9,10</sup>                     |
| What's in the box                   | DisplayPort™ cable; HDMI cable; VESA Mount adapter; Warranty card; Quick Setup Poster; 1 USB Type-C® to Type-C cable; AC power cord; Color calibration report <sup>11</sup>                                                                      |
| Warranty                            | 3 years limited warranty                                                                                                                                                                                                                         |
| Pixels per inch (ppi)               | 123 ppi                                                                                                                                                                                                                                          |
| Panel bit depth                     | 10 bit (8 bit + FRC)                                                                                                                                                                                                                             |
| Vertical viewing angle              | 178°                                                                                                                                                                                                                                             |
| Horizontal viewing angle            | 178°                                                                                                                                                                                                                                             |
| Bezel                               | 4-sided micro-edge                                                                                                                                                                                                                               |
| Swivel                              | ±45°                                                                                                                                                                                                                                             |
| Tilt                                | -5 to +20°                                                                                                                                                                                                                                       |
| Pivot                               | ±90                                                                                                                                                                                                                                              |
| Height adjustment range             | 150 mm                                                                                                                                                                                                                                           |
| VESA mounting                       | 100 mm x 100 mm (bracket included)                                                                                                                                                                                                               |
| Hardness                            | 3H                                                                                                                                                                                                                                               |
| Screen treatment                    | Anti-glare                                                                                                                                                                                                                                       |
| Flicker-free                        | Yes                                                                                                                                                                                                                                              |
| Low blue light modes                | Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)                                                                                                                                                                                |
| Energy efficiency class             | F                                                                                                                                                                                                                                                |
| Display scan frequency (horizontal) | 30-140 KHz                                                                                                                                                                                                                                       |
| Pixel pitch                         | 0.21 x 0.21 mm                                                                                                                                                                                                                                   |
| Display colors                      | Up to 1.07 billion colors supported <sup>5</sup>                                                                                                                                                                                                 |
| Display Color Gamut                 | 99% sRGB; 90% DCI-P3; 99% BT.709                                                                                                                                                                                                                 |
| Microphone                          | Yes (noise cancelling)                                                                                                                                                                                                                           |
| Windows Hello compatible            | Yes                                                                                                                                                                                                                                              |
| Speaker output power                | 2 x 5 W                                                                                                                                                                                                                                          |
| Management software                 | HP Display Center; HP Display Manager <sup>13</sup>                                                                                                                                                                                              |
| Webcam Features                     | Independent tilt -20° to 5°; Windows Hello support (IR Sensor); Pop-up privacy                                                                                                                                                                   |

# HP Z24m G3 QHD Conferencing Display

## Messaging Footnotes

<sup>1</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

<sup>2</sup> HP Presence features vary by platform.

<sup>3</sup> Not compatible with Mac products.

<sup>4</sup> Z24m G3 display sold separately.

<sup>5</sup> Windows® Hello requires Windows 10 or higher. Internet connection required for online logins and sold separately.

<sup>6</sup> Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.

<sup>7</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard. Plastics consist of 90% Post-Consumer Recycled, with 85% Recycled Information Technology Equipment (ITE) + 5% Ocean-Bound Plastics (PET).

<sup>8</sup> 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.

<sup>9</sup> Recycling facilities not available in all locations.

<sup>10</sup> Comes with Power Cord, USB-C® cable, HDMI cable, and DisplayPort™ cable, all other cables sold separately.

<sup>11</sup> HP Display Manager software agent must be running on a web server and host PC. Some limitations may apply to legacy monitors.

## Technical Specifications Footnotes

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

<sup>2</sup> DisplayPort™ 1.2 or HDMI 1.4 required to drive panel at its native resolution.

<sup>3</sup> The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI, or USB Type C® (Alt Mode DisplayPort™).

<sup>4</sup> The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz and include 1 DisplayPort™, 1 HDMI or USB Type C® (Alt Mode DisplayPort™) outputs to drive the monitor at the Preferred Mode.

<sup>5</sup> Number of colors through A-FRC technology.

<sup>6</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

<sup>7</sup> External power supplies, WWAN modules, power cords, cables and peripherals excluded.

<sup>8</sup> 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.

<sup>9</sup> Percent of recycled metal varies by product.

<sup>10</sup> Percentage of ocean-bound plastic contained in each component varies by product.

<sup>11</sup> Included cables may vary by country.

<sup>12</sup> Lock sold separately.

<sup>13</sup> HP Display Center requires Windows 10 (or higher) on host PC and is available from the Windows store.

Sign up for updates [hp.com/go/getupdated](https://hp.com/go/getupdated)

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

EPEAT® is a registered trademark of GREEN ELECTRONICS COUNCIL. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Windows is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.

August 2022

--

