





VG2452 - 24" 1080P IPS ERGONOMOMIC MONITOR | 65W USB-C

Key Features


- Single-cable USB-C connectivity delivers video, audio, data and 65W charging
- Integrated USB hub with x2 USB-C ports (15W) and x2 USB-A ports
- Greater comfort and faster setup with an ergonomic design and quick deploy stand
- Plug in your favorite devices with HDMI and DisplayPort inputs
- 100% recyclable, FSC-certified eco-friendly packaging
- Pair with a ViewSonic VG58 monitor to build the ultimate workstation



24
DISPLAY



IPS
PANEL



1920x1080
RESOLUTION



Product Description

Upgrade your setup with the ViewSonic® 24" VG2452, a powerful workspace solution that helps enhance productivity, reduce clutter, and maximize comfort. With USB-C connectivity, users can streamline their workspace and eliminate cable clutter while enjoying 65W of charging, data, audio, video, and power over a single cable. An HDMI port, DisplayPort, and an integrated USB hub (x2 USB-C, x2 USB-A) make it easy to connect all your favorite devices, peripherals and other accessories. Built for all-day comfort, this monitor features a fully ergonomic stand with height, pivot, swivel, and tilt adjustments, ensuring an optimized viewing experience tailored to your needs. Enjoy smoother visuals with a 100Hz refresh rate, while a blue light filter and flicker-free technology help reduce eye strain. Sustainability meets innovation with a sleek, laser-textured design crafted from eco-friendly materials. The VG2452 comes in FSC-certified, 100% recyclable packaging, that helps reduce waste and eliminates the need for single-use materials.

Specifications

	More Information
UPC	766907031751
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	350 cd/m2
Colors	16.7M
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	100Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
USB Type A	2
USB Type C	1 (Upstream; DP Alt mode; 65W); 2 (Downstream; 15W)
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	107
Eco Mode (optimized)	104
Consumption (typical)	110
Consumption (max)	180
Voltage	100-240 VAC
Stand-by	0.5
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1

Physical Controls	Joystick key: Up, Right, Down, Left, Center; Power
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Height Adjust	150 mm / 5.9 in
Swivel	90º
Pivot (Right/Left)	90º / 90º
Tilt (Forward/Back)	5º / 30º
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC
Net (lbs)	13.6
Net Without Stand (lbs)	8.6
Gross (lbs)	18
Net (kg)	6.2
Net Without Stand (kg)	3.9
Gross (kg)	8.2
Packaging (in.)	23.6 x 16.1 x 5.6
Physical (in.)	21.21 x15.84~19.89 x 8.08
Physical Without Stand (in.)	21.21 x12.5 x 1.76
Packaging (mm)	600.0 x 410.0 x 143.0
Physical (mm)	538.8 x 402.32~505.22 x 205.27
Physical Without Stand (mm)	538.8 x 317.51 x 44.75
Package Contents	VG2452 x1, 3-pin Plug (IEC C13 / CEE22) x1, DisplayPort Cable (v1.2; Male-Male) x1, USB Type-C Gen2 Cable (Male-Male; with Type-A adapter) x1, Quick Start Guide x1,
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907031751



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com